

Cambodia

**National Institute of Statistics, Ministry of Planning
Directorate General for Health, Ministry of Health**

Cambodia Demographic and Health Survey in 2010

Study Documentation

October 4, 2011

Metadata Production

Metadata Producer(s)	CHHUN BONARITH (CB) , NIS , Archivist MEY SOKHANTEY (MS) , NIS , Archivist
Production Date	September 12, 2011
Version	Version 1.0 (September 12, 2011) The first documentation of the survey.
Identification	DDI-KHM-NIS-CDHS2010-V1.0

This document was generated using the [IHSN Microdata Management Toolkit](#)

Table of Contents

Overview.....	1
Scope & Coverage.....	1
Producers & Sponsors.....	2
Sampling.....	2
Data Collection.....	2
Data Processing & Appraisal.....	5
Accessibility.....	5
Rights & Disclaimer.....	6
Files Description.....	7
Households.....	7
Women.....	7
Children.....	7
Persons.....	7
Men.....	8
Births.....	8
Variables List.....	9
Households.....	9
Women.....	25
Children.....	58
Persons.....	72
Men.....	78
Births.....	88
Variables Description.....	102
Households.....	102
Women.....	214
Children.....	428
Persons.....	524
Men.....	563
Births.....	627
Documentation.....	724

Cambodia (2010-2011)

Cambodia Demographic and Health Survey in 2010 (CDHS 2010)

Overview	
Type	Demographic and Health Survey [hh/dhs]
Identification	KHM-NIS-CDHS-2010-v01
Version	Production Date: 2011-09 Version 1.0 - Edited data for internal use only.
Series	The 2010 Cambodia Demographic and Health Survey (2010 CDHS) is the third survey of its kind to be conducted successfully in Cambodia. Sponsors are the United States Agency for International Development (USAID), United Nations Population Fund (UNFPA), United Nations Children's Fund (UNICEF), Japan International Cooperation Agency (JICA), and the Health Sector Support Program-Second Phase (HSSP-2). Technical assistance is provided by ICF Macro. The Directorate General for Health (DGH) of the Ministry of Health and the National Institute of Statistics (NIS) of the Ministry of Planning are the project implementation agencies.

Abstract

The Cambodia Demographic and Health Survey in 2010 (CDHS 2010) is the third nationally representative survey conducted in Cambodia on population and health issues. It uses the same methodology as its predecessors, the 2000 and the 2005 Cambodia Demographic and Health Surveys, allowing policymakers to use these surveys to assess trends over time. The primary objective of the CDHS is to provide the Ministry of Health (MOH), Ministry of Planning (MOP), and other relevant institutions and users with updated and reliable data on infant and child mortality, fertility preferences, family planning behavior, maternal mortality, utilization of maternal and child health services, health expenditures, women's status, and knowledge and behavior regarding HIV/AIDS and other sexually transmitted infections. This information contributes to policy decisions, planning, monitoring, and program evaluation for the development of Cambodia at both the national and local government levels.

Kind of Data	Sample survey data [ssd]
Unit of Analysis	Household, individual (including women and men between the ages of 15 and 49), and children aged 5 and below.

Scope & Coverage

Scope

CDHS 2010 covers 19 main areas of social concern:

1. Respondent and Housing
2. Accident and Injury
3. Fertility
4. Family Planning
5. Maternal Health
6. Child Health
7. Mortality
8. Nutrition
9. HIV
10. Women's Status

Topics	Mental Health, Nutrition, HIV/AIDS
--------	------------------------------------

Geographic Coverage

The sample was designed to provide estimates of the indicators at the national level, for urban and rural areas, and for 19 domains: 1. Banteay Mean Chey, 2. Kampong Cham, 3. Kampong Chhnang, 4. Kampong Speu,

5.Kampong Thom, 6.Kandal, 7.Pnom Penh, 8.Prey Veng, 9.Pursat, 10.Svay Rieng, 11.Takeo, 12.Kratie, 13.Siem Reap, 14.Otdar Mean Chey, 15. Battambang and Krong Pailin, 16. Kampot and Krong Kep, 17.Krong Preah Sihanouk and Kaoh Kong, 18.Preah Vihear and Steng Treng; and 19.Mondol Kiri and Rattanak Kiri.

Geographic Unit

Village level (by commune, district and province)

Universe

The survey covered the whole resident population (regular household) , with the exception of homeless in Cambodia

Producers & Sponsors

Primary Investigator(s)	National Institute of Statistics, Ministry of Planning Directorate General for Health, Ministry of Health
Other Producer(s)	ICF Macro (ICF Macro) , Teachnical assitance
Funding Agency/ies	US Agency for International Development (USAID) , Financial support United Nations Population Fund (UNFPA) , Financial support United Nations Children's Fund (UNICEF) , Financial support United State Agency for International Development (USAID) , Financial support Health Sector Support Program-Second Phase (HSSP-2) , Financial support Japan International Cooperation Agency (JICA) , Financial support
Other Acknowledgment(s)	EXECUTIVE COMMITTEE , MOP/ MOH TECHNICAL COMMITTEE , NIS/ MOH

Sampling

Sampling Procedure

The survey was based on a stratified sample selected in two stages. Stratification was achieved by separating every reporting domain into urban and rural areas. Thus, the 19 domains. Samples were selected independently in every stratum through a two-stage selection process. Implicit stratifications were achieved at each of the lower geographical or administrative levels by sorting the sampling frame according to geographical/administrative order and by using a probability proportional to size selection strategy at the first stage of selection. (Please refer to technical documents for details).

Response Rate

Response rate:

Households: 99 per cent

Women ages 15-49: 98 per cent

Men ages 15-49: 95 per cent

See Table 1. Results of the household and individual interviews in the CDHS 2010 Preliminary Report (Refer to technical documents)

Weighting

Not available

Data Collection

Data Collection Dates	start 2010-03 end 2011-01
Data Collection Mode	Face-to-face [f2f]

Data Collection Notes

Training were conducted to form 19 field teams to be responsible for data collection in one of the 19 survey domains (comprised of the 24 provinces). Field teams were each composed of 6 people: team leader, field editor, three female interviewers, and one male interviewer.

The field teams were subjected to 6 weeks of training which included:

- 1 week on the Household Questionnaire
- 2 weeks on 13 sections of the Woman Questionnaire, review of the Household Questionnaire, including the selection of women for the Household Relations Module, Consent Statements for blood collection, and conversion of ages and dates of birth between the Khmer and Gregorian calendar
- 1 week on the Man Questionnaire, measuring height and weight of women and children, sample implementation and household selection, collection of Geographic Positioning System data, testing of household salt for iodine, organization of documents and materials for return to the head office
- 1 week on collection of blood samples (all interviewers were designated to collect blood samples in the field)
- 1 week of full field practice

A total of 122 field personnel attended the 6 weeks training. The first 3 weeks were also attended by data entry staff.

The progression of fieldwork by geographic location had to take into account weather conditions during rainy season. A fieldwork supervision plan was created for the six CDHS survey coordinators from NIS and NIPH and ORC Macro to conduct regular field supervision visits. Supervision visits were conducted throughout the six months of data collection and included the retrieval of questionnaires and blood samples from the field. In addition, a quality control program was run by the data processing team to detect key data collections errors for each team. Based on these data checks, regular feedback was given to each team based on their specific performance.

Questionnaires

There are three types of questionnaires used in the CDHS: the Household Questionnaire, the Individual Woman's Questionnaire, and the Individual Man's Questionnaire.

The households that have been scientifically selected to be included in the CDHS sample were visited and interviewed using a Household Questionnaire. The Household Questionnaire consisted of a cover sheet to identify the household and a form on which all members of the household and visitors were listed. Data collected about each household member were name, sex, age, education, and survival of parents for children under age 18 years, etc. The Household Questionnaire was used to collect information on housing characteristics such as type of water, sanitation facilities, quality of flooring, and ownership of durable goods.

The Household Questionnaire permitted the interviewer to identify women and men who were eligible for the Individual Questionnaire. Women ages 15-49 years in every selected household who are members of the household (those that usually live in the household) and visitors (those who do not usually live in the household but who slept there the previous night) were eligible to be interviewed with the individual Woman's Questionnaire.

After all of the eligible women in a household have been identified, female interviewers used the Woman's Questionnaire to interview the women. The Woman's Questionnaire collected information on the following topics:

- socio-demographic characteristics
- reproduction
- birth spacing
- maternal health care and breastfeeding

- immunization and health of children
- cause of death of children
- marriage and sexual activity
- fertility preferences
- characteristics of the husband and employment activity of the woman
- HIV
- maternal mortality
- women's status
- household relations

In one-half of the households, men were identified as eligible for individual interview, and the male interviewer of each team used the Man's Questionnaire to interview the eligible men. Team leaders informed their teams which households in the sample have been selected for including interviews with men. The Man's Questionnaire collected information on the following topics:

- socio-demographic characteristics
- reproduction
- birth spacing
- marriage and sexual activity
- HIV

Biomarker data collection were conducted in the same one-half of the households which were selected to include men for interview. The biomarker data collection included: measuring the height and weight of women and children (under age 6 years), anemia testing of women and children, and drawing blood samples from women and men for laboratory testing of HIV. Biomarker data collection were recorded in the Household Questionnaire.

Data Collector(s)	National Institute of Statistics (NIS) , Ministry of Planning Directorate General for Health (DGH) , Ministry of Health
--------------------------	--

Supervision

Supervision of Interviewers

The team supervisor was tasked to:

- Oversee the work of the team.
- Assign households to interviewers.
- Help interviewers locate households.
- Spot-check some of the addresses selected for interviewing to be sure that you interviewed the correct households and the correct women and men.
- Review all non-interviews.
- Observe some of your interviews to ensure that you are asking the questions in the right manner and recording the answers correctly.
- Handle funds and manage equipment.
- Supervise anthropometric measurement, anemia testing, and blood sample collection.
- Meet with you on a daily basis to discuss performance and give out future work assignments.
- Help you resolve any problems that you might have with finding the assigned households, understanding the questionnaire, or dealing with difficult respondents.

The field editor was tasked to:

- Oversee the work of the team.
- Assign households to interviewers.
- Help interviewers locate households.
- Review all non-interviews.
- Review all questionnaires before the team leaves the cluster.
- Review completed questionnaires with interviewers and observe interviews.

Full details of the responsibilities of the Supervisors and Field Editors are discussed in the Interviewer's Manual.

Data Processing & Appraisal

Data Editing

Data editing was done in the following data processing stages:

- a. Office editing and coding - minimal since CSPro has been designed to be an intelligent data entry program
- b. Data entry
- c. Completeness of data file
- d. Verification of Data - prior to this stage, data are again entered and tagged as V to indicate that the dataset is a verification data
- e. Secondary editing

Other Processing

The data processing activities of the survey involved manual and automatic processes that had a direct impact on the quality of the data.

The data entry for the DHS survey was carried out using the software package CSPro. The DHS questionnaires were entered by cluster, with each cluster being assigned to one data entry operator. The data for each cluster were entered into a separate data file for that cluster to protect against a major loss of data due to hardware or software failure. Below is a list of the main processes involved in data processing:

1. Reception and verification of questionnaires
2. Office editing and coding of open-ended questions
3. Data entry
4. Secondary editing

Estimates of Sampling Error

The computer software used to calculate sampling errors for the 2010 CDHS is a Macro SAS procedure. This procedure used the Taylor linearization method for variance estimation for survey estimates that are means or proportions. The Jackknife repeated replication method is used for variance estimation of more complex statistics such as fertility and mortality rates. ISSA also computes ISSA computes the design effect (DEFT) for each estimate.

Sampling errors for the 2010 CDHS are calculated for selected variables considered to be of primary interest for woman's survey and for man's surveys, respectively for the country as a whole, for urban and rural areas, and for each of the 19 study domains.

Accessibility

Access Authority	Director General (National Institute of Statistics) , www.nis.gov.kh , sythan@forum.ore.kh Directorate General for Health (Ministry of Health) , www.moh.gov.kh , webmaster@moh.gov.kh Measure DHS (ICF Macro) , www.measuredhs.com
Contact(s)	Director, Demographic Statistics Census and Survey Department (National Institute of Statistics) , www.nis.gov.kh , census@camnet.com.kh Data User Service Center (National Institute of Statistics) , www.nis.gov.kh , dusc@nis.gov.kh Directorate General for Health (Ministry of Health) , www.moh.gov.kh , webmaster@moh.gov.kh Director ICT Department (National Institute of Statistics) , www.nis.gov.kh , saintlundy@yahoo.com ICF Macro (ICF Macro) , www.measuredhs.com , reports@orcmacro.com

Confidentiality

Data not yet anonymized and is unavailable for public use.

Access Conditions

Datasets are made available with the following conditions:

Before the release of the final report :

- * Survey data files are distributed by MEASURE DHS for academic research/statistical analysis. Researchers need to provide a description of any research/analysis that will be using the data, before access is granted to the datasets.
- * Once downloaded, the datasets must not be passed on to other researchers without the written consent of MEASURE DHS.
- * All reports and publications based on the requested data must be sent to the MEASURE DHS Data Archive as a Portable Format Document (pdf) or a hard copy, for us to forward to the country(ies) whose data have been used.

Upon release of the final report, the access conditions will be set by NIS, MOH and MEASURE DHS, jointly.

Citation Requirements

National Institute of Statistics [Cambodia], Directorate General for Health [Cambodia], and ICF Macro, 2011, Cambodia Demographic and Health Survey 2010.

Rights & Disclaimer

Disclaimer

The user of the data acknowledges that the National Institute of Statistics, Cambodia bears no responsibility for use of the data or for interpretations or inferences based upon such uses.

Copyright

(c) 2011, National Institute of Statistics [Cambodia], Directorate General for Health [Cambodia], and ICF Macro [USA]

Files Description

Dataset contains 6 file(s)

Households	
# Cases	176
# Variable(s)	425
<u>File Content</u> The file contains data on household characteristics. Some variables are either derived from other variables, or taken from other CDHS 2010 questionnaires.	
<u>Producer</u> National Institute of Statistics	
<u>Missing Data</u> 9/99/ Blank	

Women	
# Cases	212
# Variable(s)	944
<u>File Content</u> The file contains data on women characteristics. Most variables relate to data from the Woman's Questionnaire. Some variables are either derived from other variables, or taken from other CDHS 2010 questionnaires.	
<u>Producer</u> National Institute of Statistics	
<u>Missing Data</u> 9/99/ Blank	

Children	
# Cases	84
# Variable(s)	384
<u>File Content</u> The file contains data on children characteristics.	
<u>Producer</u> National Institute of Statistics	
<u>Missing Data</u> 9/99/ Blank	

Persons	
# Cases	909
# Variable(s)	166
<u>File Content</u> The file contains data on person characteristics.	
<u>Producer</u>	

National Institute of Statistics	
<u>Missing Data</u> 9/99/ Blank	

Men	
# Cases	130
# Variable(s)	264
<u>File Content</u> The file contains data on men characteristics.	
<u>Producer</u> National Institute of Statistics	
<u>Missing Data</u> 9/99/ Blank	

Births	
# Cases	404
# Variable(s)	384

Variables List

Dataset contains 2567 variable(s)

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	hv001	cluster number	discrete	numeric-3.0	176	0	cluster number
2	hv002	household number	discrete	numeric-3.0	176	0	household number
3	hv003	respondent's line number	discrete	numeric-2.0	176	0	respondent's line number
4	hv004	ultimate area unit	continuous	numeric-3.0	176	0	ultimate area unit
5	hv005	sample weight	continuous	numeric-7.0	176	0	sample weight
6	hv009	number of household members	continuous	numeric-2.0	176	0	number of household members
7	hv010	number of eligible women in hh	continuous	numeric-1.0	176	0	number of eligible women in hh
8	hv011	number of eligible men in hh	continuous	numeric-1.0	176	0	number of eligible men in hh
9	hv012	number of de jure members	continuous	numeric-2.0	176	0	number of de jure members
10	hv013	number of de facto members	continuous	numeric-2.0	176	0	number of de facto members
11	hv014	number of children 5 and under	continuous	numeric-1.0	176	0	number of children 5 and under
12	hv020	ever-married sample	discrete	numeric-1.0	176	0	ever-married sample
13	hv021	primary sampling unit	discrete	numeric-3.0	176	0	primary sampling unit
14	hv022	sample stratum number	discrete	numeric-2.0	176	0	sample stratum number
15	hv023	sample domain	discrete	numeric-2.0	176	0	sample domain
16	hv024	region	discrete	numeric-2.0	176	0	region
17	hv025	type of place of residence	discrete	numeric-1.0	176	0	type of place of residence
18	hv027	selection for male/husb. int.	discrete	numeric-1.0	176	0	selection for male/husb. int.
19	hv028	sample weight for male subsamp	continuous	numeric-7.0	176	0	sample weight for male subsamp
20	hv035	number of eligible children for height & weight	continuous	numeric-1.0	176	0	number of eligible children for height & weight
21	hv040	cluster altitude in meters	continuous	numeric-3.0	176	0	cluster altitude in meters
22	hv041	total adults measured	continuous	numeric-1.0	176	0	total adults measured
23	hv042	selection for hemoglobin	discrete	numeric-1.0	176	0	selection for hemoglobin
24	hv205	(107)type of toilet facility	discrete	numeric-2.0	176	0	What kind of toilet facility do members of your household usually use?
25	hv206	(110) has electricity	discrete	numeric-1.0	176	0	Does your household have: Electricity?
26	hv207	has radio	discrete	numeric-1.0	176	0	Does your household have: a radio?
27	hv208	has television	discrete	numeric-1.0	176	0	Does your household have: a television?

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	hv209	has refrigerator	discrete	numeric-1.0	176	0	Does your household have: a refrigerator?
29	hv210	has bicycle/cyclo	discrete	numeric-1.0	176	0	Does any member of this household own: a bicycle/cyclo
30	hv211	has motorcycle/scooter	discrete	numeric-1.0	176	0	Does any member of this household own: a motorcycle/scooter?
31	hv212	has car/truck/van	discrete	numeric-1.0	176	0	Does any member of this household own: a car or truck or van?
32	hv213	(114) main floor material	discrete	numeric-2.0	176	0	MAIN MATERIAL OF THE FLOOR.
33	hv214	(116) main wall material	discrete	numeric-2.0	176	0	MAIN MATERIAL OF THE EXTERIOR WALLS.
34	hv215	(115) main roof material	discrete	numeric-2.0	176	0	MAIN MATERIAL OF THE ROOF.
35	hv216	(117) rooms used for sleeping	continuous	numeric-2.0	176	0	How many rooms in this household are used for sleeping?
36	hv217	relationship structure	discrete	numeric-1.0	176	0	-
37	hv218	line number of head of househ.	discrete	numeric-1.0	176	0	-
38	hv219	sex of head of household	discrete	numeric-1.0	176	0	-
39	hv220	age of head of household	continuous	numeric-2.0	176	0	-
40	hv221	has a landline telephone	discrete	numeric-1.0	176	0	-
41	hv225	share toilet with other households	discrete	numeric-2.0	78	98	Do you share this toilet facility with other households?
42	hv226	type of cooking fuel	discrete	numeric-2.0	176	0	What type of fuel does your household mainly use for cooking?
43	hv237	anything done to water to make safe to drink	discrete	numeric-1.0	176	0	Do you do anything to the water to make it safer to drink?
44	hv237a	water usually treated by: boil	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - boil
45	hv237b	water usually treated by: add bleach/chlorine	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - add bleach/chlorine
46	hv237c	water usually treated by: strain through a cloth	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - strain through a cloth
47	hv237d	water usually treated by: use water filter	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - use water filter (ceramic/sand/composite/etc.)
48	hv237e	water usually treated by: solar disinfection	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - solar disinfection
49	hv237f	water usually treated by: let it stand and settle	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - let it stand and settle
50	hv237x	water usually treated by: other	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - other, specify
51	hv237z	water usually treated by: don't know	discrete	numeric-1.0	176	0	What do you usually do to make the water safer to drink? - don't know
52	hv238	number of households sharing toilet	continuous	numeric-3.0	12	164	How many households use this toilet facility?

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
53	hv241	food cooked in the house / in separate building / outdoors	discrete	numeric-2.0	175	1	Is the cooking usually done in the house, in a separate building, or outdoors?
54	hv242	household has separate room used as kitchen	discrete	numeric-2.0	67	109	Do you have a separate room which is used as a kitchen?
55	hv243a	has a mobile telephone	discrete	numeric-1.0	176	0	has a mobile telephone
56	hv243b	has a watch	discrete	numeric-1.0	176	0	Does any member of this household own: - a watch
57	hv243c	has an animal-drawn cart	discrete	numeric-1.0	176	0	Does any member of this household own: - a oxcart or horsecart?
58	hv243d	has a boat with a motor	discrete	numeric-1.0	176	0	Does any member of this household own: a boat with a motor?
59	hv244	own land usable for agriculture	discrete	numeric-1.0	176	0	Does any member of this household own any agricultural land?
60	hv245	hectares for agricultural land	continuous	numeric-3.0	117	59	How many hectares of agricultural land do members of this household own?
61	hv246	livestock, herds or farm animals	discrete	numeric-1.0	176	0	Does this household own any livestock, herds, other farm animals, or poultry?
62	hv246b	cows, bulls own	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - cows, bulls ?
63	hv246c	horses, donkeys, mules own	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - horses, donkeys, or mules?
64	hv246d	goats, sheeps own	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - goats, sheep ?
65	hv246f	chickens, ducks own	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - chickens or ducks?
66	hv246g	water buffalo	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - water buffalo?
67	hv246h	pigs	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - pigs?
68	hv246i	elephant	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - elephant ?
69	hv246j	other	continuous	numeric-2.0	176	0	How many of the following animals does this household own? - other (specify)
70	hv247	owns a bank account	discrete	numeric-1.0	176	0	Does any member of this household have a bank account?
71	hv270	wealth index	discrete	numeric-1.0	176	0	-
72	hv271	wealth index factor score (5 decimals)	continuous	numeric-7.0	176	0	-
73	shprov	province	discrete	numeric-2.0	176	0	-
74	shdist	district	discrete	numeric-2.0	176	0	-
75	shcom	commune	discrete	numeric-2.0	176	0	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
76	shvill	village	discrete	numeric-2.0	176	0	-
77	sh50	person in household accidentally killed or injured in last 12 months	discrete	numeric-1.0	176	0	-
78	sh50n	number of persons accidentally killed or injured in last 12 months	continuous	numeric-2.0	15	161	-
79	sh59	physically impaired person in household	discrete	numeric-1.0	176	0	-
80	sh59n	number of physically impaired persons	continuous	numeric-2.0	10	166	-
81	sh64a	person in household with intellectual disability or mental impairment	discrete	numeric-1.0	176	0	-
82	sh65	person in household sick or injured in last 30 days	discrete	numeric-1.0	176	0	-
83	sh65n	number of persons sick or injured in last 30 days	continuous	numeric-2.0	75	101	-
84	sh81a	money came from: community-based health insurance	discrete	numeric-2.0	72	104	-
85	sh81b	money came from: health insurance through employer	discrete	numeric-2.0	72	104	-
86	sh81c	money came from: health equity fund	discrete	numeric-2.0	72	104	-
87	sh81d	money came from: other privacy purchased commercial health insurance	discrete	numeric-2.0	72	104	-
88	sh81e	money came from: wages/pocket money	discrete	numeric-2.0	72	104	-
89	sh81f	money came from: gift from relative/friend	discrete	numeric-2.0	72	104	-
90	sh81g	money came from: savings	discrete	numeric-2.0	72	104	-
91	sh81h	money came from: borrow (no interest)	discrete	numeric-2.0	72	104	-
92	sh81i	money came from: loan (with interest)	discrete	numeric-2.0	72	104	-
93	sh81j	money came from: sale of assets	discrete	numeric-2.0	72	104	-
94	sh81k	money came from: ngo	discrete	numeric-2.0	72	104	-
95	sh81l	money came from: tong tin	discrete	numeric-2.0	72	104	-
96	sh81x	money came from: other	discrete	numeric-2.0	72	104	-
97	sh101	frequency of smoking inside the house	discrete	numeric-1.0	176	0	-
98	sh102	source of drinking water during the dry season	discrete	numeric-2.0	176	0	-
99	sh103	location of source for water during dry season	discrete	numeric-2.0	133	43	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
100	sh104	time to get to water source during dry season (mins)	discrete	numeric-3.0	176	0	-
101	sh104a	same source of drinking water during wet and dry season	discrete	numeric-1.0	176	0	-
102	sh104b	source of drinking water during wet season	discrete	numeric-2.0	176	0	-
103	sh104c	location of source for water during wet season	discrete	numeric-2.0	79	97	-
104	sh104d	time to get to water source during wet season (mins)	discrete	numeric-3.0	176	0	-
105	sh105	anything done to water to make safe to drink (2)	discrete	numeric-1.0	176	0	-
106	sh110g	has wardrobe	discrete	numeric-1.0	176	0	-
107	sh110h	has sewing machine	discrete	numeric-1.0	176	0	-
108	sh110i	has cd/dvd	discrete	numeric-1.0	176	0	-
109	sh110j	has generator/battery/solar panel	discrete	numeric-1.0	176	0	-
110	sh118d	has motorcycle-cart	discrete	numeric-1.0	176	0	-
111	sh118h	has boat without motor	discrete	numeric-1.0	176	0	-
112	sh120u	agricultural land (units)	discrete	numeric-2.0	117	59	-
113	sh120n	agricultural land (number) (1 decimal)	discrete	numeric-6.0	117	59	-
114	sh137	place for hand washing observed	discrete	numeric-1.0	176	0	-
115	sh138	presence of water observed	discrete	numeric-2.0	130	46	-
116	sh139a	presence of soap, detergent	discrete	numeric-2.0	130	46	-
117	sh139b	presence of ash, mud, sand	discrete	numeric-2.0	130	46	-
118	sh139c	no cleansing agent	discrete	numeric-2.0	130	46	-
119	sh140	test salt for iodine	discrete	numeric-1.0	176	0	-
120	sh141	labeled iodized salt in the package	discrete	numeric-1.0	176	0	-
121	sh142	household identified as poor or received an equity or priority access card	discrete	numeric-1.0	176	0	-
122	sh143	members of this household receive free or subsidized health care	discrete	numeric-1.0	176	0	-
123	sh144a	free or subsidized health care: health equity funds	discrete	numeric-1.0	176	0	-
124	sh144b	free or subsidized health care: community-based health insurance	discrete	numeric-1.0	176	0	-
125	sh144c	free or subsidized health care: maternity voucher	discrete	numeric-1.0	176	0	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
126	sh144d	free or subsidized health care: other	discrete	numeric-1.0	176	0	-
127	sh144f	free or subsidized health care: got free attention at hospital	discrete	numeric-1.0	176	0	-
128	shcola_1	column number	continuous	numeric-2.0	15	161	-
129	shcola_2	column number	continuous	numeric-2.0	1	175	-
130	shcola_3	column number	continuous	numeric-2.0	0	176	-
131	sh53_1	type of accident/injury in last 12 months	discrete	numeric-3.0	15	161	-
132	sh53_2	type of accident/injury in last 12 months	discrete	numeric-3.0	1	175	-
133	sh53_3	type of accident/injury in last 12 months	discrete	numeric-2.0	0	176	-
134	sh54_1	victim still alive	discrete	numeric-2.0	15	161	-
135	sh54_2	victim still alive	discrete	numeric-2.0	1	175	-
136	sh54_3	victim still alive	discrete	numeric-2.0	0	176	-
137	sh55_1	extent of injury (last 12 months)	discrete	numeric-2.0	15	161	-
138	sh55_2	extent of injury (last 12 months)	discrete	numeric-2.0	1	175	-
139	sh55_3	extent of injury (last 12 months)	discrete	numeric-2.0	0	176	-
140	sh56_1	line number from household	continuous	numeric-2.0	15	161	-
141	sh56_2	line number from household	continuous	numeric-3.0	1	175	-
142	sh56_3	line number from household	continuous	numeric-2.0	0	176	-
143	sh57_1	death due to accident	discrete	numeric-2.0	0	176	-
144	sh57_2	death due to accident	discrete	numeric-2.0	0	176	-
145	sh57_3	death due to accident	discrete	numeric-10.0	0	176	-
146	shcolb_1	column number	continuous	numeric-2.0	10	166	-
147	shcolb_2	column number	continuous	numeric-2.0	1	175	-
148	shcolb_3	column number	continuous	numeric-2.0	0	176	-
149	sh61_1	line number from household	continuous	numeric-3.0	10	166	-
150	sh61_2	line number from household	continuous	numeric-3.0	1	175	-
151	sh61_3	line number from household	continuous	numeric-2.0	0	176	-
152	sh62_1	source/timing of physical impairment	discrete	numeric-2.0	10	166	-
153	sh62_2	source/timing of physical impairment	discrete	numeric-2.0	1	175	-
154	sh62_3	source/timing of physical impairment	discrete	numeric-2.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
155	sh63_1	type of accident	discrete	numeric-3.0	6	170	-
156	sh63_2	type of accident	discrete	numeric-3.0	1	175	-
157	sh63_3	type of accident	discrete	numeric-2.0	0	176	-
158	sh67_1	line number from household	continuous	numeric-3.0	75	101	-
159	sh67_2	line number from household	continuous	numeric-3.0	15	161	-
160	sh67_3	line number from household	continuous	numeric-3.0	1	175	-
161	sh67_4	line number from household	continuous	numeric-2.0	0	176	-
162	sh67_5	line number from household	continuous	numeric-2.0	0	176	-
163	sh67_6	line number from household	continuous	numeric-3.0	0	176	-
164	sh67_7	line number from household	continuous	numeric-3.0	0	176	-
165	sh67_8	line number from household	continuous	numeric-3.0	0	176	-
166	sh67_9	line number from household	continuous	numeric-3.0	0	176	-
167	sh68_1	extent of illness/injury (last 30 days)	discrete	numeric-2.0	75	101	-
168	sh68_2	extent of illness/injury (last 30 days)	discrete	numeric-2.0	15	161	-
169	sh68_3	extent of illness/injury (last 30 days)	discrete	numeric-2.0	1	175	-
170	sh68_4	extent of illness/injury (last 30 days)	discrete	numeric-2.0	0	176	-
171	sh68_5	extent of illness/injury (last 30 days)	discrete	numeric-2.0	0	176	-
172	sh68_6	extent of illness/injury (last 30 days)	discrete	numeric-2.0	0	176	-
173	sh68_7	extent of illness/injury (last 30 days)	discrete	numeric-2.0	0	176	-
174	sh68_8	extent of illness/injury (last 30 days)	discrete	numeric-2.0	0	176	-
175	sh68_9	extent of illness/injury (last 30 days)	discrete	numeric-2.0	0	176	-
176	sh69_1	treatment/advice sought (1)	discrete	numeric-2.0	75	101	-
177	sh69_2	treatment/advice sought (1)	discrete	numeric-2.0	15	161	-
178	sh69_3	treatment/advice sought (1)	discrete	numeric-2.0	1	175	-
179	sh69_4	treatment/advice sought (1)	discrete	numeric-2.0	0	176	-
180	sh69_5	treatment/advice sought (1)	discrete	numeric-2.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
181	sh69_6	treatment/advice sought (1)	discrete	numeric-2.0	0	176	-
182	sh69_7	treatment/advice sought (1)	discrete	numeric-2.0	0	176	-
183	sh69_8	treatment/advice sought (1)	discrete	numeric-2.0	0	176	-
184	sh69_9	treatment/advice sought (1)	discrete	numeric-2.0	0	176	-
185	sh70_1	place of treatment/advice (1)	discrete	numeric-3.0	72	104	-
186	sh70_2	place of treatment/advice (1)	discrete	numeric-3.0	13	163	-
187	sh70_3	place of treatment/advice (1)	discrete	numeric-3.0	1	175	-
188	sh70_4	place of treatment/advice (1)	discrete	numeric-3.0	0	176	-
189	sh70_5	place of treatment/advice (1)	discrete	numeric-3.0	0	176	-
190	sh70_6	place of treatment/advice (1)	discrete	numeric-3.0	0	176	-
191	sh70_7	place of treatment/advice (1)	discrete	numeric-3.0	0	176	-
192	sh70_8	place of treatment/advice (1)	discrete	numeric-3.0	0	176	-
193	sh70_9	place of treatment/advice (1)	discrete	numeric-3.0	0	176	-
194	sh71u_1	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	72	104	-
195	sh71u_2	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	13	163	-
196	sh71u_3	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	1	175	-
197	sh71u_4	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	0	176	-
198	sh71u_5	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	0	176	-
199	sh71u_6	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	0	176	-
200	sh71u_7	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	0	176	-
201	sh71u_8	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	0	176	-
202	sh71u_9	cost of round-trip transport: currency unit (1)	discrete	numeric-2.0	0	176	-
203	sh71n_1	cost of round-trip transport: amount (1)	discrete	numeric-7.0	72	104	-
204	sh71n_2	cost of round-trip transport: amount (1)	discrete	numeric-7.0	13	163	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
205	sh71n_3	cost of round-trip transport: amount (1)	discrete	numeric-7.0	1	175	-
206	sh71n_4	cost of round-trip transport: amount (1)	discrete	numeric-6.0	0	176	-
207	sh71n_5	cost of round-trip transport: amount (1)	discrete	numeric-6.0	0	176	-
208	sh71n_6	cost of round-trip transport: amount (1)	discrete	numeric-6.0	0	176	-
209	sh71n_7	cost of round-trip transport: amount (1)	discrete	numeric-6.0	0	176	-
210	sh71n_8	cost of round-trip transport: amount (1)	discrete	numeric-6.0	0	176	-
211	sh71n_9	cost of round-trip transport: amount (1)	discrete	numeric-6.0	0	176	-
212	sh72u_1	cost of treatment: currency unit (1)	discrete	numeric-2.0	72	104	-
213	sh72u_2	cost of treatment: currency unit (1)	discrete	numeric-2.0	13	163	-
214	sh72u_3	cost of treatment: currency unit (1)	discrete	numeric-2.0	1	175	-
215	sh72u_4	cost of treatment: currency unit (1)	discrete	numeric-2.0	0	176	-
216	sh72u_5	cost of treatment: currency unit (1)	discrete	numeric-2.0	0	176	-
217	sh72u_6	cost of treatment: currency unit (1)	discrete	numeric-2.0	0	176	-
218	sh72u_7	cost of treatment: currency unit (1)	discrete	numeric-2.0	0	176	-
219	sh72u_8	cost of treatment: currency unit (1)	discrete	numeric-2.0	0	176	-
220	sh72u_9	cost of treatment: currency unit (1)	discrete	numeric-2.0	0	176	-
221	sh72n_1	cost of treatment: amount (1)	discrete	numeric-7.0	72	104	-
222	sh72n_2	cost of treatment: amount (1)	discrete	numeric-7.0	13	163	-
223	sh72n_3	cost of treatment: amount (1)	discrete	numeric-7.0	1	175	-
224	sh72n_4	cost of treatment: amount (1)	discrete	numeric-7.0	0	176	-
225	sh72n_5	cost of treatment: amount (1)	discrete	numeric-6.0	0	176	-
226	sh72n_6	cost of treatment: amount (1)	discrete	numeric-6.0	0	176	-
227	sh72n_7	cost of treatment: amount (1)	discrete	numeric-6.0	0	176	-
228	sh72n_8	cost of treatment: amount (1)	discrete	numeric-6.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
229	sh72n_9	cost of treatment: amount (1)	discrete	numeric-6.0	0	176	-
230	sh73_1	treatment/advice sought (2)	discrete	numeric-2.0	72	104	-
231	sh73_2	treatment/advice sought (2)	discrete	numeric-2.0	13	163	-
232	sh73_3	treatment/advice sought (2)	discrete	numeric-2.0	1	175	-
233	sh73_4	treatment/advice sought (2)	discrete	numeric-2.0	0	176	-
234	sh73_5	treatment/advice sought (2)	discrete	numeric-2.0	0	176	-
235	sh73_6	treatment/advice sought (2)	discrete	numeric-2.0	0	176	-
236	sh73_7	treatment/advice sought (2)	discrete	numeric-2.0	0	176	-
237	sh73_8	treatment/advice sought (2)	discrete	numeric-2.0	0	176	-
238	sh73_9	treatment/advice sought (2)	discrete	numeric-2.0	0	176	-
239	sh74_1	place of treatment/advice (2)	discrete	numeric-3.0	18	158	-
240	sh74_2	place of treatment/advice (2)	discrete	numeric-3.0	4	172	-
241	sh74_3	place of treatment/advice (2)	discrete	numeric-3.0	0	176	-
242	sh74_4	place of treatment/advice (2)	discrete	numeric-3.0	0	176	-
243	sh74_5	place of treatment/advice (2)	discrete	numeric-3.0	0	176	-
244	sh74_6	place of treatment/advice (2)	discrete	numeric-3.0	0	176	-
245	sh74_7	place of treatment/advice (2)	discrete	numeric-3.0	0	176	-
246	sh74_8	place of treatment/advice (2)	discrete	numeric-10.0	0	176	-
247	sh74_9	place of treatment/advice (2)	discrete	numeric-10.0	0	176	-
248	sh75u_1	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	18	158	-
249	sh75u_2	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	4	172	-
250	sh75u_3	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	0	176	-
251	sh75u_4	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	0	176	-
252	sh75u_5	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
253	sh75u_6	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	0	176	-
254	sh75u_7	cost of round-trip transport: currency unit (2)	discrete	numeric-2.0	0	176	-
255	sh75u_8	cost of round-trip transport: currency unit (2)	discrete	numeric-10.0	0	176	-
256	sh75u_9	cost of round-trip transport: currency unit (2)	discrete	numeric-10.0	0	176	-
257	sh75n_1	cost of round-trip transport: amount (2)	discrete	numeric-7.0	18	158	-
258	sh75n_2	cost of round-trip transport: amount (2)	discrete	numeric-7.0	4	172	-
259	sh75n_3	cost of round-trip transport: amount (2)	discrete	numeric-7.0	0	176	-
260	sh75n_4	cost of round-trip transport: amount (2)	discrete	numeric-6.0	0	176	-
261	sh75n_5	cost of round-trip transport: amount (2)	discrete	numeric-6.0	0	176	-
262	sh75n_6	cost of round-trip transport: amount (2)	discrete	numeric-6.0	0	176	-
263	sh75n_7	cost of round-trip transport: amount (2)	discrete	numeric-6.0	0	176	-
264	sh75n_8	cost of round-trip transport: amount (2)	discrete	numeric-10.0	0	176	-
265	sh75n_9	cost of round-trip transport: amount (2)	discrete	numeric-10.0	0	176	-
266	sh76u_1	cost of treatment: currency unit (2)	discrete	numeric-2.0	18	158	-
267	sh76u_2	cost of treatment: currency unit (2)	discrete	numeric-2.0	4	172	-
268	sh76u_3	cost of treatment: currency unit (2)	discrete	numeric-2.0	0	176	-
269	sh76u_4	cost of treatment: currency unit (2)	discrete	numeric-2.0	0	176	-
270	sh76u_5	cost of treatment: currency unit (2)	discrete	numeric-2.0	0	176	-
271	sh76u_6	cost of treatment: currency unit (2)	discrete	numeric-2.0	0	176	-
272	sh76u_7	cost of treatment: currency unit (2)	discrete	numeric-2.0	0	176	-
273	sh76u_8	cost of treatment: currency unit (2)	discrete	numeric-10.0	0	176	-
274	sh76u_9	cost of treatment: currency unit (2)	discrete	numeric-10.0	0	176	-
275	sh76n_1	cost of treatment: amount (2)	discrete	numeric-7.0	18	158	-
276	sh76n_2	cost of treatment: amount (2)	discrete	numeric-7.0	4	172	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
277	sh76n_3	cost of treatment: amount (2)	discrete	numeric-7.0	0	176	-
278	sh76n_4	cost of treatment: amount (2)	discrete	numeric-7.0	0	176	-
279	sh76n_5	cost of treatment: amount (2)	discrete	numeric-7.0	0	176	-
280	sh76n_6	cost of treatment: amount (2)	discrete	numeric-6.0	0	176	-
281	sh76n_7	cost of treatment: amount (2)	discrete	numeric-7.0	0	176	-
282	sh76n_8	cost of treatment: amount (2)	discrete	numeric-10.0	0	176	-
283	sh76n_9	cost of treatment: amount (2)	discrete	numeric-10.0	0	176	-
284	sh77_1	treatment/advice sought (3)	discrete	numeric-2.0	18	158	-
285	sh77_2	treatment/advice sought (3)	discrete	numeric-2.0	4	172	-
286	sh77_3	treatment/advice sought (3)	discrete	numeric-2.0	0	176	-
287	sh77_4	treatment/advice sought (3)	discrete	numeric-2.0	0	176	-
288	sh77_5	treatment/advice sought (3)	discrete	numeric-2.0	0	176	-
289	sh77_6	treatment/advice sought (3)	discrete	numeric-2.0	0	176	-
290	sh77_7	treatment/advice sought (3)	discrete	numeric-2.0	0	176	-
291	sh77_8	treatment/advice sought (3)	discrete	numeric-10.0	0	176	-
292	sh77_9	treatment/advice sought (3)	discrete	numeric-10.0	0	176	-
293	sh78_1	place of treatment/advice (3)	discrete	numeric-3.0	6	170	-
294	sh78_2	place of treatment/advice (3)	discrete	numeric-3.0	1	175	-
295	sh78_3	place of treatment/advice (3)	discrete	numeric-3.0	0	176	-
296	sh78_4	place of treatment/advice (3)	discrete	numeric-3.0	0	176	-
297	sh78_5	place of treatment/advice (3)	discrete	numeric-3.0	0	176	-
298	sh78_6	place of treatment/advice (3)	discrete	numeric-3.0	0	176	-
299	sh78_7	place of treatment/advice (3)	discrete	numeric-10.0	0	176	-
300	sh78_8	place of treatment/advice (3)	discrete	numeric-10.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
301	sh78_9	place of treatment/advice (3)	discrete	numeric-10.0	0	176	-
302	sh79u_1	cost of round-trip transport: currency unit (3)	discrete	numeric-2.0	6	170	-
303	sh79u_2	cost of round-trip transport: currency unit (3)	discrete	numeric-2.0	1	175	-
304	sh79u_3	cost of round-trip transport: currency unit (3)	discrete	numeric-2.0	0	176	-
305	sh79u_4	cost of round-trip transport: currency unit (3)	discrete	numeric-2.0	0	176	-
306	sh79u_5	cost of round-trip transport: currency unit (3)	discrete	numeric-2.0	0	176	-
307	sh79u_6	cost of round-trip transport: currency unit (3)	discrete	numeric-2.0	0	176	-
308	sh79u_7	cost of round-trip transport: currency unit (3)	discrete	numeric-10.0	0	176	-
309	sh79u_8	cost of round-trip transport: currency unit (3)	discrete	numeric-10.0	0	176	-
310	sh79u_9	cost of round-trip transport: currency unit (3)	discrete	numeric-10.0	0	176	-
311	sh79n_1	cost of round-trip transport: amount (3)	discrete	numeric-7.0	6	170	-
312	sh79n_2	cost of round-trip transport: amount (3)	discrete	numeric-7.0	1	175	-
313	sh79n_3	cost of round-trip transport: amount (3)	discrete	numeric-6.0	0	176	-
314	sh79n_4	cost of round-trip transport: amount (3)	discrete	numeric-6.0	0	176	-
315	sh79n_5	cost of round-trip transport: amount (3)	discrete	numeric-6.0	0	176	-
316	sh79n_6	cost of round-trip transport: amount (3)	discrete	numeric-6.0	0	176	-
317	sh79n_7	cost of round-trip transport: amount (3)	discrete	numeric-10.0	0	176	-
318	sh79n_8	cost of round-trip transport: amount (3)	discrete	numeric-10.0	0	176	-
319	sh79n_9	cost of round-trip transport: amount (3)	discrete	numeric-10.0	0	176	-
320	sh80u_1	cost of treatment: currency unit (3)	discrete	numeric-2.0	6	170	-
321	sh80u_2	cost of treatment: currency unit (3)	discrete	numeric-2.0	1	175	-
322	sh80u_3	cost of treatment: currency unit (3)	discrete	numeric-2.0	0	176	-
323	sh80u_4	cost of treatment: currency unit (3)	discrete	numeric-2.0	0	176	-
324	sh80u_5	cost of treatment: currency unit (3)	discrete	numeric-2.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
325	sh80u_6	cost of treatment: currency unit (3)	discrete	numeric-2.0	0	176	-
326	sh80u_7	cost of treatment: currency unit (3)	discrete	numeric-10.0	0	176	-
327	sh80u_8	cost of treatment: currency unit (3)	discrete	numeric-10.0	0	176	-
328	sh80u_9	cost of treatment: currency unit (3)	discrete	numeric-10.0	0	176	-
329	sh80n_1	cost of treatment: amount (3)	discrete	numeric-7.0	6	170	-
330	sh80n_2	cost of treatment: amount (3)	discrete	numeric-7.0	1	175	-
331	sh80n_3	cost of treatment: amount (3)	discrete	numeric-6.0	0	176	-
332	sh80n_4	cost of treatment: amount (3)	discrete	numeric-7.0	0	176	-
333	sh80n_5	cost of treatment: amount (3)	discrete	numeric-6.0	0	176	-
334	sh80n_6	cost of treatment: amount (3)	discrete	numeric-6.0	0	176	-
335	sh80n_7	cost of treatment: amount (3)	discrete	numeric-10.0	0	176	-
336	sh80n_8	cost of treatment: amount (3)	discrete	numeric-10.0	0	176	-
337	sh80n_9	cost of treatment: amount (3)	discrete	numeric-10.0	0	176	-
338	shcolc_1	column number	continuous	numeric-2.0	63	113	-
339	shcolc_2	column number	continuous	numeric-2.0	15	161	-
340	shcolc_3	column number	continuous	numeric-2.0	0	176	-
341	shcolc_4	column number	continuous	numeric-2.0	0	176	-
342	shcolc_5	column number	continuous	numeric-2.0	0	176	-
343	sh202_1	line number	continuous	numeric-3.0	63	113	-
344	sh202_2	line number	continuous	numeric-3.0	15	161	-
345	sh202_3	line number	continuous	numeric-3.0	0	176	-
346	sh202_4	line number	continuous	numeric-3.0	0	176	-
347	sh202_5	line number	continuous	numeric-3.0	0	176	-
348	sh205_1	weight in kilograms (2 decimals)	discrete	numeric-5.0	63	113	-
349	sh205_2	weight in kilograms (2 decimals)	discrete	numeric-5.0	15	161	-
350	sh205_3	weight in kilograms (2 decimals)	discrete	numeric-5.0	0	176	-
351	sh205_4	weight in kilograms (2 decimals)	discrete	numeric-5.0	0	176	-
352	sh205_5	weight in kilograms (2 decimals)	discrete	numeric-4.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
353	sh206_1	height in centimeters (1 decimal)	discrete	numeric-5.0	63	113	-
354	sh206_2	height in centimeters (1 decimal)	discrete	numeric-5.0	15	161	-
355	sh206_3	height in centimeters (1 decimal)	discrete	numeric-5.0	0	176	-
356	sh206_4	height in centimeters (1 decimal)	discrete	numeric-4.0	0	176	-
357	sh206_5	height in centimeters (1 decimal)	discrete	numeric-4.0	0	176	-
358	sh212_1	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	59	117	-
359	sh212_2	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	12	164	-
360	sh212_3	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-
361	sh212_4	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-
362	sh212_5	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-
363	shcold_1	column number	continuous	numeric-2.0	114	62	-
364	shcold_2	column number	continuous	numeric-2.0	40	136	-
365	shcold_3	column number	continuous	numeric-2.0	10	166	-
366	shcold_4	column number	continuous	numeric-2.0	2	174	-
367	shcold_5	column number	continuous	numeric-2.0	1	175	-
368	shcold_6	column number	continuous	numeric-2.0	0	176	-
369	shcold_7	column number	continuous	numeric-2.0	0	176	-
370	shcold_8	column number	continuous	numeric-2.0	0	176	-
371	shcold_9	column number	continuous	numeric-2.0	0	176	-
372	sh215_1	line number	continuous	numeric-3.0	114	62	-
373	sh215_2	line number	continuous	numeric-3.0	40	136	-
374	sh215_3	line number	continuous	numeric-3.0	10	166	-
375	sh215_4	line number	continuous	numeric-3.0	2	174	-
376	sh215_5	line number	continuous	numeric-3.0	1	175	-
377	sh215_6	line number	continuous	numeric-3.0	0	176	-
378	sh215_7	line number	continuous	numeric-3.0	0	176	-
379	sh215_8	line number	continuous	numeric-3.0	0	176	-
380	sh215_9	line number	continuous	numeric-3.0	0	176	-
381	sh216_1	weight in kilograms (2 decimals)	discrete	numeric-6.0	114	62	-
382	sh216_2	weight in kilograms (2 decimals)	discrete	numeric-6.0	40	136	-
383	sh216_3	weight in kilograms (2 decimals)	discrete	numeric-6.0	10	166	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
384	sh216_4	weight in kilograms (2 decimals)	discrete	numeric-6.0	2	174	-
385	sh216_5	weight in kilograms (2 decimals)	discrete	numeric-6.0	1	175	-
386	sh216_6	weight in kilograms (2 decimals)	discrete	numeric-5.0	0	176	-
387	sh216_7	weight in kilograms (2 decimals)	discrete	numeric-5.0	0	176	-
388	sh216_8	weight in kilograms (2 decimals)	discrete	numeric-5.0	0	176	-
389	sh216_9	weight in kilograms (2 decimals)	discrete	numeric-5.0	0	176	-
390	sh217_1	height in centimeters (1 decimal)	discrete	numeric-5.0	114	62	-
391	sh217_2	height in centimeters (1 decimal)	discrete	numeric-5.0	40	136	-
392	sh217_3	height in centimeters (1 decimal)	discrete	numeric-5.0	10	166	-
393	sh217_4	height in centimeters (1 decimal)	discrete	numeric-5.0	2	174	-
394	sh217_5	height in centimeters (1 decimal)	discrete	numeric-5.0	1	175	-
395	sh217_6	height in centimeters (1 decimal)	discrete	numeric-5.0	0	176	-
396	sh217_7	height in centimeters (1 decimal)	discrete	numeric-5.0	0	176	-
397	sh217_8	height in centimeters (1 decimal)	discrete	numeric-5.0	0	176	-
398	sh217_9	height in centimeters (1 decimal)	discrete	numeric-5.0	0	176	-
399	sh222_1	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	8	168	-
400	sh222_2	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	15	161	-
401	sh222_3	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	5	171	-
402	sh222_4	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	2	174	-
403	sh222_5	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	0	176	-
404	sh222_6	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	0	176	-
405	sh222_7	read consent statement to parent/caretaker (anemia)	discrete	numeric-2.0	0	176	-
406	sh222_8	read consent statement to parent/caretaker (anemia)	discrete	numeric-10.0	0	176	-
407	sh222_9	read consent statement to parent/caretaker (anemia)	discrete	numeric-10.0	0	176	-

File Households							
#	Name	Label	Type	Format	Valid	Invalid	Question
408	sh224_1	read consent statement to respondent (anemia)	discrete	numeric-2.0	114	62	-
409	sh224_2	read consent statement to respondent (anemia)	discrete	numeric-2.0	40	136	-
410	sh224_3	read consent statement to respondent (anemia)	discrete	numeric-2.0	9	167	-
411	sh224_4	read consent statement to respondent (anemia)	discrete	numeric-2.0	2	174	-
412	sh224_5	read consent statement to respondent (anemia)	discrete	numeric-2.0	1	175	-
413	sh224_6	read consent statement to respondent (anemia)	discrete	numeric-2.0	0	176	-
414	sh224_7	read consent statement to respondent (anemia)	discrete	numeric-2.0	0	176	-
415	sh224_8	read consent statement to respondent (anemia)	discrete	numeric-2.0	0	176	-
416	sh224_9	read consent statement to respondent (anemia)	discrete	numeric-2.0	0	176	-
417	sh240_1	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	109	67	-
418	sh240_2	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	36	140	-
419	sh240_3	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	9	167	-
420	sh240_4	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	2	174	-
421	sh240_5	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	1	175	-
422	sh240_6	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-
423	sh240_7	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-
424	sh240_8	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-
425	sh240_9	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-4.0	0	176	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	v001	cluster number	discrete	numeric-3.0	212	0	-
2	v002	household number	discrete	numeric-1.0	212	0	-
3	v003	respondent's line number	discrete	numeric-2.0	212	0	-
4	v004	ultimate area unit	continuous	numeric-3.0	212	0	-
5	v005	sample weight	continuous	numeric-7.0	212	0	-
6	v009	respondent's month of birth	discrete	numeric-2.0	212	0	-
7	v010	respondent's year of birth	discrete	numeric-4.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
8	v011	date of birth (cmc)	continuous	numeric-4.0	212	0	-
9	v012	current age - respondent	continuous	numeric-2.0	212	0	-
10	v013	age 5-year groups	discrete	numeric-1.0	212	0	-
11	v014	completeness of information	discrete	numeric-1.0	212	0	-
12	v017	cmc start of calendar	discrete	numeric-4.0	212	0	-
13	v018	row of month of interview	discrete	numeric-2.0	212	0	-
14	v019	length of calendar	discrete	numeric-2.0	212	0	-
15	v019a	number of calendar columns	discrete	numeric-1.0	212	0	-
16	v020	ever-married sample	discrete	numeric-1.0	212	0	-
17	v021	primary sampling unit	discrete	numeric-3.0	212	0	-
18	v022	sample stratum number	discrete	numeric-2.0	212	0	-
19	v023	sample domain	discrete	numeric-2.0	212	0	-
20	v024	region	discrete	numeric-2.0	212	0	-
21	v025	type of place of residence	discrete	numeric-1.0	212	0	-
22	v027	number of visits	discrete	numeric-1.0	212	0	-
23	v034	line number of husband	discrete	numeric-1.0	126	86	-
24	v040	cluster altitude in meters	continuous	numeric-3.0	212	0	-
25	v042	household selection for hemoglobin	discrete	numeric-1.0	212	0	-
26	v101	region	discrete	numeric-2.0	212	0	-
27	v102	type of place of residence	discrete	numeric-1.0	212	0	-
28	v106	highest educational level	discrete	numeric-1.0	212	0	-
29	v107	highest year of education	discrete	numeric-1.0	187	25	-
30	v116	type of toilet facility	discrete	numeric-2.0	212	0	-
31	v119	has electricity	discrete	numeric-1.0	212	0	-
32	v120	has radio	discrete	numeric-1.0	212	0	-
33	v121	has television	discrete	numeric-1.0	212	0	-
34	v122	has refrigerator	discrete	numeric-1.0	212	0	-
35	v123	has bicycle	discrete	numeric-1.0	212	0	-
36	v124	has motorcycle/scooter	discrete	numeric-1.0	212	0	-
37	v125	has car/truck	discrete	numeric-1.0	212	0	-
38	v127	main floor material	discrete	numeric-2.0	212	0	-
39	v128	main wall material	discrete	numeric-2.0	212	0	-
40	v129	main roof material	discrete	numeric-2.0	212	0	-
41	v130	religion	discrete	numeric-2.0	212	0	-
42	v133	education in single years	discrete	numeric-2.0	212	0	-
43	v135	usual resident or visitor	discrete	numeric-1.0	212	0	-
44	v136	number of household members	discrete	numeric-2.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
45	v137	number of children 5 and under	discrete	numeric-1.0	212	0	-
46	v138	number of eligible women in hh	discrete	numeric-1.0	212	0	-
47	v139	de jure region of residence	discrete	numeric-2.0	212	0	-
48	v140	de jure type of place of res.	discrete	numeric-1.0	212	0	-
49	v149	educational attainment	discrete	numeric-1.0	212	0	-
50	v150	relationship to household head	discrete	numeric-2.0	212	0	-
51	v151	sex of household head	discrete	numeric-1.0	212	0	-
52	v152	age of household head	discrete	numeric-2.0	212	0	-
53	v153	has a landline telephone	discrete	numeric-1.0	212	0	-
54	awfactt	all woman factor - total	discrete	numeric-3.0	212	0	-
55	awfactu	all woman factor - urban/rural	discrete	numeric-3.0	212	0	-
56	awfactr	all woman factor - regional	discrete	numeric-3.0	212	0	-
57	awfacte	all woman factor - educational	discrete	numeric-3.0	212	0	-
58	awfactw	all woman factor - wealth index	discrete	numeric-3.0	212	0	-
59	v155	literacy	discrete	numeric-1.0	212	0	-
60	v157	frequency of reading newspaper or magazine	discrete	numeric-1.0	212	0	-
61	v158	frequency of listening to radio	discrete	numeric-1.0	212	0	-
62	v159	frequency of watching television	discrete	numeric-1.0	212	0	-
63	v160	toilet facilities shared	discrete	numeric-1.0	107	105	-
64	v161	type of cooking fuel	discrete	numeric-2.0	212	0	-
65	v167	number of trips in last 12 months	discrete	numeric-2.0	212	0	-
66	v168	away for more than one month in last 12 months	discrete	numeric-1.0	76	136	-
67	v190	wealth index	discrete	numeric-1.0	212	0	-
68	v191	wealth index factor score (5 decimals)	continuous	numeric-7.0	212	0	-
69	v201	total children ever born	discrete	numeric-2.0	212	0	-
70	v202	sons at home	discrete	numeric-1.0	212	0	-
71	v203	daughters at home	discrete	numeric-1.0	212	0	-
72	v204	sons elsewhere	discrete	numeric-1.0	212	0	-
73	v205	daughters elsewhere	discrete	numeric-1.0	212	0	-
74	v206	sons who have died	discrete	numeric-1.0	212	0	-
75	v207	daughters who have died	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
76	v208	births in last five years	discrete	numeric-1.0	212	0	-
77	v209	births in past year	discrete	numeric-1.0	212	0	-
78	v210	births in month of interview	discrete	numeric-1.0	212	0	-
79	v211	date of first birth (cmc)	continuous	numeric-4.0	127	85	-
80	v212	age of respondent at 1st birth	continuous	numeric-2.0	127	85	-
81	v213	currently pregnant	discrete	numeric-1.0	212	0	-
82	v214	duration of current pregnancy	discrete	numeric-1.0	11	201	-
83	v215	time since last menstrual perd	discrete	numeric-3.0	212	0	-
84	v216	menstruated in last six weeks	discrete	numeric-1.0	212	0	-
85	v217	knowledge of ovulatory cycle	discrete	numeric-1.0	212	0	-
86	v218	number of living children	discrete	numeric-1.0	212	0	-
87	v219	living children + current preg	discrete	numeric-1.0	212	0	-
88	v220	living children + curr preg 6+	discrete	numeric-1.0	212	0	-
89	v221	marriage to first birth int.	discrete	numeric-3.0	127	85	-
90	v222	last birth to interview	continuous	numeric-3.0	127	85	-
91	v223	completeness of curr preg. inf	discrete	numeric-1.0	11	201	-
92	v224	entries in birth history	discrete	numeric-2.0	212	0	-
93	v225	current pregnancy wanted	discrete	numeric-1.0	11	201	-
94	v226	time since last period in months (comp)	discrete	numeric-3.0	212	0	-
95	v227	flag for last period	discrete	numeric-1.0	212	0	-
96	v228	ever had a terminated preg.	discrete	numeric-1.0	212	0	-
97	v229	month pregnancy ended	discrete	numeric-2.0	31	181	-
98	v230	year pregnancy ended	discrete	numeric-4.0	31	181	-
99	v231	cmc pregnancy ended	discrete	numeric-4.0	31	181	-
100	v232	completeness of last term. inf	discrete	numeric-1.0	31	181	-
101	v233	months when pregnancy ended	discrete	numeric-2.0	19	193	-
102	v234	other such pregnancies	discrete	numeric-1.0	19	193	-
103	v235	index last child prior to cal.	discrete	numeric-1.0	212	0	-
104	v237	birth between last & interview	discrete	numeric-1.0	127	85	-
105	v238	births in last three years	discrete	numeric-1.0	212	0	-
106	v239	pregnancies terminated before calendar beginning	discrete	numeric-1.0	31	181	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
107	v240	month of last termination prior to calendar	discrete	numeric-2.0	15	197	-
108	v241	year of last termination prior to calendar	discrete	numeric-4.0	15	197	-
109	v242	cmc termination ended prior to calendar	discrete	numeric-4.0	15	197	-
110	v243	completeness of last termination date prior to calendar	discrete	numeric-1.0	15	197	-
111	v301	knowledge of any method	discrete	numeric-1.0	212	0	-
112	v304a_01	type of method	discrete	numeric-1.0	212	0	-
113	v304a_02	type of method	discrete	numeric-1.0	212	0	-
114	v304a_03	type of method	discrete	numeric-1.0	212	0	-
115	v304a_04	type of method	discrete	numeric-1.0	212	0	-
116	v304a_05	type of method	discrete	numeric-1.0	212	0	-
117	v304a_06	type of method	discrete	numeric-1.0	212	0	-
118	v304a_07	type of method	discrete	numeric-1.0	212	0	-
119	v304a_08	type of method	discrete	numeric-1.0	212	0	-
120	v304a_09	type of method	discrete	numeric-1.0	212	0	-
121	v304a_10	type of method	discrete	numeric-1.0	212	0	-
122	v304a_11	type of method	discrete	numeric-1.0	212	0	-
123	v304a_12	type of method	discrete	numeric-1.0	212	0	-
124	v304a_13	type of method	discrete	numeric-1.0	212	0	-
125	v304a_14	type of method	discrete	numeric-1.0	212	0	-
126	v304a_15	type of method	discrete	numeric-1.0	212	0	-
127	v304a_16	type of method	discrete	numeric-1.0	212	0	-
128	v304a_17	type of method	discrete	numeric-1.0	212	0	-
129	v304a_18	type of method	discrete	numeric-1.0	212	0	-
130	v304a_19	type of method	discrete	numeric-1.0	212	0	-
131	v304a_20	type of method	discrete	numeric-1.0	212	0	-
132	v304_01	knows method	discrete	numeric-1.0	212	0	-
133	v304_02	knows method	discrete	numeric-1.0	212	0	-
134	v304_03	knows method	discrete	numeric-1.0	212	0	-
135	v304_04	knows method	discrete	numeric-1.0	212	0	-
136	v304_05	knows method	discrete	numeric-1.0	212	0	-
137	v304_06	knows method	discrete	numeric-1.0	212	0	-
138	v304_07	knows method	discrete	numeric-1.0	212	0	-
139	v304_08	knows method	discrete	numeric-1.0	212	0	-
140	v304_09	knows method	discrete	numeric-1.0	212	0	-
141	v304_10	knows method	discrete	numeric-1.0	212	0	-
142	v304_11	knows method	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
143	v304_12	knows method	discrete	numeric-1.0	212	0	-
144	v304_13	knows method	discrete	numeric-1.0	212	0	-
145	v304_14	knows method	discrete	numeric-1.0	212	0	-
146	v304_15	knows method	discrete	numeric-1.0	212	0	-
147	v304_16	knows method	discrete	numeric-1.0	212	0	-
148	v304_17	knows method	discrete	numeric-1.0	212	0	-
149	v304_18	knows method	discrete	numeric-1.0	212	0	-
150	v304_19	knows method	discrete	numeric-1.0	212	0	-
151	v304_20	knows method	discrete	numeric-1.0	212	0	-
152	v307_01	method currently used	discrete	numeric-1.0	210	2	-
153	v307_02	method currently used	discrete	numeric-1.0	202	10	-
154	v307_03	method currently used	discrete	numeric-1.0	208	4	-
155	v307_04	method currently used	discrete	numeric-1.0	212	0	-
156	v307_05	method currently used	discrete	numeric-1.0	204	8	-
157	v307_06	method currently used	discrete	numeric-1.0	187	25	-
158	v307_07	method currently used	discrete	numeric-1.0	140	72	-
159	v307_08	method currently used	discrete	numeric-1.0	108	104	-
160	v307_09	method currently used	discrete	numeric-1.0	112	100	-
161	v307_10	method currently used	discrete	numeric-1.0	0	212	-
162	v307_11	method currently used	discrete	numeric-1.0	183	29	-
163	v307_12	method currently used	discrete	numeric-1.0	0	212	-
164	v307_13	method currently used	discrete	numeric-1.0	61	151	-
165	v307_14	method currently used	discrete	numeric-1.0	54	158	-
166	v307_15	method currently used	discrete	numeric-1.0	212	0	-
167	v307_16	method currently used	discrete	numeric-1.0	0	212	-
168	v307_17	method currently used	discrete	numeric-1.0	132	80	-
169	v307_18	method currently used	discrete	numeric-1.0	212	0	-
170	v307_19	method currently used	discrete	numeric-1.0	0	212	-
171	v307_20	method currently used	discrete	numeric-1.0	0	212	-
172	v312	current contraceptive method	discrete	numeric-2.0	212	0	-
173	v313	current use by method type	discrete	numeric-1.0	212	0	-
174	v315	month of start of use of method	discrete	numeric-2.0	66	146	-
175	v316	year of start of use of method	discrete	numeric-4.0	66	146	-
176	v317	date of start of use of method (cmc)	continuous	numeric-4.0	66	146	-
177	v318	completeness of information	discrete	numeric-1.0	66	146	-
178	v319	years since sterilization	discrete	numeric-1.0	6	206	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
179	v320	age at sterilization	discrete	numeric-1.0	6	206	-
180	v321	marital duration at sterilization	discrete	numeric-1.0	6	206	-
181	v322	parity at sterilization	discrete	numeric-1.0	6	206	-
182	v323	brand of pill used	discrete	numeric-2.0	26	186	-
183	v323a	brand of condom used	discrete	numeric-2.0	2	210	-
184	v326	last source for current users	discrete	numeric-2.0	47	165	-
185	v327	last source for users by type	discrete	numeric-1.0	47	165	-
186	v337	months of use of current method	discrete	numeric-3.0	66	146	-
187	v359	last method disc. last 5 years	discrete	numeric-2.0	36	176	-
188	v360	reason of last discontinuation	discrete	numeric-2.0	36	176	-
189	v361	pattern of use	discrete	numeric-1.0	212	0	-
190	v362	intention to use	discrete	numeric-1.0	146	66	-
191	v364	contraceptive use & intention	discrete	numeric-1.0	212	0	-
192	v367	wanted last child	discrete	numeric-1.0	72	140	-
193	v384a	heard fp on radio last months	discrete	numeric-1.0	212	0	-
194	v384b	seen fp on tv last months	discrete	numeric-1.0	212	0	-
195	v384c	read fp in newspaper/ magazine last few months	discrete	numeric-1.0	212	0	-
196	v393	visited by fp worker last 12m	discrete	numeric-1.0	212	0	-
197	v394	visited health facil. last 12m	discrete	numeric-1.0	212	0	-
198	v395	at health facility, told of fp	discrete	numeric-1.0	71	141	-
199	v3a00a	source of fp for non-users: national hospital (pp)	discrete	numeric-1.0	146	66	-
200	v3a00b	source of fp for non-users: provincial hospital (rh)	discrete	numeric-1.0	146	66	-
201	v3a00c	source of fp for non-users: district hospital (rh)	discrete	numeric-1.0	146	66	-
202	v3a00d	source of fp for non-users: health center	discrete	numeric-1.0	146	66	-
203	v3a00e	source of fp for non-users: health post	discrete	numeric-1.0	146	66	-
204	v3a00f	source of fp for non-users: military hospital	discrete	numeric-1.0	146	66	-
205	v3a00i	source of fp for non-users: other public sector	discrete	numeric-1.0	146	66	-
206	v3a00j	source of fp for non-users: private hospital	discrete	numeric-1.0	146	66	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
207	v3a00k	source of fp for non-users: private pharmacy	discrete	numeric-1.0	146	66	-
208	v3a00o	source of fp for non-users: private clinic	discrete	numeric-1.0	146	66	-
209	v3a00r	source of fp for non-users: other private med sect	discrete	numeric-1.0	146	66	-
210	v3a00s	source of fp for non-users: shop	discrete	numeric-1.0	146	66	-
211	v3a00t	source of fp for non-users: community distributor	discrete	numeric-1.0	146	66	-
212	v3a00u	source of fp for non-users: friend, relative	discrete	numeric-1.0	146	66	-
213	v3a00x	source of fp for non-users: other	discrete	numeric-1.0	146	66	-
214	v3a00y	source of fp for non-users: no source	discrete	numeric-1.0	146	66	-
215	v3a00z	source of fp for non-users: any source	discrete	numeric-1.0	146	66	-
216	v3a02	told about side effects	discrete	numeric-1.0	40	172	-
217	v3a03	told about side effects by health or fp worker	discrete	numeric-1.0	8	204	-
218	v3a04	told how to deal with side effects	discrete	numeric-1.0	33	179	-
219	v3a05	told about other fp methods	discrete	numeric-1.0	40	172	-
220	v3a06	told about other fp methods by health or fp worker	discrete	numeric-1.0	11	201	-
221	v3a07	first source for current method	discrete	numeric-2.0	54	158	-
222	v3a08a	reason not using: not married	discrete	numeric-1.0	44	168	-
223	v3a08b	reason not using: not having sex	discrete	numeric-1.0	44	168	-
224	v3a08c	reason not using: infrequent sex	discrete	numeric-1.0	44	168	-
225	v3a08d	reason not using: menopausal/hysterectomy	discrete	numeric-1.0	44	168	-
226	v3a08e	reason not using: subfecund/infecund	discrete	numeric-1.0	44	168	-
227	v3a08f	reason not using: postpartum amenorrheic	discrete	numeric-1.0	44	168	-
228	v3a08g	reason not using: breastfeeding	discrete	numeric-1.0	44	168	-
229	v3a08h	reason not using: fatalistic	discrete	numeric-1.0	44	168	-
230	v3a08i	reason not using: respondent opposed	discrete	numeric-1.0	44	168	-
231	v3a08j	reason not using: husband/partner opposed	discrete	numeric-1.0	44	168	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
232	v3a08k	reason not using: others opposed	discrete	numeric-1.0	44	168	-
233	v3a08l	reason not using: religious prohibition	discrete	numeric-1.0	44	168	-
234	v3a08m	reason not using: knows no method	discrete	numeric-1.0	44	168	-
235	v3a08n	reason not using: knows no source	discrete	numeric-1.0	44	168	-
236	v3a08o	reason not using: side effects, health concerns	discrete	numeric-1.0	44	168	-
237	v3a08q	reason not using: lack of access/too far	discrete	numeric-1.0	44	168	-
238	v3a08r	reason not using: costs too much	discrete	numeric-1.0	44	168	-
239	v3a08s	reason not using: inconvenient to use	discrete	numeric-1.0	44	168	-
240	v3a08t	reason not using: interferes with bodys processes	discrete	numeric-1.0	44	168	-
241	v3a08u	reason not using: preferred method not available	discrete	numeric-1.0	44	168	-
242	v3a08v	reason not using: no method available	discrete	numeric-1.0	44	168	-
243	v3a08x	reason not using: other	discrete	numeric-1.0	44	168	-
244	v3a08z	reason not using: don't know	discrete	numeric-1.0	44	168	-
245	v401	last birth caesarean section	discrete	numeric-1.0	72	140	-
246	v404	currently breastfeeding	discrete	numeric-1.0	212	0	-
247	v405	currently amenorrheic	discrete	numeric-1.0	212	0	-
248	v406	currently abstaining	discrete	numeric-1.0	212	0	-
249	v409	gave child plain water	discrete	numeric-1.0	28	184	-
250	v410	gave child juice or juice drinks	discrete	numeric-1.0	28	184	-
251	v411	gave child tinned, powdered or fresh milk	discrete	numeric-1.0	28	184	-
252	v411a	gave child baby formula	discrete	numeric-1.0	28	184	-
253	v412a	gave child baby cereal	discrete	numeric-1.0	28	184	-
254	v413	gave child other liquid	discrete	numeric-1.0	28	184	-
255	v413a	gave child soup	discrete	numeric-1.0	28	184	-
256	v414a	gave child yogurt	discrete	numeric-1.0	28	184	-
257	v414b	gave child snake, snail, frog, rat, insects	discrete	numeric-1.0	28	184	-
258	v414e	gave child bread, noddles, other made from grains	discrete	numeric-1.0	28	184	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
259	v414f	gave child potatoes, cassave, or other tubers	discrete	numeric-1.0	28	184	-
260	v414g	gave child eggs	discrete	numeric-1.0	28	184	-
261	v414h	gave child meat (beef, pork, lamb, chicken, etc)	discrete	numeric-1.0	28	184	-
262	v414i	gave child pumpkin, carrots, squash (yellow or orange inside)	discrete	numeric-1.0	28	184	-
263	v414j	gave child any dark green leafy vegetables	discrete	numeric-1.0	28	184	-
264	v414k	gave child mangoes, papayas, other vitamin a fruits	discrete	numeric-1.0	28	184	-
265	v414l	gave child any other fruits	discrete	numeric-1.0	28	184	-
266	v414m	gave child liver, heart, other organs	discrete	numeric-1.0	28	184	-
267	v414n	gave child fish or shellfish	discrete	numeric-1.0	28	184	-
268	v414o	gave child food made from beans, peas, lentils, nuts	discrete	numeric-1.0	28	184	-
269	v414p	gave child cheese, yogurt , other milk products	discrete	numeric-1.0	28	184	-
270	v414q	gave child oil, fats, butter, products made of them	discrete	numeric-1.0	28	184	-
271	v414r	gave child chocolates, sweets, candies, pastries, etc	discrete	numeric-1.0	28	184	-
272	v414s	gave child other solid-semisolid food	discrete	numeric-1.0	28	184	-
273	v415	drank from bottle with nipple	discrete	numeric-1.0	70	142	-
274	v416	heard of oral rehydration	discrete	numeric-1.0	212	0	-
275	v417	entries in maternity table	discrete	numeric-1.0	212	0	-
276	v418	entries in health table	discrete	numeric-1.0	212	0	-
277	v419	entries in height/weight table	discrete	numeric-1.0	212	0	-
278	v426	when child put to breast	discrete	numeric-3.0	70	142	-
279	v437	respondent's weight (kilos-1d)	continuous	numeric-3.0	153	59	-
280	v438	respondent's height (cms-1d)	continuous	numeric-4.0	153	59	-
281	v439	ht/a percentile (resp.)	discrete	numeric-4.0	153	59	-
282	v440	ht/a standard deviations (resp)	discrete	numeric-4.0	153	59	-
283	v441	ht/a percent ref. median (resp)	discrete	numeric-5.0	153	59	-
284	v442	wt/ht percent ref. median (dhs)	discrete	numeric-5.0	153	59	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
285	v443	wt/ht percent ref. median (fog)	discrete	numeric-5.0	153	59	-
286	v444	wt/ht percent ref. median (who)	discrete	numeric-5.0	153	59	-
287	v444a	wt/ht std deviations(resp) dhs	discrete	numeric-4.0	153	59	-
288	v445	body mass index for respondent	discrete	numeric-4.0	153	59	-
289	v446	rohrer's index for respondent	discrete	numeric-4.0	153	59	-
290	v447	result of measurement of resp.	discrete	numeric-1.0	212	0	-
291	v447a	women's age in years from household report	continuous	numeric-2.0	153	59	-
292	v452a	under age 18 (hh report)	discrete	numeric-1.0	153	59	-
293	v452b	line no. of parent/caretaker	discrete	numeric-1.0	28	184	-
294	v452c	read consent statement	discrete	numeric-1.0	153	59	-
295	v453	hemoglobin level (g/dl - 1 decimal)	continuous	numeric-3.0	153	59	-
296	v454	currently pregnant (household report)	discrete	numeric-1.0	153	59	-
297	v455	result of measuring (hemoglobin)	discrete	numeric-1.0	153	59	-
298	v456	hemoglobin level adjusted by altitude (g/dl - 1 decimal)	continuous	numeric-3.0	153	59	-
299	v457	anemia level	discrete	numeric-1.0	153	59	-
300	v463a	smokes cigarettes	discrete	numeric-1.0	212	0	-
301	v463b	smokes pipe	discrete	numeric-1.0	212	0	-
302	v463c	chewing tobacco	discrete	numeric-1.0	212	0	-
303	v463d	uses snuff	discrete	numeric-1.0	212	0	-
304	v463x	smokes other	discrete	numeric-1.0	212	0	-
305	v463z	does not use tobacco	discrete	numeric-1.0	212	0	-
306	v464	number of cigarettes in last 24 hours	discrete	numeric-2.0	4	208	-
307	v465	disposal of youngest child's stools when not using toilet	discrete	numeric-2.0	69	143	-
308	v467b	getting medical help for self: getting permission to go	discrete	numeric-1.0	212	0	-
309	v467c	getting medical help for self: getting money needed for tx	discrete	numeric-1.0	212	0	-
310	v467d	getting medical help for self: distance to health facility	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
311	v467f	getting medical help for self: not wanting to go alone	discrete	numeric-1.0	212	0	-
312	v468	columns used for last birth only variables	discrete	numeric-1.0	212	0	-
313	v472f	na - mother had potatoes, cassave, or other tubers	discrete	numeric-1.0	0	212	-
314	v472k	na - mother had mangoes, papayas, other vitamin a fruits	discrete	numeric-1.0	0	212	-
315	v474a	na - tuberculosis spread by: air when coughing or sneezing	discrete	numeric-1.0	0	212	-
316	v474b	na - tuberculosis spread by: sharing utensils	discrete	numeric-1.0	0	212	-
317	v474c	na - tuberculosis spread by: touching a person with tb	discrete	numeric-1.0	0	212	-
318	v474d	na - tuberculosis spread through food	discrete	numeric-1.0	0	212	-
319	v474e	na - tuberculosis spread by: sexual contact	discrete	numeric-1.0	0	212	-
320	v474f	na - tuberculosis spread by: mosquito bites	discrete	numeric-1.0	0	212	-
321	v474g	na - tuberculosis spread by: cs	discrete	numeric-1.0	0	212	-
322	v474h	na - tuberculosis spread by: cs	discrete	numeric-1.0	0	212	-
323	v474i	na - tuberculosis spread by: cs	discrete	numeric-1.0	0	212	-
324	v474j	na - tuberculosis spread by: cs	discrete	numeric-1.0	0	212	-
325	v474x	na - tuberculosis spread by: other	discrete	numeric-1.0	0	212	-
326	v474z	na - tuberculosis spread by: don't know	discrete	numeric-1.0	0	212	-
327	v477	number of injections in last 12 months	discrete	numeric-2.0	212	0	-
328	v478	injections administered by a health worker	discrete	numeric-2.0	71	141	-
329	v480	syringe and needle from new, unopened package	discrete	numeric-1.0	71	141	-
330	v481	covered by health insurance	discrete	numeric-1.0	212	0	-
331	v481a	health insurance type: community-based health insurance	discrete	numeric-1.0	212	0	-
332	v481b	health insurance type: provided by employer	discrete	numeric-1.0	212	0	-
333	v481c	health insurance type: health equity fund	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
334	v481d	health insurance type: private/commercial purchased	discrete	numeric-1.0	212	0	-
335	v481e	health insurance type: maternal health voucher	discrete	numeric-1.0	212	0	-
336	v481f	health insurance type: priority	discrete	numeric-1.0	212	0	-
337	v481g	health insurance type: through a ngo	discrete	numeric-1.0	212	0	-
338	v481x	health insurance type: other	discrete	numeric-1.0	212	0	-
339	v501	current marital status	discrete	numeric-1.0	212	0	-
340	v502	currently/formerly/never marr.	discrete	numeric-1.0	212	0	-
341	v503	number of unions	discrete	numeric-1.0	133	79	-
342	v504	husband lives in house	discrete	numeric-1.0	126	86	-
343	v505	number of other wives	discrete	numeric-2.0	126	86	-
344	v506	wife rank number	discrete	numeric-2.0	13	199	-
345	v507	month of first marriage	discrete	numeric-2.0	133	79	-
346	v508	year of first marriage	continuous	numeric-4.0	133	79	-
347	v509	date of first marriage (cmc)	continuous	numeric-4.0	133	79	-
348	v510	completeness of date inform.	discrete	numeric-1.0	133	79	-
349	v511	age at first marriage	continuous	numeric-2.0	133	79	-
350	v512	years since first marriage	continuous	numeric-2.0	133	79	-
351	v513	marital duration (grouped)	discrete	numeric-1.0	212	0	-
352	v525	age at first intercourse	discrete	numeric-2.0	212	0	-
353	v527	time since last intercourse	discrete	numeric-3.0	133	79	-
354	v528	time in days since last intercourse(g)	discrete	numeric-2.0	133	79	-
355	v529	time in months since last intercourse (imputed)	discrete	numeric-3.0	133	79	-
356	v530	flag for v529	discrete	numeric-1.0	133	79	-
357	v531	age at first intercourse (imp)	discrete	numeric-2.0	212	0	-
358	v532	flag for v531	discrete	numeric-1.0	212	0	-
359	v535	have ever been married	discrete	numeric-1.0	86	126	-
360	v536	recent sexual activity	discrete	numeric-1.0	212	0	-
361	v537	months of abstinence	discrete	numeric-2.0	33	179	-
362	v602	fertility preference	discrete	numeric-1.0	212	0	-
363	v603	preferred waiting time	discrete	numeric-3.0	96	116	-
364	v604	preferred waiting time (grpd)	discrete	numeric-1.0	96	116	-
365	v605	desire for more children	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
366	v613	ideal number of children	discrete	numeric-2.0	212	0	-
367	v614	ideal number of children (grp)	discrete	numeric-1.0	212	0	-
368	v616	time for future birth	discrete	numeric-3.0	97	115	-
369	v621	husbands desire for children	discrete	numeric-1.0	120	92	-
370	v623	exposure	discrete	numeric-1.0	212	0	-
371	v624	unmet need	discrete	numeric-2.0	212	0	-
372	v625	exposure (definition 2)	discrete	numeric-1.0	212	0	-
373	v626	unmet need (definition 2)	discrete	numeric-1.0	212	0	-
374	v627	ideal number of boys	discrete	numeric-2.0	212	0	-
375	v628	ideal number of girls	discrete	numeric-2.0	212	0	-
376	v629	ideal number of either sex	discrete	numeric-2.0	212	0	-
377	v632	decision maker for using contraception	discrete	numeric-1.0	65	147	-
378	v701	partner's education level	discrete	numeric-1.0	133	79	-
379	v702	highest year of education	discrete	numeric-2.0	119	93	-
380	v704	partner's occupation	discrete	numeric-3.0	133	79	-
381	v705	partner's occupation	discrete	numeric-2.0	133	79	-
382	v714	respondent currently working	discrete	numeric-1.0	212	0	-
383	v714a	have a job from which respondent was absent	discrete	numeric-1.0	78	134	-
384	v715	husbands education-single yrs	discrete	numeric-2.0	133	79	-
385	v716	respondent's occupation	discrete	numeric-2.0	212	0	-
386	v717	respondent's occupation	discrete	numeric-2.0	212	0	-
387	v719	work for family, others, self	discrete	numeric-1.0	164	48	-
388	v729	partner's educational attainm.	discrete	numeric-1.0	133	79	-
389	v730	partners age	discrete	numeric-2.0	126	86	-
390	v731	worked in last 12 months	discrete	numeric-1.0	212	0	-
391	v732	employment all year/seasonal	discrete	numeric-1.0	164	48	-
392	v739	who decides how to spend money	discrete	numeric-1.0	83	129	-
393	v741	type of earnings for work	discrete	numeric-1.0	164	48	-
394	v743a	final say on own health care	discrete	numeric-1.0	126	86	-
395	v743b	final say on making large household purchases	discrete	numeric-1.0	126	86	-
396	v743d	final say on visits to family or relatives	discrete	numeric-1.0	126	86	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
397	v743f	final say on deciding what to do with money husband earns	discrete	numeric-1.0	126	86	-
398	v744a	wife beating justified if she goes out without telling him	discrete	numeric-1.0	212	0	-
399	v744b	wife beating justified if she neglects the children	discrete	numeric-1.0	212	0	-
400	v744c	wife beating justified if she argues with him	discrete	numeric-1.0	212	0	-
401	v744d	wife beating justified if she refuses to have sex with him	discrete	numeric-1.0	212	0	-
402	v744e	wife beating justified if she burns the food	discrete	numeric-1.0	212	0	-
403	v746	earns more than partner	discrete	numeric-1.0	83	129	-
404	v750	heard sexual transmit. disease	discrete	numeric-1.0	212	0	-
405	v751	ever heard of aids	discrete	numeric-1.0	212	0	-
406	v754cp	reduce chances of aids by always using condoms during sex	discrete	numeric-1.0	207	5	-
407	v754dp	reduce chance of aids: have 1 sex partner with no oth partner	discrete	numeric-1.0	207	5	-
408	v754jp	get aids from mosquito bites	discrete	numeric-1.0	207	5	-
409	v754wp	get aids by sharing food with person who has aids	discrete	numeric-1.0	207	5	-
410	v756	can a healthy person have aids	discrete	numeric-1.0	207	5	-
411	v761	last intercourse used condom	discrete	numeric-1.0	120	92	-
412	v761b	intercourse with other man (1) used condom	discrete	numeric-1.0	0	212	-
413	v761c	intercourse with other man (2) used condom	discrete	numeric-1.0	0	212	-
414	v762aa	source for condoms: national hospital (pp)	discrete	numeric-1.0	212	0	-
415	v762ab	source for condoms: health center	discrete	numeric-1.0	212	0	-
416	v762ac	source for condoms: health post	discrete	numeric-1.0	212	0	-
417	v762ad	source for condoms: outreach	discrete	numeric-1.0	212	0	-
418	v762af	source for condoms: other public	discrete	numeric-1.0	212	0	-
419	v762ag	source for condoms: provincial hospital (rh)	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
420	v762ah	source for condoms: district hospital (rh)	discrete	numeric-1.0	212	0	-
421	v762ai	source for condoms: military hospital	discrete	numeric-1.0	212	0	-
422	v762aj	source for condoms: private hospital	discrete	numeric-1.0	212	0	-
423	v762ak	source for condoms: pharmacy	discrete	numeric-1.0	212	0	-
424	v762ao	source for condoms: other private	discrete	numeric-1.0	212	0	-
425	v762ap	source for condoms: private clinic	discrete	numeric-1.0	212	0	-
426	v762aq	na - source for condoms: private cs	discrete	numeric-1.0	0	212	-
427	v762as	source for condoms: shop	discrete	numeric-1.0	212	0	-
428	v762at	source for condoms: community distributor	discrete	numeric-1.0	212	0	-
429	v762au	source for condoms: friends, relatives	discrete	numeric-1.0	212	0	-
430	v762ax	source for condoms: other	discrete	numeric-1.0	212	0	-
431	v762az	source for condoms: dk source for condom	discrete	numeric-1.0	212	0	-
432	v762ba	source for female condoms: national hospital (pp)	discrete	numeric-1.0	212	0	-
433	v762bb	source for female condoms: health center	discrete	numeric-1.0	212	0	-
434	v762bc	source for female condoms: health post	discrete	numeric-1.0	212	0	-
435	v762bd	source for female condoms: outreach	discrete	numeric-1.0	212	0	-
436	v762bf	source for female condoms: other public	discrete	numeric-1.0	212	0	-
437	v762bg	source for female condoms: provincial hospital (rh)	discrete	numeric-1.0	212	0	-
438	v762bh	source for female condoms: district hospital (rh)	discrete	numeric-1.0	212	0	-
439	v762bi	source for female condoms: military hospital	discrete	numeric-1.0	212	0	-
440	v762bj	source for female condoms: private hospital	discrete	numeric-1.0	212	0	-
441	v762bk	source for female condoms: pharmacy	discrete	numeric-1.0	212	0	-
442	v762bo	source for female condoms: other private	discrete	numeric-1.0	212	0	-
443	v762bp	source for female condoms: private clinic	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
444	v762bs	source for female condoms: shop	discrete	numeric-1.0	212	0	-
445	v762bt	source for female condoms: community distributor	discrete	numeric-1.0	212	0	-
446	v762bu	source for female condoms: friends, relatives	discrete	numeric-1.0	212	0	-
447	v762bx	source for female condoms: other	discrete	numeric-1.0	212	0	-
448	v762bz	source for female condoms: dk source for condom	discrete	numeric-1.0	212	0	-
449	v763a	had any std in last 12 months	discrete	numeric-1.0	212	0	-
450	v763b	had genital sore/ulcer in last 12 months	discrete	numeric-1.0	212	0	-
451	v763c	had genital discharge in last 12 months	discrete	numeric-1.0	212	0	-
452	v766a	no. other than husband had sex in last 12 months	discrete	numeric-2.0	212	0	-
453	v766b	no. had sex including husband in last 12 months	discrete	numeric-2.0	212	0	-
454	v767a	relationship with last sex partner	discrete	numeric-2.0	120	92	-
455	v767b	relationship with other sex partner (1)	discrete	numeric-2.0	0	212	-
456	v767c	relationship with other sex partner (2)	discrete	numeric-2.0	0	212	-
457	v768a	length of time knows last partner	discrete	numeric-3.0	96	116	-
458	v768b	length of time knows other partner (1)	discrete	numeric-3.0	0	212	-
459	v768c	length of time knows other partner (2)	discrete	numeric-3.0	0	212	-
460	v769	could get a condom	discrete	numeric-1.0	156	56	-
461	v769a	could get a female condom	discrete	numeric-1.0	8	204	-
462	v770	seek advice for last disease	discrete	numeric-1.0	13	199	-
463	v770a	seek advice sti: national hospital (pp)	discrete	numeric-1.0	13	199	-
464	v770b	seek advice sti: health center	discrete	numeric-1.0	13	199	-
465	v770c	seek advice sti: health post	discrete	numeric-1.0	13	199	-
466	v770d	seek advice sti: outreach	discrete	numeric-1.0	13	199	-
467	v770e	seek advice sti: military hospital	discrete	numeric-1.0	13	199	-
468	v770f	seek advice sti: fieldworker	discrete	numeric-1.0	13	199	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
469	v770g	seek advice sti: provincial hospital (rh)	discrete	numeric-1.0	13	199	-
470	v770h	seek advice sti: district hospital (rh)	discrete	numeric-1.0	13	199	-
471	v770j	seek advice sti: other public	discrete	numeric-1.0	13	199	-
472	v770k	seek advice sti: private hospital	discrete	numeric-1.0	13	199	-
473	v770p	seek advice sti: private clinic	discrete	numeric-1.0	13	199	-
474	v770q	seek advice sti: private laboratory	discrete	numeric-1.0	13	199	-
475	v770s	seek advice sti: other private	discrete	numeric-1.0	13	199	-
476	v770v	seek advice sti: public vct center	discrete	numeric-1.0	13	199	-
477	v770w	seek advice sti: public pmtct site	discrete	numeric-1.0	13	199	-
478	v770x	seek advice other	discrete	numeric-1.0	13	199	-
479	v774a	aids transmit. during pregnancy	discrete	numeric-1.0	207	5	-
480	v774b	aids transmit. during delivery	discrete	numeric-1.0	207	5	-
481	v774c	aids transmit. by breastfeeding	discrete	numeric-1.0	207	5	-
482	v777	allowed to keep aids infection secret	discrete	numeric-1.0	207	5	-
483	v778	willing to care for relative with aids	discrete	numeric-1.0	207	5	-
484	v779	person with aids allowed continuing teaching	discrete	numeric-1.0	207	5	-
485	v781	ever been tested for aids	discrete	numeric-1.0	212	0	-
486	v783	know a place to get aids test	discrete	numeric-1.0	207	5	-
487	v784a	place for aids test: national hospital (pp)	discrete	numeric-1.0	164	48	-
488	v784b	place for aids test: health center	discrete	numeric-1.0	164	48	-
489	v784c	place for aids test: health post	discrete	numeric-1.0	164	48	-
490	v784d	place for aids test: outreach	discrete	numeric-1.0	164	48	-
491	v784e	place for aids test: military hospital	discrete	numeric-1.0	164	48	-
492	v784g	place for aids test: provincial hospital (rh)	discrete	numeric-1.0	164	48	-
493	v784h	place for aids test: district hospital (rh)	discrete	numeric-1.0	164	48	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
494	v784j	place for aids test: other public	discrete	numeric-1.0	164	48	-
495	v784k	place for aids test: private hospital	discrete	numeric-1.0	164	48	-
496	v784p	place for aids test: private clinic	discrete	numeric-1.0	164	48	-
497	v784q	place for aids test: private laboratory	discrete	numeric-1.0	164	48	-
498	v784s	place for aids test: other private	discrete	numeric-1.0	164	48	-
499	v784u	place for aids test: public vct center	discrete	numeric-1.0	164	48	-
500	v784v	place for aids test: public pmtct site	discrete	numeric-1.0	164	48	-
501	v784x	place for aids test: other	discrete	numeric-1.0	164	48	-
502	v785	heard about other stds	discrete	numeric-1.0	212	0	-
503	v822	wife justified to ask husband to use condom if he has std	discrete	numeric-1.0	212	0	-
504	v823	can get aids by witchcraft or supernatural means	discrete	numeric-1.0	207	5	-
505	v824	drugs to avoid aids transmission to baby during pregnancy	discrete	numeric-1.0	202	10	-
506	v825	would buy vegetables from vendor with aids	discrete	numeric-1.0	207	5	-
507	v826	when was last time you were tested	discrete	numeric-1.0	43	169	-
508	v828	did get results for last test	discrete	numeric-1.0	43	169	-
509	v829	place were last aids test was taken	discrete	numeric-2.0	43	169	-
510	v832b	time since last intercourse with next to last sexual partner	discrete	numeric-3.0	0	212	-
511	v832c	time since last intercourse with second to last sexual partner	discrete	numeric-3.0	0	212	-
512	v833a	used condom every time had sex with last sex partner (last 12 months)	discrete	numeric-1.0	5	207	-
513	v833b	used condom every time had sex with next to last sex partner (last 12 months)	discrete	numeric-1.0	0	212	-
514	v833c	used condom every time had sex with second to last sex partner (last 12 months)	discrete	numeric-1.0	0	212	-
515	v834a	age of last sexual partner	discrete	numeric-2.0	120	92	-
516	v834b	age of next to last sexual partner	discrete	numeric-2.0	0	212	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
517	v834c	age of second to last sexual partner	discrete	numeric-2.0	0	212	-
518	v836	total lifetime number of sexual partners	discrete	numeric-2.0	133	79	-
519	v838a	talk during antenatal visit: aids transmitted mother to child	discrete	numeric-1.0	40	172	-
520	v838b	talk during antenatal visit: things to do to prevent aids	discrete	numeric-1.0	40	172	-
521	v838c	talk during antenatal visit: getting tested for aids virus	discrete	numeric-1.0	40	172	-
522	v839	offered aids test as part of antenatal visit	discrete	numeric-1.0	40	172	-
523	v840	tested for aids virus as part of antenatal visit	discrete	numeric-1.0	40	172	-
524	v841	got results of aids test as part of antenatal visit	discrete	numeric-1.0	18	194	-
525	v842	place were aids test was taken as part of antenatal visit	discrete	numeric-2.0	18	194	-
526	v843	tested for aids since test as part of antenatal visit	discrete	numeric-1.0	18	194	-
527	v844	knows someone denied health services because of aids last 12 months	discrete	numeric-1.0	207	5	-
528	v847	people with aids should be ashamed of themselves	discrete	numeric-1.0	207	5	-
529	v848	people with aids should be blamed for bringing disease to community	discrete	numeric-1.0	207	5	-
530	v850a	can respondent refuse sex	discrete	numeric-1.0	126	86	-
531	v850b	can ask partner to use condom	discrete	numeric-1.0	126	86	-
532	v801	time interview started	continuous	numeric-4.0	212	0	-
533	v802	time interview ended	continuous	numeric-4.0	212	0	-
534	v803	length of interview in minutes	discrete	numeric-2.0	212	0	-
535	v804	number of visits	discrete	numeric-1.0	212	0	-
536	v805	interviewer identification	continuous	numeric-3.0	212	0	-
537	v806	keyer identification	discrete	numeric-2.0	212	0	-
538	v811	pres. children < 10 (sec 7)	discrete	numeric-1.0	212	0	-
539	v812	pres. husband (sec 7)	discrete	numeric-1.0	212	0	-
540	v813	pres. other males (sec 7)	discrete	numeric-1.0	212	0	-
541	v814	pres. other females (sec 7)	discrete	numeric-1.0	212	0	-
542	vcol_1	calendar column number	discrete	numeric-1.0	212	0	-
543	vcol_2	calendar column number	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
544	vcol_3	calendar column number	discrete	numeric-1.0	0	212	-
545	vcol_4	calendar column number	discrete	numeric-1.0	0	212	-
546	vcol_5	calendar column number	discrete	numeric-1.0	0	212	-
547	vcol_6	calendar column number	discrete	numeric-1.0	0	212	-
548	vcol_7	calendar column number	discrete	numeric-1.0	0	212	-
549	vcol_8	calendar column number	discrete	numeric-1.0	0	212	-
550	vcol_9	calendar column number	discrete	numeric-1.0	0	212	-
551	vcal_1	calendar	discrete	character-80	212	0	-
552	vcal_2	calendar	discrete	character-80	36	0	-
553	vcal_3	calendar	discrete	character-1	0	0	-
554	vcal_4	calendar	discrete	character-1	0	0	-
555	vcal_5	calendar	discrete	character-1	0	0	-
556	vcal_6	calendar	discrete	character-1	0	0	-
557	vcal_7	calendar	discrete	character-1	0	0	-
558	vcal_8	calendar	discrete	character-1	0	0	-
559	vcal_9	calendar	discrete	character-1	0	0	-
560	mmidx_01	maternal mortality index	discrete	numeric-1.0	206	6	-
561	mmidx_02	maternal mortality index	discrete	numeric-1.0	197	15	-
562	mmidx_03	maternal mortality index	discrete	numeric-1.0	181	31	-
563	mmidx_04	maternal mortality index	discrete	numeric-1.0	149	63	-
564	mmidx_05	maternal mortality index	discrete	numeric-1.0	111	101	-
565	mmidx_06	maternal mortality index	discrete	numeric-1.0	76	136	-
566	mmidx_07	maternal mortality index	discrete	numeric-1.0	36	176	-
567	mmidx_08	maternal mortality index	discrete	numeric-1.0	22	190	-
568	mmidx_09	maternal mortality index	discrete	numeric-1.0	12	200	-
569	mmidx_10	maternal mortality index	discrete	numeric-2.0	5	207	-
570	mmidx_11	maternal mortality index	discrete	numeric-2.0	3	209	-
571	mmidx_12	maternal mortality index	discrete	numeric-1.0	0	212	-
572	mmidx_13	maternal mortality index	discrete	numeric-1.0	0	212	-
573	mmidx_14	maternal mortality index	discrete	numeric-1.0	0	212	-
574	mmidx_15	maternal mortality index	discrete	numeric-1.0	0	212	-
575	mmidx_16	maternal mortality index	discrete	numeric-1.0	0	212	-
576	mmidx_17	maternal mortality index	discrete	numeric-1.0	0	212	-
577	mmidx_18	maternal mortality index	discrete	numeric-1.0	0	212	-
578	mmidx_19	maternal mortality index	discrete	numeric-1.0	0	212	-
579	mmidx_20	maternal mortality index	discrete	numeric-1.0	0	212	-
580	mm1_01	sex of sibling	discrete	numeric-1.0	206	6	-
581	mm1_02	sex of sibling	discrete	numeric-1.0	197	15	-
582	mm1_03	sex of sibling	discrete	numeric-1.0	181	31	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
583	mm1_04	sex of sibling	discrete	numeric-1.0	149	63	-
584	mm1_05	sex of sibling	discrete	numeric-1.0	111	101	-
585	mm1_06	sex of sibling	discrete	numeric-1.0	76	136	-
586	mm1_07	sex of sibling	discrete	numeric-1.0	36	176	-
587	mm1_08	sex of sibling	discrete	numeric-1.0	22	190	-
588	mm1_09	sex of sibling	discrete	numeric-1.0	12	200	-
589	mm1_10	sex of sibling	discrete	numeric-1.0	5	207	-
590	mm1_11	sex of sibling	discrete	numeric-1.0	3	209	-
591	mm1_12	sex of sibling	discrete	numeric-1.0	0	212	-
592	mm1_13	sex of sibling	discrete	numeric-1.0	0	212	-
593	mm1_14	sex of sibling	discrete	numeric-1.0	0	212	-
594	mm1_15	sex of sibling	discrete	numeric-1.0	0	212	-
595	mm1_16	sex of sibling	discrete	numeric-1.0	0	212	-
596	mm1_17	sex of sibling	discrete	numeric-1.0	0	212	-
597	mm1_18	sex of sibling	discrete	numeric-1.0	0	212	-
598	mm1_19	sex of sibling	discrete	numeric-1.0	0	212	-
599	mm1_20	sex of sibling	discrete	numeric-1.0	0	212	-
600	mm2_01	sibling's survival status	discrete	numeric-1.0	206	6	-
601	mm2_02	sibling's survival status	discrete	numeric-1.0	197	15	-
602	mm2_03	sibling's survival status	discrete	numeric-1.0	181	31	-
603	mm2_04	sibling's survival status	discrete	numeric-1.0	149	63	-
604	mm2_05	sibling's survival status	discrete	numeric-1.0	111	101	-
605	mm2_06	sibling's survival status	discrete	numeric-1.0	76	136	-
606	mm2_07	sibling's survival status	discrete	numeric-1.0	36	176	-
607	mm2_08	sibling's survival status	discrete	numeric-1.0	22	190	-
608	mm2_09	sibling's survival status	discrete	numeric-1.0	12	200	-
609	mm2_10	sibling's survival status	discrete	numeric-1.0	5	207	-
610	mm2_11	sibling's survival status	discrete	numeric-1.0	3	209	-
611	mm2_12	sibling's survival status	discrete	numeric-1.0	0	212	-
612	mm2_13	sibling's survival status	discrete	numeric-1.0	0	212	-
613	mm2_14	sibling's survival status	discrete	numeric-1.0	0	212	-
614	mm2_15	sibling's survival status	discrete	numeric-1.0	0	212	-
615	mm2_16	sibling's survival status	discrete	numeric-1.0	0	212	-
616	mm2_17	sibling's survival status	discrete	numeric-1.0	0	212	-
617	mm2_18	sibling's survival status	discrete	numeric-1.0	0	212	-
618	mm2_19	sibling's survival status	discrete	numeric-1.0	0	212	-
619	mm2_20	sibling's survival status	discrete	numeric-1.0	0	212	-
620	mm3_01	sibling's current age	discrete	numeric-2.0	177	35	-
621	mm3_02	sibling's current age	discrete	numeric-2.0	166	46	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
622	mm3_03	sibling's current age	discrete	numeric-2.0	154	58	-
623	mm3_04	sibling's current age	discrete	numeric-2.0	130	82	-
624	mm3_05	sibling's current age	discrete	numeric-2.0	95	117	-
625	mm3_06	sibling's current age	discrete	numeric-2.0	67	145	-
626	mm3_07	sibling's current age	discrete	numeric-2.0	33	179	-
627	mm3_08	sibling's current age	discrete	numeric-2.0	18	194	-
628	mm3_09	sibling's current age	discrete	numeric-2.0	9	203	-
629	mm3_10	sibling's current age	discrete	numeric-2.0	2	210	-
630	mm3_11	sibling's current age	discrete	numeric-2.0	1	211	-
631	mm3_12	sibling's current age	discrete	numeric-2.0	0	212	-
632	mm3_13	sibling's current age	discrete	numeric-2.0	0	212	-
633	mm3_14	sibling's current age	discrete	numeric-2.0	0	212	-
634	mm3_15	sibling's current age	discrete	numeric-2.0	0	212	-
635	mm3_16	sibling's current age	discrete	numeric-2.0	0	212	-
636	mm3_17	sibling's current age	discrete	numeric-2.0	0	212	-
637	mm3_18	sibling's current age	discrete	numeric-2.0	0	212	-
638	mm3_19	sibling's current age	discrete	numeric-2.0	0	212	-
639	mm3_20	sibling's current age	discrete	numeric-2.0	0	212	-
640	mm4_01	cmc date of birth of sibling	continuous	numeric-4.0	206	6	-
641	mm4_02	cmc date of birth of sibling	continuous	numeric-4.0	197	15	-
642	mm4_03	cmc date of birth of sibling	continuous	numeric-4.0	181	31	-
643	mm4_04	cmc date of birth of sibling	continuous	numeric-4.0	149	63	-
644	mm4_05	cmc date of birth of sibling	continuous	numeric-4.0	111	101	-
645	mm4_06	cmc date of birth of sibling	continuous	numeric-4.0	76	136	-
646	mm4_07	cmc date of birth of sibling	continuous	numeric-4.0	36	176	-
647	mm4_08	cmc date of birth of sibling	continuous	numeric-4.0	22	190	-
648	mm4_09	cmc date of birth of sibling	continuous	numeric-4.0	12	200	-
649	mm4_10	cmc date of birth of sibling	continuous	numeric-4.0	5	207	-
650	mm4_11	cmc date of birth of sibling	continuous	numeric-4.0	3	209	-
651	mm4_12	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
652	mm4_13	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
653	mm4_14	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
654	mm4_15	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
655	mm4_16	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
656	mm4_17	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
657	mm4_18	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
658	mm4_19	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
659	mm4_20	cmc date of birth of sibling	discrete	numeric-1.0	0	212	-
660	mm6_01	years ago sibling died	discrete	numeric-2.0	29	183	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
661	mm6_02	years ago sibling died	discrete	numeric-2.0	31	181	-
662	mm6_03	years ago sibling died	discrete	numeric-2.0	27	185	-
663	mm6_04	years ago sibling died	discrete	numeric-2.0	19	193	-
664	mm6_05	years ago sibling died	discrete	numeric-2.0	16	196	-
665	mm6_06	years ago sibling died	discrete	numeric-2.0	9	203	-
666	mm6_07	years ago sibling died	discrete	numeric-2.0	3	209	-
667	mm6_08	years ago sibling died	discrete	numeric-2.0	4	208	-
668	mm6_09	years ago sibling died	discrete	numeric-2.0	3	209	-
669	mm6_10	years ago sibling died	discrete	numeric-2.0	3	209	-
670	mm6_11	years ago sibling died	discrete	numeric-2.0	2	210	-
671	mm6_12	years ago sibling died	discrete	numeric-2.0	0	212	-
672	mm6_13	years ago sibling died	discrete	numeric-2.0	0	212	-
673	mm6_14	years ago sibling died	discrete	numeric-2.0	0	212	-
674	mm6_15	years ago sibling died	discrete	numeric-2.0	0	212	-
675	mm6_16	years ago sibling died	discrete	numeric-2.0	0	212	-
676	mm6_17	years ago sibling died	discrete	numeric-2.0	0	212	-
677	mm6_18	years ago sibling died	discrete	numeric-2.0	0	212	-
678	mm6_19	years ago sibling died	discrete	numeric-2.0	0	212	-
679	mm6_20	years ago sibling died	discrete	numeric-2.0	0	212	-
680	mm7_01	sibling's age at death	discrete	numeric-2.0	29	183	-
681	mm7_02	sibling's age at death	discrete	numeric-2.0	31	181	-
682	mm7_03	sibling's age at death	discrete	numeric-2.0	27	185	-
683	mm7_04	sibling's age at death	discrete	numeric-2.0	19	193	-
684	mm7_05	sibling's age at death	discrete	numeric-2.0	16	196	-
685	mm7_06	sibling's age at death	discrete	numeric-2.0	9	203	-
686	mm7_07	sibling's age at death	discrete	numeric-2.0	3	209	-
687	mm7_08	sibling's age at death	discrete	numeric-2.0	4	208	-
688	mm7_09	sibling's age at death	discrete	numeric-2.0	3	209	-
689	mm7_10	sibling's age at death	discrete	numeric-2.0	3	209	-
690	mm7_11	sibling's age at death	discrete	numeric-2.0	2	210	-
691	mm7_12	sibling's age at death	discrete	numeric-2.0	0	212	-
692	mm7_13	sibling's age at death	discrete	numeric-2.0	0	212	-
693	mm7_14	sibling's age at death	discrete	numeric-2.0	0	212	-
694	mm7_15	sibling's age at death	discrete	numeric-2.0	0	212	-
695	mm7_16	sibling's age at death	discrete	numeric-2.0	0	212	-
696	mm7_17	sibling's age at death	discrete	numeric-2.0	0	212	-
697	mm7_18	sibling's age at death	discrete	numeric-2.0	0	212	-
698	mm7_19	sibling's age at death	discrete	numeric-2.0	0	212	-
699	mm7_20	sibling's age at death	discrete	numeric-2.0	0	212	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
700	mm8_01	cmc date of death of sibling	continuous	numeric-4.0	29	183	-
701	mm8_02	cmc date of death of sibling	continuous	numeric-4.0	31	181	-
702	mm8_03	cmc date of death of sibling	continuous	numeric-4.0	27	185	-
703	mm8_04	cmc date of death of sibling	continuous	numeric-4.0	19	193	-
704	mm8_05	cmc date of death of sibling	continuous	numeric-4.0	16	196	-
705	mm8_06	cmc date of death of sibling	continuous	numeric-4.0	9	203	-
706	mm8_07	cmc date of death of sibling	continuous	numeric-4.0	3	209	-
707	mm8_08	cmc date of death of sibling	continuous	numeric-4.0	4	208	-
708	mm8_09	cmc date of death of sibling	continuous	numeric-4.0	3	209	-
709	mm8_10	cmc date of death of sibling	continuous	numeric-4.0	3	209	-
710	mm8_11	cmc date of death of sibling	continuous	numeric-4.0	2	210	-
711	mm8_12	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
712	mm8_13	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
713	mm8_14	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
714	mm8_15	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
715	mm8_16	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
716	mm8_17	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
717	mm8_18	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
718	mm8_19	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
719	mm8_20	cmc date of death of sibling	discrete	numeric-1.0	0	212	-
720	mm9_01	sibling's death & pregnancy	discrete	numeric-2.0	5	207	-
721	mm9_02	sibling's death & pregnancy	discrete	numeric-2.0	5	207	-
722	mm9_03	sibling's death & pregnancy	discrete	numeric-2.0	3	209	-
723	mm9_04	sibling's death & pregnancy	discrete	numeric-2.0	3	209	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
724	mm9_05	sibling's death & pregnancy	discrete	numeric-2.0	4	208	-
725	mm9_06	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
726	mm9_07	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
727	mm9_08	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
728	mm9_09	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
729	mm9_10	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
730	mm9_11	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
731	mm9_12	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
732	mm9_13	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
733	mm9_14	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
734	mm9_15	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
735	mm9_16	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
736	mm9_17	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
737	mm9_18	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
738	mm9_19	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
739	mm9_20	sibling's death & pregnancy	discrete	numeric-2.0	0	212	-
740	mm14_01	number of sibling's children	discrete	numeric-1.0	5	207	-
741	mm14_02	number of sibling's children	discrete	numeric-1.0	5	207	-
742	mm14_03	number of sibling's children	discrete	numeric-1.0	3	209	-
743	mm14_04	number of sibling's children	discrete	numeric-1.0	3	209	-
744	mm14_05	number of sibling's children	continuous	numeric-2.0	4	208	-
745	mm14_06	number of sibling's children	discrete	numeric-1.0	0	212	-
746	mm14_07	number of sibling's children	discrete	numeric-1.0	0	212	-
747	mm14_08	number of sibling's children	discrete	numeric-1.0	0	212	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
748	mm14_09	number of sibling's children	discrete	numeric-1.0	0	212	-
749	mm14_10	number of sibling's children	discrete	numeric-1.0	0	212	-
750	mm14_11	number of sibling's children	discrete	numeric-1.0	0	212	-
751	mm14_12	number of sibling's children	discrete	numeric-1.0	0	212	-
752	mm14_13	number of sibling's children	discrete	numeric-1.0	0	212	-
753	mm14_14	number of sibling's children	discrete	numeric-1.0	0	212	-
754	mm14_15	number of sibling's children	discrete	numeric-1.0	0	212	-
755	mm14_16	number of sibling's children	discrete	numeric-1.0	0	212	-
756	mm14_17	number of sibling's children	discrete	numeric-1.0	0	212	-
757	mm14_18	number of sibling's children	discrete	numeric-1.0	0	212	-
758	mm14_19	number of sibling's children	discrete	numeric-1.0	0	212	-
759	mm14_20	number of sibling's children	discrete	numeric-1.0	0	212	-
760	mmc1	number of siblings of resp.	discrete	numeric-2.0	212	0	-
761	mmc2	preceding births before resp.	discrete	numeric-2.0	206	6	-
762	mmc5	cut off age	discrete	numeric-2.0	212	0	-
763	sprov	province	discrete	numeric-2.0	212	0	-
764	sdist	district	discrete	numeric-2.0	212	0	-
765	scom	commune	discrete	numeric-2.0	212	0	-
766	svill	village	discrete	numeric-2.0	212	0	-
767	slang	language of questionnaire/ interview/native	discrete	numeric-1.0	212	0	-
768	strans	translator	discrete	numeric-1.0	212	0	-
769	s105	highest educational level	discrete	numeric-1.0	187	25	-
770	s106	highest grade/form/year at that level	discrete	numeric-2.0	187	25	-
771	shh101	frequency of smoking inside house	discrete	numeric-1.0	212	0	-
772	sv113a	source of drinking water during the dry season - hh data	discrete	numeric-2.0	212	0	-
773	shh103a	location of source for water during dry season	discrete	numeric-1.0	159	53	-
774	sv115a	time to get to water source during dry season - hh data	discrete	numeric-3.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
775	sv113b	source of drinking water during wet season - hh data	discrete	numeric-2.0	212	0	-
776	shh104c	location of source for water during wet season	discrete	numeric-1.0	103	109	-
777	sv115b	time to get to water source during wet season - hh data	discrete	numeric-3.0	212	0	-
778	shh105a	anything done to water to make safe to drink	discrete	numeric-1.0	212	0	-
779	shh106a	water usually treated by: boil	discrete	numeric-1.0	212	0	-
780	shh106b	water usually treated by: add bleach/chlorine	discrete	numeric-1.0	212	0	-
781	shh106c	water usually treated by: strain through a cloth	discrete	numeric-1.0	212	0	-
782	shh106d	water usually treated by: use water filter	discrete	numeric-1.0	212	0	-
783	shh106e	water usually treated by: solar disinfection	discrete	numeric-1.0	212	0	-
784	shh106f	water usually treated by: let it stand and settle	discrete	numeric-1.0	212	0	-
785	shh106x	water usually treated by: other	discrete	numeric-1.0	212	0	-
786	shh106z	water usually treated by: don't know	discrete	numeric-1.0	212	0	-
787	shh109	number of households sharing toilet	discrete	numeric-2.0	24	188	-
788	shh110d	mobile telephone	discrete	numeric-1.0	212	0	-
789	shh110g	has wardrobe	discrete	numeric-1.0	212	0	-
790	shh110h	has sewing machine	discrete	numeric-1.0	212	0	-
791	shh110i	has cd/dvd	discrete	numeric-1.0	212	0	-
792	shh110j	has generator/battery/solar panel	discrete	numeric-1.0	212	0	-
793	shh112	food cooked in the house / in separate building / outdoors	discrete	numeric-1.0	212	0	-
794	shh113	household has separate room used as kitchen	discrete	numeric-1.0	82	130	-
795	shh117	rooms used for sleeping	discrete	numeric-2.0	212	0	-
796	shh118a	has a watch	discrete	numeric-1.0	212	0	-
797	shh118d	has motorcycle-cart	discrete	numeric-1.0	212	0	-
798	shh118e	has an animal-drawn cart	discrete	numeric-1.0	212	0	-
799	shh118g	has a boat with a motor	discrete	numeric-1.0	212	0	-
800	shh118h	has boat without motor	discrete	numeric-1.0	212	0	-
801	shh119	own land usable for agriculture	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
802	shh120	hectares for agricultural land	discrete	numeric-2.0	142	70	-
803	shh121	livestock, herds or farm animals	discrete	numeric-1.0	212	0	-
804	shh122a	water buffalo	discrete	numeric-2.0	212	0	-
805	shh122b	cows, bulls own	discrete	numeric-2.0	212	0	-
806	shh122c	horses, donkeys, mules own	discrete	numeric-2.0	212	0	-
807	shh122d	goats, sheeps own	discrete	numeric-2.0	212	0	-
808	shh122e	pigs	discrete	numeric-2.0	212	0	-
809	shh122f	chickens, ducks own	discrete	numeric-2.0	212	0	-
810	shh122g	elephant	discrete	numeric-2.0	212	0	-
811	shh122h	other	discrete	numeric-2.0	212	0	-
812	shh123	owns a bank account	discrete	numeric-1.0	212	0	-
813	shh137	place for hand washing observed	discrete	numeric-1.0	212	0	-
814	shh138	presence of water observed	discrete	numeric-1.0	171	41	-
815	shh139a	presence of soap, detergent	discrete	numeric-1.0	171	41	-
816	shh139b	presence of ash, mud, sand	discrete	numeric-1.0	171	41	-
817	shh139c	no cleansing agent	discrete	numeric-1.0	171	41	-
818	sv166	test salt for iodine - hh data	discrete	numeric-1.0	212	0	-
819	shh141	labeled iodized salt in the package	discrete	numeric-1.0	212	0	-
820	shh142	household identified as poor or received an equity or priority access card	discrete	numeric-1.0	212	0	-
821	shh143	members of this household receive free or subsidized health care	discrete	numeric-1.0	212	0	-
822	shh144a	free or subsidized health care: health equity funds	discrete	numeric-1.0	212	0	-
823	shh144b	free or subsidized health care: community-based health insurance	discrete	numeric-1.0	212	0	-
824	shh144c	free or subsidized health care: maternity voucher	discrete	numeric-1.0	212	0	-
825	shh144d	free or subsidized health care: other	discrete	numeric-1.0	212	0	-
826	shh144f	free or subsidized health care: got free attention at hospital	discrete	numeric-1.0	212	0	-
827	s205aa	place sons, daughters living away stay: extended family, camp	discrete	numeric-1.0	32	180	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
828	s205ab	place sons, daughters living away stay: neighbor	discrete	numeric-1.0	32	180	-
829	s205ac	place sons, daughters living away stay: orphanage	discrete	numeric-1.0	32	180	-
830	s205ad	place sons, daughters living away stay: temple (wat)	discrete	numeric-1.0	32	180	-
831	s205ae	place sons, daughters living away stay: other	discrete	numeric-1.0	32	180	-
832	s205af	place sons, daughters living away stay: where they're studying	discrete	numeric-1.0	32	180	-
833	s205ag	place sons, daughters living away stay: working, studying oversea	discrete	numeric-1.0	32	180	-
834	s205ah	place sons, daughters living away stay: working in other province	discrete	numeric-1.0	32	180	-
835	s205ai	place sons, daughters living away stay: living with relatives	discrete	numeric-1.0	32	180	-
836	s205ax	place sons, daughters living away stay: don't know	discrete	numeric-1.0	32	180	-
837	s233a	pregnancy end in an induced abortion	discrete	numeric-1.0	19	193	-
838	s233ba	method used for abortion: vacume aspiration	discrete	numeric-1.0	6	206	-
839	s233bb	method used for abortion: curettage	discrete	numeric-1.0	6	206	-
840	s233bc	method used for abortion: dilatation and evacuation	discrete	numeric-1.0	6	206	-
841	s233bd	method used for abortion: oral pill, tablet	discrete	numeric-1.0	6	206	-
842	s233be	method used for abortion: vaginal pill, tablet	discrete	numeric-1.0	6	206	-
843	s233bf	method used for abortion: injectable	discrete	numeric-1.0	6	206	-
844	s233bg	method used for abortion: intrauterine	discrete	numeric-1.0	6	206	-
845	s233bh	method used for abortion: traditional methods	discrete	numeric-1.0	6	206	-
846	s233bx	method used for abortion: other methods	discrete	numeric-1.0	6	206	-
847	s233ca	fever in the 7 days after abortion	discrete	numeric-1.0	6	206	-
848	s233cb	excessive bleeding in the 7 days after abortion	discrete	numeric-1.0	6	206	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
849	s233da	helper to initiate the abortion: doctor, medical assistant	discrete	numeric-1.0	6	206	-
850	s233db	helper to initiate the abortion: nurse	discrete	numeric-1.0	6	206	-
851	s233dc	helper to initiate the abortion: midwife	discrete	numeric-1.0	6	206	-
852	s233dd	helper to initiate the abortion: other health professional	discrete	numeric-1.0	6	206	-
853	s233de	helper to initiate the abortion: traditional birth attendant	discrete	numeric-1.0	6	206	-
854	s233df	helper to initiate the abortion: pharmacist	discrete	numeric-1.0	6	206	-
855	s233dg	helper to initiate the abortion: kru khmer, magician	discrete	numeric-1.0	6	206	-
856	s233dh	helper to initiate the abortion: relative, friend	discrete	numeric-1.0	6	206	-
857	s233dx	helper to initiate the abortion: other	discrete	numeric-1.0	6	206	-
858	s233dy	helper to initiate the abortion: no one	discrete	numeric-1.0	6	206	-
859	s233e	place for the induced abortion	discrete	numeric-2.0	6	206	-
860	s233fa	helper at the time of the abortion: doctor, medical assistant	discrete	numeric-1.0	6	206	-
861	s233fb	helper at the time of the abortion: nurse	discrete	numeric-1.0	6	206	-
862	s233fc	helper at the time of the abortion: midwife	discrete	numeric-1.0	6	206	-
863	s233fd	helper at the time of the abortion: other health professional	discrete	numeric-1.0	6	206	-
864	s233fe	helper at the time of the abortion: traditional birth attendant	discrete	numeric-1.0	6	206	-
865	s233ff	helper at the time of the abortion: pharmacist	discrete	numeric-1.0	6	206	-
866	s233fg	helper at the time of the abortion: kru khmer, magician	discrete	numeric-1.0	6	206	-
867	s233fh	helper at the time of the abortion: relative, friend	discrete	numeric-1.0	6	206	-
868	s233fx	helper at the time of the abortion: other person	discrete	numeric-1.0	6	206	-
869	s233fy	helper at the time of the abortion: no one	discrete	numeric-1.0	6	206	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
870	s235a	number of induced abortion since january 2005	discrete	numeric-2.0	212	0	-
871	s237a	total number of induced abortions in lifetime (includes induced abortions since	discrete	numeric-2.0	212	0	-
872	s241	iron tablets taken every week	discrete	numeric-1.0	212	0	-
873	s303	currently using any method	discrete	numeric-1.0	201	11	-
874	s313	ever used a contraceptive method	discrete	numeric-1.0	129	83	-
875	s558dn	times child drank milk	discrete	numeric-1.0	3	209	-
876	s558en	times child drank infant formula	discrete	numeric-1.0	2	210	-
877	s558gn	times child ate yogurt	discrete	numeric-1.0	1	211	-
878	s558pn	times child ate meat	discrete	numeric-1.0	10	202	-
879	s623a	times sexual intercourse during last 12 months	discrete	numeric-3.0	120	92	-
880	s623b	times sexual intercourse during last 12 months	discrete	numeric-3.0	0	212	-
881	s623c	times sexual intercourse during last 12 months	discrete	numeric-3.0	0	212	-
882	s628a	children <10 years present during interview section 6	discrete	numeric-1.0	212	0	-
883	s628b	male adults present during interview section 6	discrete	numeric-1.0	212	0	-
884	s628c	female adults present during interview section 6	discrete	numeric-1.0	212	0	-
885	s714d	through family or friends	discrete	numeric-1.0	212	0	-
886	s714e	from community council	discrete	numeric-1.0	212	0	-
887	s714f	billboards, posters or leaflets	discrete	numeric-1.0	212	0	-
888	s714g	local campaign from fp	discrete	numeric-1.0	212	0	-
889	s804	partner's level of education	discrete	numeric-1.0	122	90	-
890	s805	partner's highest grade	discrete	numeric-2.0	119	93	-
891	s823	owns own house alone or jointly	discrete	numeric-1.0	212	0	-
892	s824	owns land alone or jointly	discrete	numeric-1.0	212	0	-
893	s826f	justifies domestic violence: wife ask use condom	discrete	numeric-1.0	212	0	-
894	s827a	parent justified in beating son: disobey	discrete	numeric-1.0	212	0	-
895	s827b	parent justified in beating son: impolite	discrete	numeric-1.0	212	0	-
896	s827c	parent justified in beating son: embarrassed family	discrete	numeric-1.0	212	0	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
897	s828a	parent justified in beating daughter: disobey	discrete	numeric-1.0	212	0	-
898	s828b	parent justified in beating daughter: impolite	discrete	numeric-1.0	212	0	-
899	s828c	parent justified in beating daughter: embarrassed family	discrete	numeric-1.0	212	0	-
900	s919	received counseling after being tested	discrete	numeric-1.0	18	194	-
901	s921	offered aids test during delivery in health center	discrete	numeric-1.0	16	196	-
902	s922	tested for aids virus during delivery in health center	discrete	numeric-1.0	16	196	-
903	s923	got results of aids test during delivery in health center	discrete	numeric-1.0	0	212	-
904	s1103	original variable for preceding births before respondent	discrete	numeric-2.0	206	6	-
905	idx97_01	index to maternal mortality	discrete	numeric-1.0	206	6	-
906	idx97_02	index to maternal mortality	discrete	numeric-1.0	197	15	-
907	idx97_03	index to maternal mortality	discrete	numeric-1.0	181	31	-
908	idx97_04	index to maternal mortality	discrete	numeric-1.0	149	63	-
909	idx97_05	index to maternal mortality	discrete	numeric-1.0	111	101	-
910	idx97_06	index to maternal mortality	discrete	numeric-1.0	76	136	-
911	idx97_07	index to maternal mortality	discrete	numeric-1.0	36	176	-
912	idx97_08	index to maternal mortality	discrete	numeric-1.0	22	190	-
913	idx97_09	index to maternal mortality	discrete	numeric-1.0	12	200	-
914	idx97_10	index to maternal mortality	discrete	numeric-2.0	5	207	-
915	idx97_11	index to maternal mortality	discrete	numeric-2.0	3	209	-
916	idx97_12	index to maternal mortality	discrete	numeric-1.0	0	212	-
917	idx97_13	index to maternal mortality	discrete	numeric-1.0	0	212	-
918	idx97_14	index to maternal mortality	discrete	numeric-1.0	0	212	-
919	idx97_15	index to maternal mortality	discrete	numeric-1.0	0	212	-
920	idx97_16	index to maternal mortality	discrete	numeric-1.0	0	212	-
921	idx97_17	index to maternal mortality	discrete	numeric-1.0	0	212	-
922	idx97_18	index to maternal mortality	discrete	numeric-1.0	0	212	-
923	idx97_19	index to maternal mortality	discrete	numeric-1.0	0	212	-
924	idx97_20	index to maternal mortality	discrete	numeric-1.0	0	212	-
925	s1112a_01	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
926	s1112a_02	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
927	s1112a_03	death related to accident such as traffic accident	discrete	numeric-1.0	1	211	-

File Women							
#	Name	Label	Type	Format	Valid	Invalid	Question
928	s1112a_04	death related to accident such as traffic accident	discrete	numeric-1.0	1	211	-
929	s1112a_05	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
930	s1112a_06	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
931	s1112a_07	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
932	s1112a_08	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
933	s1112a_09	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
934	s1112a_10	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
935	s1112a_11	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
936	s1112a_12	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
937	s1112a_13	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
938	s1112a_14	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
939	s1112a_15	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
940	s1112a_16	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
941	s1112a_17	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
942	s1112a_18	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
943	s1112a_19	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-
944	s1112a_20	death related to accident such as traffic accident	discrete	numeric-1.0	0	212	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	midx	index to birth history	discrete	numeric-1.0	84	0	-
2	v001	cluster number	discrete	numeric-3.0	84	0	-
3	v002	household number	discrete	numeric-1.0	84	0	-
4	v003	respondent's line number	discrete	numeric-1.0	84	0	-
5	bidx	birth column number	discrete	numeric-1.0	84	0	-
6	bord	birth order number	discrete	numeric-1.0	84	0	-
7	b0	child is twin	discrete	numeric-1.0	84	0	-
8	b1	month of birth	discrete	numeric-2.0	84	0	-
9	b2	year of birth	discrete	numeric-4.0	84	0	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
10	b3	date of birth (cmc)	continuous	numeric-4.0	84	0	-
11	b4	sex of child	discrete	numeric-1.0	84	0	-
12	b5	child is alive	discrete	numeric-1.0	84	0	-
13	b6	age at death	discrete	numeric-3.0	2	82	-
14	b7	age at death (months-imputed)	discrete	numeric-1.0	2	82	-
15	b8	current age of child	discrete	numeric-1.0	82	2	-
16	b9	child lives with whom	discrete	numeric-1.0	82	2	-
17	b10	completeness of information	discrete	numeric-1.0	84	0	-
18	b11	preceding birth interval	continuous	numeric-3.0	56	28	-
19	b12	succeeding birth interval	continuous	numeric-2.0	12	72	-
20	b13	flag for age at death	discrete	numeric-1.0	2	82	-
21	b15	live birth between births	discrete	numeric-1.0	56	28	-
22	b16	child's line number in household	discrete	numeric-2.0	82	2	-
23	m1	tetanus injections bef. birth	discrete	numeric-1.0	72	12	-
24	m1a	tetanus injections before pregnancy	discrete	numeric-1.0	37	47	-
25	m1b	na - month last tetanus injection before pregnancy	discrete	numeric-2.0	0	84	-
26	m1c	na - year last tetanus injection before pregnancy	discrete	numeric-4.0	0	84	-
27	m1d	years ago received last tetanus injection before pregnancy	discrete	numeric-2.0	29	55	-
28	m1e	last tetanus injection before pregnancy (cmc)	discrete	numeric-4.0	0	84	-
29	m2a	prenatal: doctor, medical assistant	discrete	numeric-1.0	72	12	-
30	m2b	prenatal: midwife	discrete	numeric-1.0	72	12	-
31	m2c	prenatal: nurse	discrete	numeric-1.0	72	12	-
32	m2d	na - prenatal: cs health profession	discrete	numeric-1.0	0	84	-
33	m2e	na - prenatal: cs health profession	discrete	numeric-1.0	0	84	-
34	m2f	na - prenatal: trained birth att.	discrete	numeric-1.0	0	84	-
35	m2g	prenatal: trad.birth attendant	discrete	numeric-1.0	72	12	-
36	m2h	na - prenatal: relative	discrete	numeric-1.0	0	84	-
37	m2i	prenatal: village health volunteer	discrete	numeric-1.0	72	12	-
38	m2j	na - prenatal: cs other person	discrete	numeric-1.0	0	84	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
39	m2k	prenatal: other resp (uncoded)	discrete	numeric-1.0	72	12	-
40	m2l	na - prenatal: cs other	discrete	numeric-1.0	0	84	-
41	m2m	na - prenatal: cs other	discrete	numeric-1.0	0	84	-
42	m2n	prenatal: no one	discrete	numeric-1.0	72	12	-
43	m3a	assistance: doctor, medial assistant	discrete	numeric-1.0	84	0	-
44	m3b	assistance: midwife	discrete	numeric-1.0	84	0	-
45	m3c	assistance: nurse	discrete	numeric-1.0	84	0	-
46	m3d	na - assistance: cs health profess.	discrete	numeric-1.0	0	84	-
47	m3e	na - assistance: cs health profess.	discrete	numeric-1.0	0	84	-
48	m3f	na - assistance: trained birth att.	discrete	numeric-1.0	0	84	-
49	m3g	assistance: trad.birth attend.	discrete	numeric-1.0	84	0	-
50	m3h	assistance: relative, friend	discrete	numeric-1.0	84	0	-
51	m3i	na - assistance: cs other person	discrete	numeric-1.0	0	84	-
52	m3j	na - assistance: cs other person	discrete	numeric-1.0	0	84	-
53	m3k	assistance: other resp (uncod)	discrete	numeric-1.0	84	0	-
54	m3l	na - assistance: cs other	discrete	numeric-1.0	0	84	-
55	m3m	na - assistance: cs other	discrete	numeric-1.0	0	84	-
56	m3n	assistance: no one	discrete	numeric-1.0	84	0	-
57	m4	duration of breastfeeding	discrete	numeric-2.0	84	0	-
58	m5	months of breastfeeding	discrete	numeric-2.0	84	0	-
59	m6	duration of amenorrhea	discrete	numeric-2.0	84	0	-
60	m7	months of amenorrhea	discrete	numeric-2.0	84	0	-
61	m8	duration of abstinence	discrete	numeric-2.0	84	0	-
62	m9	months of abstinence	discrete	numeric-2.0	84	0	-
63	m10	time wanted pregnancy	discrete	numeric-1.0	84	0	-
64	m11	time would have waited	discrete	numeric-3.0	4	80	-
65	m13	timing of 1st antenatal check	discrete	numeric-2.0	66	18	-
66	m14	antenatal visits for pregnancy	discrete	numeric-2.0	72	12	-
67	m15	place of delivery	discrete	numeric-2.0	84	0	-
68	m17	delivery by caesarean section	discrete	numeric-1.0	84	0	-
69	m18	size of child at birth	discrete	numeric-1.0	84	0	-
70	m19	birth weight (kilos - 3 dec.)	discrete	numeric-4.0	84	0	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
71	m19a	weight at birth recall	discrete	numeric-1.0	84	0	-
72	m27	na - flag for breastfeeding	discrete	numeric-1.0	0	84	-
73	m28	flag for amenorrhea	discrete	numeric-1.0	84	0	-
74	m29	flag for abstinence	discrete	numeric-1.0	84	0	-
75	m34	when child put to breast	discrete	numeric-3.0	70	14	-
76	m35	na - times breastfed during night	discrete	numeric-2.0	0	84	-
77	m36	na - times breastfed during day	discrete	numeric-2.0	0	84	-
78	m38	drank from bottle with nipple	discrete	numeric-1.0	82	2	-
79	m39	times ate solid, semi-solid or soft food yesterday	discrete	numeric-1.0	28	56	-
80	m42a	during pregnancy - weighed	discrete	numeric-1.0	66	18	-
81	m42b	during pregnancy - height measured	discrete	numeric-1.0	66	18	-
82	m42c	during pregnancy - blood pressure taken	discrete	numeric-1.0	66	18	-
83	m42d	during pregnancy - urine sample taken	discrete	numeric-1.0	66	18	-
84	m42e	during pregnancy - blood sample taken	discrete	numeric-1.0	66	18	-
85	m43	told about pregnancy complications	discrete	numeric-1.0	66	18	-
86	m44	na - told where to go for pregnancy complications	discrete	numeric-1.0	0	84	-
87	m45	during pregnancy, given or bought iron tablets/syrup	discrete	numeric-1.0	72	12	-
88	m46	days tablets or syrup taken	discrete	numeric-3.0	64	20	-
89	m47	during pregnancy, had difficulty with daylight vision	discrete	numeric-1.0	72	12	-
90	m48	during pregnancy, had difficulty with night blindness	discrete	numeric-1.0	72	12	-
91	m49a	during pregnancy - took fansidar for malaria	discrete	numeric-1.0	72	12	-
92	m49b	during pregnancy - took chloroquine for malaria	discrete	numeric-1.0	72	12	-
93	m49c	na - during pregnancy - took unknown drug for malaria	discrete	numeric-1.0	0	84	-
94	m49d	na - during pregnancy - took country specific drug for malaria	discrete	numeric-1.0	0	84	-
95	m49e	na - during pregnancy - took country specific drug for malaria	discrete	numeric-1.0	0	84	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
96	m49f	na - during pregnancy - took country specific drug for malaria	discrete	numeric-1.0	0	84	-
97	m49g	na - during pregnancy - took country specific drug for malaria	discrete	numeric-1.0	0	84	-
98	m49x	during pregnancy - took other drug for malaria	discrete	numeric-1.0	72	12	-
99	m49z	during pregnancy - don't know	discrete	numeric-1.0	72	12	-
100	m51a	respondent checkup after deliver timing	discrete	numeric-3.0	55	29	-
101	m54	received vitamin a dose in first 2 months after delivery	discrete	numeric-1.0	72	12	-
102	m55a	first 3 days, given milk other than breast milk	discrete	numeric-1.0	70	14	-
103	m55b	first 3 days, given plain water	discrete	numeric-1.0	70	14	-
104	m55c	first 3 days, given sugar/ honey water	discrete	numeric-1.0	70	14	-
105	m55d	na - first 3 days, given gripe water	discrete	numeric-1.0	0	84	-
106	m55e	first 3 days, given sugar/ salt/water solution	discrete	numeric-1.0	70	14	-
107	m55f	first 3 days, given coconut, fruit juice	discrete	numeric-1.0	70	14	-
108	m55g	first 3 days, given infant formula	discrete	numeric-1.0	70	14	-
109	m55h	first 3 days, given herbal tea	discrete	numeric-1.0	70	14	-
110	m55i	na - first 3 days, given honey	discrete	numeric-1.0	0	84	-
111	m55j	na - first 3 days, given country specific	discrete	numeric-1.0	0	84	-
112	m55k	na - first 3 days, given country specific	discrete	numeric-1.0	0	84	-
113	m55l	na - first 3 days, given country specific	discrete	numeric-1.0	0	84	-
114	m55m	na - first 3 days, given country specific	discrete	numeric-1.0	0	84	-
115	m55n	na - first 3 days, given country specific	discrete	numeric-1.0	0	84	-
116	m55x	first 3 days, given other	discrete	numeric-1.0	70	14	-
117	m55z	first 3 days, given nothing	discrete	numeric-1.0	70	14	-
118	m57a	antenatal care: your home	discrete	numeric-1.0	66	18	-
119	m57b	antenatal care: other home	discrete	numeric-1.0	66	18	-
120	m57c	antenatal care: midwife, tba home	discrete	numeric-1.0	66	18	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
121	m57d	na - antenatal care: cs home	discrete	numeric-1.0	0	84	-
122	m57e	antenatal care: national hospital	discrete	numeric-1.0	66	18	-
123	m57f	antenatal care: health center	discrete	numeric-1.0	66	18	-
124	m57g	antenatal care: health post	discrete	numeric-1.0	66	18	-
125	m57h	antenatal care: outreach	discrete	numeric-1.0	66	18	-
126	m57i	antenatal care: provincial hospital	discrete	numeric-1.0	66	18	-
127	m57j	antenatal care: district hospital	discrete	numeric-1.0	66	18	-
128	m57k	antenatal care: military hospital	discrete	numeric-1.0	66	18	-
129	m57l	antenatal care: other public	discrete	numeric-1.0	66	18	-
130	m57m	antenatal care: private hospital	discrete	numeric-1.0	66	18	-
131	m57n	na - antenatal care: private mobile clinic	discrete	numeric-1.0	0	84	-
132	m57o	antenatal care: private clinic	discrete	numeric-1.0	66	18	-
133	m57p	na - antenatal care: cs private	discrete	numeric-1.0	0	84	-
134	m57q	na - antenatal care: cs private	discrete	numeric-1.0	0	84	-
135	m57r	antenatal care: other private	discrete	numeric-1.0	66	18	-
136	m57s	na - antenatal care: cs other	discrete	numeric-1.0	0	84	-
137	m57t	na - antenatal care: cs other	discrete	numeric-1.0	0	84	-
138	m57u	na - antenatal care: cs other	discrete	numeric-1.0	0	84	-
139	m57v	na - antenatal care: cs other	discrete	numeric-1.0	0	84	-
140	m57x	antenatal care: other	discrete	numeric-1.0	66	18	-
141	m60	drugs for intestinal parasites	discrete	numeric-1.0	72	12	-
142	m61	na - time spent at place of delivery	discrete	numeric-3.0	0	84	-
143	m62	anyone checked respondent health before discharge	discrete	numeric-1.0	44	40	-
144	m63	how long before discharging respondent health check took place	discrete	numeric-3.0	39	45	-
145	m64	who checked respondent health before discharge	discrete	numeric-2.0	39	45	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
146	m65a	na - reason didn't deliver at health facility: cost too much	discrete	numeric-1.0	0	84	-
147	m65b	na - reason didn't deliver at health facility: facility not open	discrete	numeric-1.0	0	84	-
148	m65c	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-1.0	0	84	-
149	m65d	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-1.0	0	84	-
150	m65e	na - reason didn't deliver at health facility: no female provider	discrete	numeric-1.0	0	84	-
151	m65f	na - reason didn't deliver at health facility: husband/family didn't allow	discrete	numeric-1.0	0	84	-
152	m65g	na - reason didn't deliver at health facility: not necessary	discrete	numeric-1.0	0	84	-
153	m65h	na - reason didn't deliver at health facility: not customary	discrete	numeric-1.0	0	84	-
154	m65i	na - reason didn't deliver at health facility: cs	discrete	numeric-1.0	0	84	-
155	m65j	na - reason didn't deliver at health facility: cs	discrete	numeric-1.0	0	84	-
156	m65k	na - reason didn't deliver at health facility: cs	discrete	numeric-1.0	0	84	-
157	m65l	na - reason didn't deliver at health facility: cs	discrete	numeric-1.0	0	84	-
158	m65x	na - reason didn't deliver at health facility: other	discrete	numeric-1.0	0	84	-
159	m66	after discharge/delivery at home anyone checked respondent health	discrete	numeric-1.0	33	51	-
160	m67	how long after discharge/delivery at home respondent health check took place	discrete	numeric-3.0	16	68	-
161	m68	who checked respondent health after discharge/delivery at home	discrete	numeric-2.0	16	68	-
162	m69	na - where respondent check after discharge/delivery at home took place	discrete	numeric-2.0	0	84	-
163	m70	baby postnatal check within 6 weeks	discrete	numeric-1.0	67	17	-
164	m71	how long after delivery postnatal check took place	discrete	numeric-3.0	36	48	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
165	m72	who performed postnatal checkup	discrete	numeric-2.0	36	48	-
166	m73	where was the baby checked for the first time	discrete	numeric-2.0	36	48	-
167	hidx	index to birth history	discrete	numeric-1.0	84	0	-
168	h1	has health card	discrete	numeric-1.0	82	2	-
169	h2	received bcg	discrete	numeric-1.0	82	2	-
170	h2d	bcg day	discrete	numeric-2.0	57	27	-
171	h2m	bcg month	discrete	numeric-2.0	57	27	-
172	h2y	bcg year	discrete	numeric-4.0	57	27	-
173	h3	received tetra/penta 1	discrete	numeric-1.0	82	2	-
174	h3d	tetra/penta 1 day	discrete	numeric-2.0	54	30	-
175	h3m	tetra/penta 1 month	discrete	numeric-2.0	54	30	-
176	h3y	tetra/penta 1 year	discrete	numeric-4.0	54	30	-
177	h4	received polio 1	discrete	numeric-1.0	82	2	-
178	h4d	polio 1 day	discrete	numeric-2.0	54	30	-
179	h4m	polio 1 month	discrete	numeric-2.0	54	30	-
180	h4y	polio 1 year	discrete	numeric-4.0	54	30	-
181	h5	received tetra/penta 2	discrete	numeric-1.0	82	2	-
182	h5d	tetra/penta 2 day	discrete	numeric-2.0	50	34	-
183	h5m	tetra/penta 2 month	discrete	numeric-2.0	50	34	-
184	h5y	tetra/penta 2 year	discrete	numeric-4.0	50	34	-
185	h6	received polio 2	discrete	numeric-1.0	82	2	-
186	h6d	polio 2 day	discrete	numeric-2.0	50	34	-
187	h6m	polio 2 month	discrete	numeric-2.0	50	34	-
188	h6y	polio 2 year	discrete	numeric-4.0	50	34	-
189	h7	received tetra/penta 3	discrete	numeric-1.0	82	2	-
190	h7d	tetra/penta 3 day	discrete	numeric-2.0	48	36	-
191	h7m	tetra/penta 3 month	discrete	numeric-2.0	48	36	-
192	h7y	tetra/penta 3 year	discrete	numeric-4.0	48	36	-
193	h8	received polio 3	discrete	numeric-1.0	82	2	-
194	h8d	polio 3 day	discrete	numeric-2.0	49	35	-
195	h8m	polio 3 month	discrete	numeric-2.0	49	35	-
196	h8y	polio 3 year	discrete	numeric-4.0	49	35	-
197	h9	received measles	discrete	numeric-1.0	82	2	-
198	h9d	measles day	discrete	numeric-2.0	40	44	-
199	h9m	measles month	discrete	numeric-2.0	40	44	-
200	h9y	measles year	discrete	numeric-4.0	40	44	-
201	h0	na - received p0	discrete	numeric-1.0	0	84	-
202	h0d	na - p0 day	discrete	numeric-2.0	0	84	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
203	h0m	na - p0 month	discrete	numeric-2.0	0	84	-
204	h0y	na - p0 year	discrete	numeric-4.0	0	84	-
205	h10	ever had vaccination	discrete	numeric-1.0	24	60	-
206	h11	had diarrhea recently	discrete	numeric-1.0	82	2	-
207	h11b	blood in the stools	discrete	numeric-1.0	7	77	-
208	h12a	diarrhea: national hospital (pp)	discrete	numeric-1.0	7	77	-
209	h12b	diarrhea: health center	discrete	numeric-1.0	7	77	-
210	h12c	diarrhea: health post	discrete	numeric-1.0	7	77	-
211	h12d	diarrhea: outreach	discrete	numeric-1.0	7	77	-
212	h12e	na - diarrhea: comm. health worker	discrete	numeric-1.0	0	84	-
213	h12f	diarrhea: provincial hospital (rh)	discrete	numeric-1.0	7	77	-
214	h12g	diarrhea: district hospital (rh)	discrete	numeric-1.0	7	77	-
215	h12h	diarrhea: military hospital	discrete	numeric-1.0	7	77	-
216	h12i	diarrhea: other public sector	discrete	numeric-1.0	7	77	-
217	h12j	diarrhea: private hospital	discrete	numeric-1.0	7	77	-
218	h12k	diarrhea: private pharmacy	discrete	numeric-1.0	7	77	-
219	h12l	na - diarrhea: private doctor	discrete	numeric-1.0	0	84	-
220	h12m	na - diarrhea: private mobile cln	discrete	numeric-1.0	0	84	-
221	h12n	na - diarrhea: comm.health worker	discrete	numeric-1.0	0	84	-
222	h12o	diarrhea: private clinic	discrete	numeric-1.0	7	77	-
223	h12p	diarrhea: home of trained health worker	discrete	numeric-1.0	7	77	-
224	h12q	diarrhea: visit of trained health worker	discrete	numeric-1.0	7	77	-
225	h12r	diarrhea: other med.priv sect.	discrete	numeric-1.0	7	77	-
226	h12s	diarrhea: shop	discrete	numeric-1.0	7	77	-
227	h12t	diarrhea: traditional pract.	discrete	numeric-1.0	7	77	-
228	h12u	na - diarrhea: cs oth.priv sector	discrete	numeric-1.0	0	84	-
229	h12v	na - diarrhea: cs oth.priv sector	discrete	numeric-1.0	0	84	-
230	h12w	na - diarrhea: cs oth.priv sector	discrete	numeric-1.0	0	84	-
231	h12x	diarrhea: other	discrete	numeric-1.0	7	77	-
232	h12y	diarrhea: no treatment	discrete	numeric-1.0	7	77	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
233	h12z	diarrhea: medical treatment	discrete	numeric-1.0	7	77	-
234	h13	given oral rehydration	discrete	numeric-1.0	7	77	-
235	h13b	given a pre-packaged ors liquid (from tablet)	discrete	numeric-1.0	7	77	-
236	h14	na - given recommend. home solution	discrete	numeric-1.0	0	84	-
237	h15	given antibiotic pills or syrups	discrete	numeric-1.0	7	77	-
238	h15a	given antimotility	discrete	numeric-1.0	7	77	-
239	h15b	given an antibiotic injection	discrete	numeric-1.0	7	77	-
240	h15c	given an intravenous (iv)	discrete	numeric-1.0	7	77	-
241	h15d	given home remedy, herbal med.	discrete	numeric-1.0	7	77	-
242	h15e	given zinc	discrete	numeric-1.0	7	77	-
243	h15f	given other (not antibiotic, antimotility, zinc)	discrete	numeric-1.0	7	77	-
244	h15g	given unknown pill or syrup	discrete	numeric-1.0	7	77	-
245	h15h	given non-antibiotic injection	discrete	numeric-1.0	7	77	-
246	h15i	given unknown injection	discrete	numeric-1.0	7	77	-
247	h15j	na - given cs	discrete	numeric-1.0	0	84	-
248	h15k	na - given cs	discrete	numeric-1.0	0	84	-
249	h15l	na - given cs	discrete	numeric-1.0	0	84	-
250	h15m	na - given cs	discrete	numeric-1.0	0	84	-
251	h20	given other treatment	discrete	numeric-1.0	7	77	-
252	h21a	given no treatment	discrete	numeric-1.0	7	77	-
253	h21	received any treatment	discrete	numeric-1.0	7	77	-
254	h22	had fever in last two weeks	discrete	numeric-1.0	82	2	-
255	h31	had cough in last two weeks	discrete	numeric-1.0	82	2	-
256	h31b	short, rapid breaths	discrete	numeric-1.0	13	71	-
257	h31c	problem in the chest or blocked or running nose	discrete	numeric-1.0	6	78	-
258	h31d	had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-1.0	20	64	-
259	h31e	had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-1.0	20	64	-
260	h32a	fever/cough: national hospital (pp)	discrete	numeric-1.0	20	64	-
261	h32b	fever/cough: health center	discrete	numeric-1.0	20	64	-
262	h32c	fever/cough: health post	discrete	numeric-1.0	20	64	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
263	h32d	fever/cough: outreach	discrete	numeric-1.0	20	64	-
264	h32e	na - fever/cough: comm. health wrkr	discrete	numeric-1.0	0	84	-
265	h32f	fever/cough: provincial hospital (rh)	discrete	numeric-1.0	20	64	-
266	h32g	fever/cough: district hospital (rh)	discrete	numeric-1.0	20	64	-
267	h32h	fever/cough: military hospital	discrete	numeric-1.0	20	64	-
268	h32i	fever/cough: other public sector	discrete	numeric-1.0	20	64	-
269	h32j	fever/cough: private hospital	discrete	numeric-1.0	20	64	-
270	h32k	fever/cough: private pharmacy	discrete	numeric-1.0	20	64	-
271	h32l	na - fever/cough: private doctor	discrete	numeric-1.0	0	84	-
272	h32m	na - fever/cough: private mobile clinic	discrete	numeric-1.0	0	84	-
273	h32n	na - fever/cough: comm. health wrkr	discrete	numeric-1.0	0	84	-
274	h32o	fever/cough: private clinic	discrete	numeric-1.0	20	64	-
275	h32p	fever/cough: home of trained health worker	discrete	numeric-1.0	20	64	-
276	h32q	fever/cough: visit of trained health worker	discrete	numeric-1.0	20	64	-
277	h32r	fever/cough: other priv. med. sector	discrete	numeric-1.0	20	64	-
278	h32s	fever/cough: shop	discrete	numeric-1.0	20	64	-
279	h32t	fever/cough: traditional pract	discrete	numeric-1.0	20	64	-
280	h32u	na - fever/cough: cs oth. priv sect	discrete	numeric-1.0	0	84	-
281	h32v	na - fever/cough: cs oth. priv sect	discrete	numeric-1.0	0	84	-
282	h32w	na - fever/cough: cs oth. priv sect	discrete	numeric-1.0	0	84	-
283	h32x	fever/cough: other	discrete	numeric-1.0	20	64	-
284	h32y	fever/cough: no treatment	discrete	numeric-1.0	20	64	-
285	h32z	fever/cough: medical treatment	discrete	numeric-1.0	20	64	-
286	h33	received vitamin a1 (most recent)	discrete	numeric-1.0	82	2	-
287	h33d	vitamin a1 day	discrete	numeric-2.0	27	57	-
288	h33m	vitamin a1 month	discrete	numeric-2.0	27	57	-
289	h33y	vitamin a1 year	discrete	numeric-4.0	27	57	-
290	h34	vitamin a in last 6 months	discrete	numeric-1.0	82	2	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
291	h35	na - any vaccinations in last 2 years part of campaign	discrete	numeric-1.0	0	84	-
292	h36a	na - vaccinated during campaign a	discrete	numeric-1.0	0	84	-
293	h36b	na - vaccinated during campaign b	discrete	numeric-1.0	0	84	-
294	h36c	na - vaccinated during campaign c	discrete	numeric-1.0	0	84	-
295	h36d	na - vaccinated during campaign d	discrete	numeric-1.0	0	84	-
296	h36e	na - vaccinated during campaign e	discrete	numeric-1.0	0	84	-
297	h36f	na - vaccinated during campaign f	discrete	numeric-1.0	0	84	-
298	h37a	fansidar taken for fever/ cough	discrete	numeric-1.0	20	64	-
299	h37b	chloroquine taken for fever/cough	discrete	numeric-1.0	20	64	-
300	h37c	na - amodiaquine taken for fever/cough	discrete	numeric-1.0	0	84	-
301	h37d	quinine taken for fever/ cough	discrete	numeric-1.0	20	64	-
302	h37e	artemisinin taken for fever/ cough	discrete	numeric-1.0	20	64	-
303	h37f	malarine taken for fever/ cough	discrete	numeric-1.0	20	64	-
304	h37g	a+m 2, 3, 4 taken for fever/ cough	discrete	numeric-1.0	20	64	-
305	h37h	other antimalarial taken for fever/cough	discrete	numeric-1.0	20	64	-
306	h37i	pills/syrup taken for fever/ cough	discrete	numeric-1.0	20	64	-
307	h37j	injection taken for fever/ cough	discrete	numeric-1.0	20	64	-
308	h37k	aspirin taken for fever/ cough	discrete	numeric-1.0	20	64	-
309	h37l	acetaminophen taken for fever/cough	discrete	numeric-1.0	20	64	-
310	h37m	ibuprofen taken for fever/ cough	discrete	numeric-1.0	20	64	-
311	h37n	drug cocktail taken for fever/cough	discrete	numeric-1.0	20	64	-
312	h37o	multivitamin taken for fever/cough	discrete	numeric-1.0	20	64	-
313	h37p	na - cs other for fever/ cough	discrete	numeric-1.0	0	84	-
314	h37x	other taken for fever/ convulsion	discrete	numeric-1.0	20	64	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
315	h37y	nothing taken for fever/ convulsion	discrete	numeric-1.0	20	64	-
316	h37z	don't know if or what was taken for fever/convulsion	discrete	numeric-1.0	20	64	-
317	h38	had diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-1.0	7	77	-
318	h39	had diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-1.0	7	77	-
319	h40	na - received vitamin a2 (2nd most recent)	discrete	numeric-1.0	0	84	-
320	h40d	na - vitamin a2 day	discrete	numeric-2.0	0	84	-
321	h40m	na - vitamin a2 month	discrete	numeric-2.0	0	84	-
322	h40y	na - vitamin a2 year	discrete	numeric-4.0	0	84	-
323	h41a	na - received vitamin a after most recent in card	discrete	numeric-1.0	0	84	-
324	h41b	na - ever received vitamin a dose	discrete	numeric-1.0	0	84	-
325	h42	given micronutrient powder in last 7 days	discrete	numeric-1.0	82	2	-
326	h43	drugs for intestinal parasites in last 6 months	discrete	numeric-1.0	82	2	-
327	h44a	place first sought treatment for diarrhea	discrete	numeric-2.0	6	78	-
328	h44b	na - days after diarrhea sought advice or treatment	discrete	numeric-2.0	0	84	-
329	h44c	na - still has diarrhea	discrete	numeric-1.0	0	84	-
330	h45	na - times zinc was given	discrete	numeric-2.0	0	84	-
331	h46a	place first sought treatment for fever	discrete	numeric-2.0	14	70	-
332	h46b	na - days after fever sought advice or treatment	discrete	numeric-2.0	0	84	-
333	hwidx	index to birth history	discrete	numeric-1.0	67	17	-
334	hw1	age in months	continuous	numeric-2.0	65	19	-
335	hw2	weight in kilograms (1 dec.)	continuous	numeric-3.0	65	19	-
336	hw3	height in centimeters (1 dec.)	continuous	numeric-4.0	65	19	-
337	hw4	ht/a percentile	discrete	numeric-4.0	65	19	-
338	hw5	ht/a standard deviations	discrete	numeric-4.0	65	19	-
339	hw6	ht/a percent of ref. median	discrete	numeric-5.0	65	19	-
340	hw7	wt/a percentile	discrete	numeric-4.0	65	19	-
341	hw8	wt/a standard deviations	discrete	numeric-4.0	65	19	-
342	hw9	wt/a percent of ref. median	discrete	numeric-5.0	65	19	-
343	hw10	wt/ht percentile	discrete	numeric-4.0	65	19	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
344	hw11	wt/ht standard deviations	discrete	numeric-4.0	65	19	-
345	hw12	wt/ht percent of ref. median	discrete	numeric-5.0	65	19	-
346	hw13	result of measurement	discrete	numeric-1.0	67	17	-
347	hw15	height: lying or standing	discrete	numeric-1.0	65	19	-
348	hw16	day of birth of child	discrete	numeric-2.0	65	19	-
349	hw17	date measured (day)	continuous	numeric-2.0	65	19	-
350	hw18	date measured (month)	discrete	numeric-2.0	65	19	-
351	hw19	date measured (year)	discrete	numeric-4.0	65	19	-
352	hw51	line no. of parent/caretaker	discrete	numeric-1.0	60	24	-
353	hw52	read consent statement	discrete	numeric-1.0	60	24	-
354	hw53	hemoglobin level (g/dl - 1 decimal)	continuous	numeric-3.0	65	19	-
355	hw55	result of measuring (hemoglobin)	discrete	numeric-1.0	67	17	-
356	hw56	hemoglobin level adjusted by altitude (g/dl - 1 decimal)	continuous	numeric-4.0	65	19	-
357	hw57	anemia level	discrete	numeric-1.0	65	19	-
358	hw58	na - agrees to referral	discrete	numeric-1.0	0	84	-
359	hw70	ht/a standard deviations (according to who)	discrete	numeric-4.0	65	19	-
360	hw71	wt/a standard deviations (according to who)	discrete	numeric-4.0	65	19	-
361	hw72	wt/ht standard deviations (according to who)	discrete	numeric-4.0	65	19	-
362	hw73	bmi standard deviations (according to who)	discrete	numeric-4.0	65	19	-
363	idx94	index to birth history	discrete	numeric-1.0	84	0	-
364	s413f	antenatal care: nutritional counseling	discrete	numeric-1.0	66	18	-
365	sml1	times took fansidar during pregnancy	discrete	numeric-2.0	1	83	-
366	sml2	type of visit at source for antimalarial during pregnancy	discrete	numeric-1.0	1	83	-
367	s435	delivery by caesarean section	discrete	numeric-1.0	50	34	-
368	s446b	received iron table	discrete	numeric-1.0	72	12	-
369	s446c	received deworming tablet	discrete	numeric-1.0	72	12	-
370	s446d	received advice on contraception	discrete	numeric-1.0	72	12	-
371	s446e	received counseling for newborn care	discrete	numeric-1.0	72	12	-
372	idx95	index to birth history	discrete	numeric-1.0	84	0	-
373	shb	received hb 0	discrete	numeric-1.0	82	2	-

File Children							
#	Name	Label	Type	Format	Valid	Invalid	Question
374	shbd	hb 0 day	discrete	numeric-2.0	40	44	-
375	shbm	hb 0 month	discrete	numeric-2.0	40	44	-
376	shby	hb 0 year	discrete	numeric-4.0	40	44	-
377	s526	blood taken from finger or heel for testing	discrete	numeric-1.0	15	69	-
378	s538f	mefloquine taken for fever/cough	discrete	numeric-1.0	20	64	-
379	s538h	artesunate tablet taken for fever/cough	discrete	numeric-1.0	20	64	-
380	s538i	artesunate suppository taken for fever/cough	discrete	numeric-1.0	20	64	-
381	s538j	artekine taken for fever/cough	discrete	numeric-1.0	20	64	-
382	s538k	cotexin taken for fever/cough	discrete	numeric-1.0	20	64	-
383	idx97	index to maternal mortality	discrete	numeric-1.0	81	3	-
384	s1112a	death related to accident such as traffic accident	discrete	numeric-1.0	0	84	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	hvidx	line number	discrete	numeric-2.0	909	0	-
2	hv001	cluster number	discrete	numeric-3.0	909	0	cluster number
3	hv002	household number	discrete	numeric-3.0	909	0	household number
4	hv101	relationship to head	discrete	numeric-2.0	909	0	-
5	hv102	usual resident	discrete	numeric-1.0	909	0	-
6	hv103	slept last night	discrete	numeric-1.0	909	0	-
7	hv104	sex of household member	discrete	numeric-1.0	909	0	-
8	hv105	age of household members	continuous	numeric-2.0	909	0	-
9	hv106	highest educational level	discrete	numeric-1.0	909	0	-
10	hv107	highest year of education	discrete	numeric-2.0	709	200	-
11	hv108	education in single years	discrete	numeric-2.0	909	0	-
12	hv109	educational attainment	discrete	numeric-1.0	909	0	-
13	hv110	na - member still in school	discrete	numeric-1.0	0	909	-
14	hv111	mother alive	discrete	numeric-1.0	366	543	-
15	hv112	mother's line number	discrete	numeric-1.0	366	543	-
16	hv113	father alive	discrete	numeric-1.0	366	543	-
17	hv114	father's line number	discrete	numeric-1.0	366	543	-
18	hv115	current marital status	discrete	numeric-1.0	610	299	-
19	hv116	currently, formerly, never m.	discrete	numeric-1.0	610	299	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
20	hv117	eligibility for female interview	discrete	numeric-1.0	909	0	-
21	hv118	eligibility for male interview	discrete	numeric-1.0	909	0	-
22	hv120	children eligibility for height/weight and hemoglobin	discrete	numeric-1.0	909	0	-
23	hv121	member attended school during current school year	discrete	numeric-1.0	909	0	-
24	hv122	educational level during current school year	discrete	numeric-1.0	909	0	-
25	hv123	grade of education during current school year	discrete	numeric-2.0	247	662	-
26	hv124	education in single years - current school year	discrete	numeric-2.0	909	0	-
27	hv125	na - member attended school during previous school year	discrete	numeric-1.0	0	909	-
28	hv126	na - educational level during previous school year	discrete	numeric-1.0	0	909	-
29	hv127	na - grade of education during previous school year	discrete	numeric-2.0	0	909	-
30	hv128	na - education in single years - previous school year	discrete	numeric-2.0	0	909	-
31	hv129	school attendance status	discrete	numeric-1.0	0	909	-
32	hv130	na - member has been very sick for 3+ months last year	discrete	numeric-1.0	0	909	-
33	hv131	na - mother has been very sick for 3+ months last year	discrete	numeric-1.0	0	909	-
34	hv132	na - father has been very sick for 3+ months last year	discrete	numeric-1.0	0	909	-
35	hv133	na - mother/father dead or been very sick for 3+ months	discrete	numeric-1.0	0	909	-
36	hv134	both parents alive	discrete	numeric-1.0	366	543	-
37	hv135	na - has brothers/sisters under 18 of the same father and mother	discrete	numeric-1.0	0	909	-
38	hv136	na - brothers/sisters under 18 that don't live in household	discrete	numeric-1.0	0	909	-
39	hv137	na - member has a blanket	discrete	numeric-1.0	0	909	-
40	hv138	na - member has a pair of shoes	discrete	numeric-1.0	0	909	-
41	hv139	na - member has 2+ sets of clothes	discrete	numeric-1.0	0	909	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
42	hv140	member has a birth certificate	discrete	numeric-1.0	94	815	-
43	idxh4	index to household schedule	discrete	numeric-2.0	909	0	-
44	sh17a	highest educational level	discrete	numeric-1.0	709	200	-
45	sh17b	highest year of education	discrete	numeric-2.0	709	200	-
46	sh19a	educational level during current school year	discrete	numeric-1.0	247	662	-
47	sh19b	grade of education during current school year	discrete	numeric-2.0	247	662	-
48	ha0	index to household schedule	discrete	numeric-1.0	167	742	-
49	ha1	women's age in years	continuous	numeric-2.0	167	742	-
50	ha2	respondent's weight (kilos-1d)	continuous	numeric-4.0	167	742	-
51	ha3	respondent's height (cms-1d)	continuous	numeric-4.0	167	742	-
52	ha4	ht/a percentile (resp.)	discrete	numeric-4.0	167	742	-
53	ha5	ht/a standard deviations (resp)	discrete	numeric-4.0	167	742	-
54	ha6	ht/a percent ref. median (resp)	discrete	numeric-5.0	167	742	-
55	ha11	wt/ht std deviations(resp) dhs	discrete	numeric-4.0	167	742	-
56	ha12	wt/ht percent ref. median (dhs)	discrete	numeric-5.0	167	742	-
57	ha12a	wt/ht percent ref. median (fog)	discrete	numeric-5.0	167	742	-
58	ha12b	wt/ht percent ref. median (who)	discrete	numeric-5.0	167	742	-
59	ha13	result of measurement of resp.	discrete	numeric-1.0	167	742	-
60	ha32	date of birth (cmc)	continuous	numeric-4.0	167	742	-
61	ha33	completeness of information	discrete	numeric-1.0	167	742	-
62	ha35	smoking	discrete	numeric-2.0	167	742	-
63	ha40	body mass index for respondent	discrete	numeric-4.0	167	742	-
64	ha41	rohrer's index for respondent	discrete	numeric-4.0	167	742	-
65	ha50	under age 18	discrete	numeric-1.0	167	742	-
66	ha51	line no. of parent/caretaker	discrete	numeric-1.0	30	879	-
67	ha52	read consent statement	discrete	numeric-1.0	167	742	-
68	ha53	hemoglobin level (g/dl - 1 decimal)	continuous	numeric-3.0	167	742	-
69	ha54	currently pregnant	discrete	numeric-1.0	167	742	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
70	ha55	result of measuring (hemoglobin)	discrete	numeric-1.0	167	742	-
71	ha56	hemoglobin level adjusted by altitude (g/dl - 1 decimal)	continuous	numeric-3.0	167	742	-
72	ha57	anemia level	discrete	numeric-1.0	167	742	-
73	ha58	na - agrees to referral	discrete	numeric-1.0	0	909	-
74	ha60	marital status	discrete	numeric-1.0	31	878	-
75	ha61	na - read consent statement (hiv)	discrete	numeric-1.0	0	909	-
76	ha62	na - blood sample id number	discrete	character-1	0	0	-
77	ha63	na - result of measuring (hiv)	discrete	numeric-1.0	0	909	-
78	ha64	na - consent for additional tests	discrete	numeric-1.0	0	909	-
79	ha65	result of woman individual interview	discrete	numeric-1.0	167	742	-
80	ha66	woman's highest educational level	discrete	numeric-1.0	167	742	-
81	ha67	woman's highest year of education	discrete	numeric-2.0	145	764	-
82	ha68	highest educational level (cs for preliminary & final report)	discrete	numeric-1.0	167	742	-
83	ha69	na - hiv weight (6 decimals)	discrete	numeric-1.0	0	909	-
84	hc0	index to household schedule	discrete	numeric-2.0	78	831	-
85	hc1	age in months	continuous	numeric-2.0	78	831	-
86	hc2	weight in kilograms (1 dec.)	continuous	numeric-4.0	78	831	-
87	hc3	height in centimeters (1 dec.)	continuous	numeric-4.0	78	831	-
88	hc4	ht/a percentile	discrete	numeric-4.0	78	831	-
89	hc5	ht/a standard deviations	discrete	numeric-4.0	78	831	-
90	hc6	ht/a percent of ref. median	discrete	numeric-5.0	78	831	-
91	hc7	wt/a percentile	discrete	numeric-4.0	78	831	-
92	hc8	wt/a standard deviations	discrete	numeric-4.0	78	831	-
93	hc9	wt/a percent of ref. median	discrete	numeric-5.0	78	831	-
94	hc10	wt/ht percentile	discrete	numeric-4.0	78	831	-
95	hc11	wt/ht standard deviations	discrete	numeric-4.0	78	831	-
96	hc12	wt/ht percent of ref. median	discrete	numeric-5.0	78	831	-
97	hc13	result of measurement	discrete	numeric-1.0	78	831	-
98	hc15	height: lying or standing	discrete	numeric-1.0	78	831	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
99	hc16	day of birth of child	discrete	numeric-2.0	78	831	-
100	hc17	date measured (day)	continuous	numeric-2.0	78	831	-
101	hc18	date measured (month)	discrete	numeric-2.0	78	831	-
102	hc19	date measured (year)	discrete	numeric-4.0	78	831	-
103	hc27	sex	discrete	numeric-1.0	78	831	-
104	hc30	month of birth of child	discrete	numeric-2.0	78	831	-
105	hc31	year of birth of child	discrete	numeric-4.0	78	831	-
106	hc32	date of birth (cmc)	continuous	numeric-4.0	78	831	-
107	hc33	completeness of information	discrete	numeric-1.0	78	831	-
108	hc51	line no. of parent/caretaker	discrete	numeric-1.0	71	838	-
109	hc52	read consent statement	discrete	numeric-1.0	71	838	-
110	hc53	hemoglobin level (g/dl - 1 decimal)	continuous	numeric-3.0	78	831	-
111	hc55	result of measuring (hemoglobin)	discrete	numeric-1.0	78	831	-
112	hc56	hemoglobin level adjusted by altitude (g/dl - 1 decimal)	continuous	numeric-3.0	78	831	-
113	hc57	anemia level	discrete	numeric-1.0	78	831	-
114	hc58	na - agrees to referral	discrete	numeric-1.0	0	909	-
115	hc60	mother's line number from woman's questionnaire	discrete	numeric-3.0	78	831	-
116	hc61	mother's highest educational level	discrete	numeric-1.0	78	831	-
117	hc62	mother's highest year of education	discrete	numeric-2.0	58	851	-
118	hc63	preceding birth interval	continuous	numeric-3.0	56	853	-
119	hc64	birth order number	continuous	numeric-2.0	78	831	-
120	hc68	highest educational level (cs for preliminary & final report)	discrete	numeric-1.0	78	831	-
121	hc70	ht/a standard deviations (according to who)	discrete	numeric-4.0	78	831	-
122	hc71	wt/a standard deviations (according to who)	discrete	numeric-4.0	78	831	-
123	hc72	wt/ht standard deviations (according to who)	discrete	numeric-4.0	78	831	-
124	hc73	bmi standard deviations (according to who)	discrete	numeric-4.0	78	831	-
125	shcola	column number	discrete	numeric-1.0	16	893	-
126	sh53	type of accident/injury in last 12 months	discrete	numeric-2.0	16	893	-
127	sh54	victim still alive	discrete	numeric-1.0	16	893	-
128	sh55	extent of injury (last 12 months)	discrete	numeric-1.0	16	893	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
129	sh56	line number from household	discrete	numeric-1.0	16	893	-
130	sh57	death due to accident	discrete	numeric-1.0	0	909	-
131	shcolb	column number	discrete	numeric-1.0	11	898	-
132	sh61	line number from household	discrete	numeric-1.0	11	898	-
133	sh62	source/timing of physical impairment	discrete	numeric-1.0	11	898	-
134	sh63	type of accident	discrete	numeric-2.0	7	902	-
135	sh67	line number from household	discrete	numeric-1.0	91	818	-
136	sh68	extent of illness/injury (last 30 days)	discrete	numeric-1.0	91	818	-
137	sh69	treatment/advice sought (1)	discrete	numeric-1.0	91	818	-
138	sh70	place of treatment/advice (1)	discrete	numeric-2.0	86	823	-
139	sh71u	cost of round-trip transport: currency unit (1)	discrete	numeric-1.0	86	823	-
140	sh71n	cost of round-trip transport: amount (1)	discrete	numeric-6.0	86	823	-
141	sh72u	cost of treatment: currency unit (1)	discrete	numeric-1.0	86	823	-
142	sh72n	cost of treatment: amount (1)	discrete	numeric-6.0	86	823	-
143	sh73	treatment/advice sought (2)	discrete	numeric-1.0	86	823	-
144	sh74	place of treatment/advice (2)	discrete	numeric-2.0	22	887	-
145	sh75u	cost of round-trip transport: currency unit (2)	discrete	numeric-1.0	22	887	-
146	sh75n	cost of round-trip transport: amount (2)	discrete	numeric-6.0	22	887	-
147	sh76u	cost of treatment: currency unit (2)	discrete	numeric-1.0	22	887	-
148	sh76n	cost of treatment: amount (2)	discrete	numeric-6.0	22	887	-
149	sh77	treatment/advice sought (3)	discrete	numeric-1.0	22	887	-
150	sh78	place of treatment/advice (3)	discrete	numeric-2.0	7	902	-
151	sh79u	cost of round-trip transport: currency unit (3)	discrete	numeric-1.0	7	902	-
152	sh79n	cost of round-trip transport: amount (3)	discrete	numeric-6.0	7	902	-
153	sh80u	cost of treatment: currency unit (3)	discrete	numeric-1.0	7	902	-
154	sh80n	cost of treatment: amount (3)	discrete	numeric-6.0	7	902	-

File Persons							
#	Name	Label	Type	Format	Valid	Invalid	Question
155	shcolc	column number	discrete	numeric-1.0	78	831	-
156	sh202	line number	discrete	numeric-2.0	78	831	-
157	sh205	weight in kilograms (2 decimals)	discrete	numeric-4.0	78	831	-
158	sh206	height in centimeters (1 decimal)	discrete	numeric-4.0	78	831	-
159	sh212	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-3.0	71	838	-
160	shcold	column number	discrete	numeric-1.0	167	742	-
161	sh215	line number	discrete	numeric-1.0	167	742	-
162	sh216	weight in kilograms (2 decimals)	discrete	numeric-5.0	167	742	-
163	sh217	height in centimeters (1 decimal)	discrete	numeric-4.0	167	742	-
164	sh222	read consent statement to parent/caretaker (anemia)	discrete	numeric-1.0	30	879	-
165	sh224	read consent statement to respondent (anemia)	discrete	numeric-1.0	166	743	-
166	sh240	hemoglobin level (g/dl) (1 decimal)	discrete	numeric-3.0	157	752	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	mv001	cluster number	discrete	numeric-3.0	130	0	-
2	mv002	household number	discrete	numeric-1.0	130	0	-
3	mv003	respondent's line number	discrete	numeric-2.0	130	0	-
4	mv004	ultimate area unit	continuous	numeric-3.0	130	0	-
5	mv005	sample weight	continuous	numeric-7.0	130	0	-
6	mv008	date of interview (cmc)	continuous	numeric-4.0	130	0	-
7	mv009	respondent's month of birth	discrete	numeric-2.0	130	0	-
8	mv010	respondent's year of birth	discrete	numeric-4.0	130	0	-
9	mv011	date of birth (cmc)	continuous	numeric-4.0	130	0	-
10	mv012	current age - respondent	continuous	numeric-2.0	130	0	-
11	mv013	age 5-year groups	discrete	numeric-2.0	130	0	-
12	mv014	completeness of information	discrete	numeric-1.0	130	0	-
13	mv021	primary sampling unit	discrete	numeric-3.0	130	0	-
14	mv022	sample stratum number	discrete	numeric-2.0	130	0	-
15	mv023	sample domain	discrete	numeric-2.0	130	0	-
16	mv024	region	discrete	numeric-2.0	130	0	-
17	mv025	type of place of residence	discrete	numeric-1.0	130	0	-
18	mv027	number of visits	discrete	numeric-1.0	130	0	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
19	mv101	region	discrete	numeric-2.0	130	0	-
20	mv102	type of place of residence	discrete	numeric-1.0	130	0	-
21	mv106	highest educational level	discrete	numeric-1.0	130	0	-
22	mv107	highest year of education	discrete	numeric-1.0	118	12	-
23	mv130	religion	discrete	numeric-1.0	130	0	-
24	mv133	education in single years	discrete	numeric-2.0	130	0	-
25	mv135	usual resident or visitor	discrete	numeric-1.0	130	0	-
26	mv136	number of household members	discrete	numeric-2.0	130	0	-
27	mv138	number of eligible men in hh	discrete	numeric-1.0	130	0	-
28	mv149	educational attainment	discrete	numeric-1.0	130	0	-
29	mv150	relationship to household head	discrete	numeric-2.0	130	0	-
30	mv151	sex of household head	discrete	numeric-1.0	130	0	-
31	mv152	age of household head	discrete	numeric-2.0	130	0	-
32	mv155	literacy	discrete	numeric-1.0	130	0	-
33	mv157	frequency of reading newspaper or magazine	discrete	numeric-1.0	130	0	-
34	mv158	frequency of listening to radio	discrete	numeric-1.0	130	0	-
35	mv159	frequency of watching television	discrete	numeric-1.0	130	0	-
36	mv167	times away from home in last 12 months	discrete	numeric-2.0	130	0	-
37	mv168	away for more than one month	discrete	numeric-1.0	57	73	-
38	mv190	wealth index	discrete	numeric-1.0	130	0	-
39	mv191	wealth index factor score (5 decimals)	continuous	numeric-7.0	130	0	-
40	mv201	total children ever born	discrete	numeric-1.0	130	0	-
41	mv202	sons at home	discrete	numeric-1.0	130	0	-
42	mv203	daughters at home	discrete	numeric-1.0	130	0	-
43	mv204	sons elsewhere	discrete	numeric-1.0	130	0	-
44	mv205	daughters elsewhere	discrete	numeric-1.0	130	0	-
45	mv206	sons who have died	discrete	numeric-1.0	130	0	-
46	mv207	daughters who have died	discrete	numeric-1.0	130	0	-
47	mv212	age of respondent at 1st birth	continuous	numeric-2.0	76	54	-
48	mv213	partner currently pregnant	discrete	numeric-1.0	78	52	-
49	mv218	number of living children	discrete	numeric-1.0	130	0	-
50	mv245	women fathered children with	discrete	numeric-1.0	130	0	-
51	mv247	age of youngest child	continuous	numeric-2.0	76	54	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
52	mv248	antenatal check-ups for the mother for youngest child	discrete	numeric-1.0	28	102	-
53	mv249	respondent present during check-ups for youngest child	discrete	numeric-1.0	23	107	-
54	mv250	place of birth of youngest child	discrete	numeric-1.0	28	102	-
55	mv252	drinking pattern when child has diarrhea	discrete	numeric-1.0	28	102	-
56	mv307_01	method currently used	discrete	numeric-1.0	130	0	-
57	mv307_02	method currently used	discrete	numeric-1.0	130	0	-
58	mv307_03	method currently used	discrete	numeric-1.0	130	0	-
59	mv307_04	method currently used	discrete	numeric-1.0	130	0	-
60	mv307_05	method currently used	discrete	numeric-1.0	6	124	-
61	mv307_06	method currently used	discrete	numeric-1.0	130	0	-
62	mv307_07	method currently used	discrete	numeric-1.0	130	0	-
63	mv307_08	method currently used	discrete	numeric-1.0	130	0	-
64	mv307_09	method currently used	discrete	numeric-1.0	130	0	-
65	mv307_10	method currently used	discrete	numeric-1.0	130	0	-
66	mv307_11	method currently used	discrete	numeric-1.0	130	0	-
67	mv307_12	method currently used	discrete	numeric-1.0	0	130	-
68	mv307_13	method currently used	discrete	numeric-1.0	130	0	-
69	mv307_14	method currently used	discrete	numeric-1.0	130	0	-
70	mv307_15	method currently used	discrete	numeric-1.0	130	0	-
71	mv307_16	method currently used	discrete	numeric-1.0	0	130	-
72	mv307_17	method currently used	discrete	numeric-1.0	0	130	-
73	mv307_18	method currently used	discrete	numeric-1.0	130	0	-
74	mv307_19	method currently used	discrete	numeric-1.0	0	130	-
75	mv307_20	method currently used	discrete	numeric-1.0	0	130	-
76	mv312	current contraceptive method	discrete	numeric-2.0	130	0	-
77	mv313	current use by method type	discrete	numeric-1.0	130	0	-
78	mv323a	brand of condom used	discrete	numeric-2.0	6	124	-
79	mv3b17	source of condoms	discrete	numeric-2.0	6	124	-
80	mv463a	smokes cigarettes	discrete	numeric-1.0	130	0	-
81	mv463b	smokes pipe	discrete	numeric-1.0	130	0	-
82	mv463c	chewing tobacco	discrete	numeric-1.0	130	0	-
83	mv463d	uses snuff	discrete	numeric-1.0	130	0	-
84	mv463x	smokes other	discrete	numeric-1.0	130	0	-
85	mv463z	smokes nothing	discrete	numeric-1.0	130	0	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
86	mv464	number of cigarettes in last 24 hours	discrete	numeric-2.0	52	78	-
87	mv477	number of injections in last 12 months	discrete	numeric-2.0	130	0	-
88	mv478	injections administered by a health worker	discrete	numeric-2.0	46	84	-
89	mv480	syringe and needle from new, unopened package	discrete	numeric-1.0	46	84	-
90	mv481	covered by health insurance	discrete	numeric-1.0	130	0	-
91	mv481a	health insurance type: community-based health insurance	discrete	numeric-1.0	130	0	-
92	mv481b	health insurance type: provided by employer	discrete	numeric-1.0	130	0	-
93	mv481c	health insurance type: health equity fund	discrete	numeric-1.0	130	0	-
94	mv481d	health insurance type: private/commercial purchased	discrete	numeric-1.0	130	0	-
95	mv481x	health insurance type: other	discrete	numeric-1.0	130	0	-
96	mv501	current marital status	discrete	numeric-1.0	130	0	-
97	mv502	currently/formerly/never marr.	discrete	numeric-1.0	130	0	-
98	mv503	number of unions	discrete	numeric-1.0	82	48	-
99	mv504	wife/partner lives with respondent	discrete	numeric-1.0	78	52	-
100	mv507	month of first marriage	discrete	numeric-2.0	82	48	-
101	mv508	year of first marriage	continuous	numeric-4.0	82	48	-
102	mv509	date of first marriage (cmc)	continuous	numeric-4.0	82	48	-
103	mv510	completeness of date inform.	discrete	numeric-1.0	82	48	-
104	mv511	age at first marriage	continuous	numeric-2.0	82	48	-
105	mv512	years since first marriage	continuous	numeric-2.0	82	48	-
106	mv513	marital duration (grouped)	discrete	numeric-1.0	130	0	-
107	mv525	age at first intercourse	discrete	numeric-2.0	130	0	-
108	mv527	time since last intercourse	discrete	numeric-3.0	86	44	-
109	mv528	time in days since last intercourse(g)	discrete	numeric-2.0	86	44	-
110	mv529	time in months since last intercourse (imputed)	discrete	numeric-3.0	86	44	-
111	mv531	age at first intercourse (imp)	discrete	numeric-2.0	130	0	-
112	mv532	flag for mv531	discrete	numeric-1.0	130	0	-
113	mv535	have ever been married	discrete	numeric-1.0	52	78	-
114	mv536	recent sexual activity	discrete	numeric-1.0	130	0	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
115	mv602	fertility preference	discrete	numeric-1.0	130	0	-
116	mv603	preferred waiting time	discrete	numeric-3.0	28	102	-
117	mv604	preferred waiting time (grpd)	discrete	numeric-1.0	28	102	-
118	mv605	desire for more children	discrete	numeric-1.0	130	0	-
119	mv613	ideal number of children	discrete	numeric-2.0	130	0	-
120	mv614	ideal number of children (grp)	discrete	numeric-1.0	130	0	-
121	mv616	time for future birth	discrete	numeric-3.0	28	102	-
122	mv627	ideal number of boys	discrete	numeric-2.0	130	0	-
123	mv628	ideal number of girls	discrete	numeric-2.0	130	0	-
124	mv629	ideal number of either sex	discrete	numeric-2.0	130	0	-
125	mv633b	reason for not having sex: husband has other women	discrete	numeric-1.0	130	0	-
126	mv714	respondent currently working	discrete	numeric-1.0	130	0	-
127	mv714a	have a job from which respondent was absent	discrete	numeric-1.0	22	108	-
128	mv716	respondent's occupation	discrete	numeric-2.0	130	0	-
129	mv717	respondent's occupation	discrete	numeric-2.0	130	0	-
130	mv731	worked in last 12 months	discrete	numeric-1.0	130	0	-
131	mv732	employment all year/seasonal	discrete	numeric-1.0	114	16	-
132	mv739	who decides how to spend money	discrete	numeric-1.0	57	73	-
133	mv741	type of earnings for work	discrete	numeric-1.0	114	16	-
134	mv743a	final say on own health care	discrete	numeric-1.0	78	52	-
135	mv743b	final say on making large household purchases	discrete	numeric-1.0	78	52	-
136	mv744a	wife beating justified if she goes out without telling him	discrete	numeric-1.0	130	0	-
137	mv744b	wife beating justified if she neglects the children	discrete	numeric-1.0	130	0	-
138	mv744c	wife beating justified if she argues with him	discrete	numeric-1.0	130	0	-
139	mv744d	wife beating justified if she refuses to have sex with him	discrete	numeric-1.0	130	0	-
140	mv744e	wife beating justified if she burns the food	discrete	numeric-1.0	130	0	-
141	mv750	heard sexual transmit. disease	discrete	numeric-1.0	130	0	-
142	mv751	ever heard of aids	discrete	numeric-1.0	130	0	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
143	mv754cp	reduce chances of aids by always using condoms during sex	discrete	numeric-1.0	128	2	-
144	mv754dp	reduce chance of aids: have 1 sex partner with no oth partner	discrete	numeric-1.0	128	2	-
145	mv754jp	get aids from mosquito bites	discrete	numeric-1.0	128	2	-
146	mv754wp	get aids by sharing food with person who has aids	discrete	numeric-1.0	128	2	-
147	mv756	can a healthy person have aids	discrete	numeric-1.0	128	2	-
148	mv761	last intercourse used condom	discrete	numeric-1.0	81	49	-
149	mv761b	intercourse with other woman (1) used condom	discrete	numeric-1.0	1	129	-
150	mv761c	intercourse with other woman (2) used condom	discrete	numeric-1.0	0	130	-
151	mv763a	had any std in last 12 months	discrete	numeric-1.0	130	0	-
152	mv763b	had genital sore/ulcer in last 12 months	discrete	numeric-1.0	130	0	-
153	mv763c	had genital discharge in last 12 months	discrete	numeric-1.0	130	0	-
154	mv766a	no. other than wife had sex in last 12 months	discrete	numeric-2.0	130	0	-
155	mv766b	no. had sex including wife in last 12 months	discrete	numeric-2.0	130	0	-
156	mv767a	relationship with last sex partner	discrete	numeric-2.0	81	49	-
157	mv767b	relationship with other sex partner (1)	discrete	numeric-2.0	1	129	-
158	mv767c	relationship with other sex partner (2)	discrete	numeric-2.0	0	130	-
159	mv768a	length of time knows last partner	discrete	numeric-3.0	36	94	-
160	mv768b	length of time knows other partner (1)	discrete	numeric-3.0	1	129	-
161	mv768c	length of time knows other partner (2)	discrete	numeric-3.0	0	130	-
162	mv770	seek advice for last disease	discrete	numeric-1.0	2	128	-
163	mv770a	seek advice sti: national hospital (pp)	discrete	numeric-1.0	2	128	-
164	mv770b	seek advice sti: health center	discrete	numeric-1.0	2	128	-
165	mv770c	seek advice sti: health post	discrete	numeric-1.0	2	128	-
166	mv770d	seek advice sti: outreach	discrete	numeric-1.0	2	128	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
167	mv770e	seek advice sti: military hospital	discrete	numeric-1.0	2	128	-
168	mv770g	seek advice sti: provincial hospital (rh)	discrete	numeric-1.0	2	128	-
169	mv770h	seek advice sti: district hospital (rh)	discrete	numeric-1.0	2	128	-
170	mv770j	seek advice sti: other public	discrete	numeric-1.0	2	128	-
171	mv770k	seek advice sti: private hospital	discrete	numeric-1.0	2	128	-
172	mv770m	seek advice sti: pharmacy	discrete	numeric-1.0	2	128	-
173	mv770p	seek advice sti: private clinic	discrete	numeric-1.0	2	128	-
174	mv770s	seek advice sti: other private	discrete	numeric-1.0	2	128	-
175	mv770t	seek advice sti: shop	discrete	numeric-1.0	2	128	-
176	mv770u	seek advice sti: friend/relative	discrete	numeric-1.0	2	128	-
177	mv770x	seek advice other	discrete	numeric-1.0	2	128	-
178	mv774a	aids transmit. during pregnancy	discrete	numeric-1.0	128	2	-
179	mv774b	aids transmit. during delivery	discrete	numeric-1.0	128	2	-
180	mv774c	aids transmit. by breastfeeding	discrete	numeric-1.0	128	2	-
181	mv777	allowed to keep aids infection secret	discrete	numeric-1.0	128	2	-
182	mv778	willing to care for relative with aids	discrete	numeric-1.0	128	2	-
183	mv779	female with aids allowed to continue teaching	discrete	numeric-1.0	128	2	-
184	mv781	ever been tested for aids	discrete	numeric-1.0	130	0	-
185	mv783	know a place to get aids test	discrete	numeric-1.0	128	2	-
186	mv784a	place for aids test: national hospital (pp)	discrete	numeric-1.0	103	27	-
187	mv784b	place for aids test: health center	discrete	numeric-1.0	103	27	-
188	mv784c	place for aids test: health post	discrete	numeric-1.0	103	27	-
189	mv784d	place for aids test: outreach	discrete	numeric-1.0	103	27	-
190	mv784e	place for aids test: military hospital	discrete	numeric-1.0	103	27	-
191	mv784g	place for aids test: provincial hospital (rh)	discrete	numeric-1.0	103	27	-
192	mv784h	place for aids test: district hospital (rh)	discrete	numeric-1.0	103	27	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
193	mv784j	place for aids test: other public	discrete	numeric-1.0	103	27	-
194	mv784k	place for aids test: private hospital	discrete	numeric-1.0	103	27	-
195	mv784p	place for aids test: private clinic	discrete	numeric-1.0	103	27	-
196	mv784q	place for aids test: private laboratory	discrete	numeric-1.0	103	27	-
197	mv784s	place for aids test: other private	discrete	numeric-1.0	103	27	-
198	mv784u	place for aids test: vct center	discrete	numeric-1.0	103	27	-
199	mv784v	place for aids test: pmtct site	discrete	numeric-1.0	103	27	-
200	mv784x	place for aids test: other	discrete	numeric-1.0	103	27	-
201	mv785	heard about other stds	discrete	numeric-1.0	130	0	-
202	mv793	paid for sex last 12 months	discrete	numeric-1.0	86	44	-
203	mv793a	condom used when paid for sex last 12 months	discrete	numeric-1.0	2	128	-
204	mv793b	condom used every time paid for sex last 12 months	discrete	numeric-1.0	2	128	-
205	mv822	wife justified to ask husband to use condom if he has std	discrete	numeric-1.0	130	0	-
206	mv823	can get aids by witchcraft or supernatural means	discrete	numeric-1.0	128	2	-
207	mv824	drugs to avoid aids transmission to baby during pregnancy	discrete	numeric-1.0	116	14	-
208	mv825	would buy vegetables from vendor with aids	discrete	numeric-1.0	128	2	-
209	mv826	when was last time you were tested	discrete	numeric-1.0	25	105	-
210	mv828	did get results for last test	discrete	numeric-1.0	25	105	-
211	mv829	place were last aids test was taken	discrete	numeric-2.0	25	105	-
212	mv832b	time since last intercourse with next to last sexual partner	discrete	numeric-3.0	1	129	-
213	mv832c	time since last intercourse with second to last sexual partner	discrete	numeric-3.0	0	130	-
214	mv833a	used condom every time had sex with last sex partner (last 12 months)	discrete	numeric-1.0	6	124	-
215	mv833b	used condom every time had sex with next to last sex partner (last 12 months)	discrete	numeric-1.0	0	130	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
216	mv833c	used condom every time had sex with second to last sex partner (last 12 months)	discrete	numeric-1.0	0	130	-
217	mv836	total lifetime number of sexual partners	discrete	numeric-2.0	86	44	-
218	mv844	knows someone denied health services because of aids last 12 months	discrete	numeric-1.0	128	2	-
219	mv847	people with aids should be ashamed of themselves	discrete	numeric-1.0	128	2	-
220	mv848	people with aids should be blamed for bringing disease to community	discrete	numeric-1.0	128	2	-
221	smprov	province	discrete	numeric-2.0	130	0	-
222	smdist	district	discrete	numeric-2.0	130	0	-
223	smcom	commune	discrete	numeric-2.0	130	0	-
224	smvill	village	discrete	numeric-2.0	130	0	-
225	smlang	language of questionnaire/ interview/native	discrete	numeric-1.0	130	0	-
226	smtrans	translator	discrete	numeric-1.0	130	0	-
227	sm105	highest educational level	discrete	numeric-1.0	118	12	-
228	sm106	highest grade/form/year at that level	discrete	numeric-2.0	118	12	-
229	sm112a	frequency of accessing internet	discrete	numeric-1.0	130	0	-
230	sm205aa	place sons, daughters living away stay: extended family, camp	discrete	numeric-1.0	23	107	-
231	sm205ab	place sons, daughters living away stay: neighbor	discrete	numeric-1.0	23	107	-
232	sm205ac	place sons, daughters living away stay: orphanage	discrete	numeric-1.0	23	107	-
233	sm205ad	place sons, daughters living away stay: temple (wat)	discrete	numeric-1.0	23	107	-
234	sm205ae	place sons, daughters living away stay: other	discrete	numeric-1.0	23	107	-
235	sm205af	place sons, daughters living away stay: where they're studying	discrete	numeric-1.0	23	107	-
236	sm205ag	place sons, daughters living away stay: working, studying oversea	discrete	numeric-1.0	23	107	-
237	sm205ah	place sons, daughters living away stay: working in other province	discrete	numeric-1.0	23	107	-
238	sm205ai	place sons, daughters living away stay: living with relatives	discrete	numeric-1.0	23	107	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
239	sm205ax	place sons, daughters living away stay: don't know	discrete	numeric-1.0	23	107	-
240	sm405	other partners	discrete	numeric-1.0	78	52	-
241	sm422aa	person had intercourse in last 12 months	discrete	numeric-1.0	3	127	-
242	sm422ab	person had intercourse in last 12 months (2nd-to-last)	discrete	numeric-1.0	1	129	-
243	sm422ac	person had intercourse in last 12 months (3rd-to-last)	discrete	numeric-1.0	0	130	-
244	sm424a	times sexual intercourse during last 12 months	discrete	numeric-3.0	81	49	-
245	sm424b	times sexual intercourse during last 12 months (2nd-to-last)	discrete	numeric-3.0	1	129	-
246	sm424c	times sexual intercourse during last 12 months (3rd-to-last)	discrete	numeric-3.0	0	130	-
247	sm425a	age of partner	discrete	numeric-2.0	81	49	-
248	sm425b	age of partner (2nd-to-last)	discrete	numeric-2.0	1	129	-
249	sm425c	age of partner (3rd-to-last)	discrete	numeric-2.0	0	130	-
250	sm427a	heard of men having sex with men	discrete	numeric-1.0	81	49	-
251	sm427b	ever had sex with a man	discrete	numeric-1.0	43	87	-
252	sm431	ever paid for sexual intercourse (includes prostitutes from the partner section)	discrete	numeric-1.0	86	44	-
253	sm434	gave money/gifts/favors in exchange for intercourse last 12 months	discrete	numeric-1.0	86	44	-
254	sm438	used fp during last intercourse	discrete	numeric-1.0	86	44	-
255	sm612	owns own house alone or jointly	discrete	numeric-1.0	130	0	-
256	sm613	owns land alone or jointly	discrete	numeric-1.0	130	0	-
257	sm614f	beating justification: ask to use condom	discrete	numeric-1.0	130	0	-
258	sm615a	parent justified in beating son: disobey	discrete	numeric-1.0	130	0	-
259	sm615b	parent justified in beating son: impolite	discrete	numeric-1.0	130	0	-
260	sm615c	parent justified in beating son: embarrassed family	discrete	numeric-1.0	130	0	-
261	sm616a	parent justified in beating daughter: disobey	discrete	numeric-1.0	130	0	-
262	sm616b	parent justified in beating daughter: impolite	discrete	numeric-1.0	130	0	-

File Men							
#	Name	Label	Type	Format	Valid	Invalid	Question
263	sm616c	parent justified in beating daughter: embarrassed family	discrete	numeric-1.0	130	0	-
264	sm714a	frequency have had hiv test	discrete	numeric-1.0	25	105	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	bidx	birth column number	discrete	numeric-8.0	404	0	-
2	v001	cluster number	discrete	numeric-8.0	404	0	-
3	v002	household number	discrete	numeric-8.0	404	0	-
4	v003	respondent's line number	discrete	numeric-8.0	404	0	-
5	bord	birth order number	discrete	numeric-8.0	404	0	-
6	b0	child is twin	discrete	numeric-8.0	404	0	-
7	b1	month of birth	discrete	numeric-8.0	404	0	-
8	b2	year of birth	discrete	numeric-8.0	404	0	-
9	b3	date of birth (cmc)	continuous	numeric-8.0	404	0	-
10	b4	sex of child	discrete	numeric-8.0	404	0	-
11	b5	child is alive	discrete	numeric-8.0	404	0	-
12	b6	age at death	discrete	numeric-8.0	31	373	-
13	b7	age at death (months-imputed)	continuous	numeric-8.0	31	373	-
14	b8	current age of child	continuous	numeric-8.0	373	31	-
15	b9	child lives with whom	discrete	numeric-8.0	373	31	-
16	b10	completeness of information	discrete	numeric-8.0	404	0	-
17	b11	preceding birth interval	continuous	numeric-8.0	276	128	-
18	b12	succeeding birth interval	continuous	numeric-8.0	276	128	-
19	b13	flag for age at death	discrete	numeric-8.0	31	373	-
20	b15	live birth between births	discrete	numeric-8.0	277	127	-
21	b16	child's line number in household	discrete	numeric-8.0	373	31	-
22	midx	index to birth history	discrete	numeric-8.0	84	320	-
23	m1	tetanus injections bef. birth	discrete	numeric-8.0	72	332	-
24	m1a	tetanus injections before pregnancy	discrete	numeric-8.0	37	367	-
25	m1b	na - month last tetanus injection before pregnancy	discrete	numeric-8.0	0	404	-
26	m1c	na - year last tetanus injection before pregnancy	discrete	numeric-8.0	0	404	-
27	m1d	years ago received last tetanus injection before pregnancy	discrete	numeric-8.0	29	375	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
28	m1e	last tetanus injection before pregnancy (cmc)	discrete	numeric-8.0	0	404	-
29	m2a	prenatal: doctor, medical assistant	discrete	numeric-8.0	72	332	-
30	m2b	prenatal: midwife	discrete	numeric-8.0	72	332	-
31	m2c	prenatal: nurse	discrete	numeric-8.0	72	332	-
32	m2d	na - prenatal: cs health profession	discrete	numeric-8.0	0	404	-
33	m2e	na - prenatal: cs health profession	discrete	numeric-8.0	0	404	-
34	m2f	na - prenatal: trained birth att.	discrete	numeric-8.0	0	404	-
35	m2g	prenatal: trad.birth attendant	discrete	numeric-8.0	72	332	-
36	m2h	na - prenatal: relative	discrete	numeric-8.0	0	404	-
37	m2i	prenatal: village health volunteer	discrete	numeric-8.0	72	332	-
38	m2j	na - prenatal: cs other person	discrete	numeric-8.0	0	404	-
39	m2k	prenatal: other resp (uncoded)	discrete	numeric-8.0	72	332	-
40	m2l	na - prenatal: cs other	discrete	numeric-8.0	0	404	-
41	m2m	na - prenatal: cs other	discrete	numeric-8.0	0	404	-
42	m2n	prenatal: no one	discrete	numeric-8.0	72	332	-
43	m3a	assistance: doctor, medial assistant	discrete	numeric-8.0	84	320	-
44	m3b	assistance: midwife	discrete	numeric-8.0	84	320	-
45	m3c	assistance: nurse	discrete	numeric-8.0	84	320	-
46	m3d	na - assistance: cs health profess.	discrete	numeric-8.0	0	404	-
47	m3e	na - assistance: cs health profess.	discrete	numeric-8.0	0	404	-
48	m3f	na - assistance: trained birth att.	discrete	numeric-8.0	0	404	-
49	m3g	assistance: trad.birth attend.	discrete	numeric-8.0	84	320	-
50	m3h	assistance: relative, friend	discrete	numeric-8.0	84	320	-
51	m3i	na - assistance: cs other person	discrete	numeric-8.0	0	404	-
52	m3j	na - assistance: cs other person	discrete	numeric-8.0	0	404	-
53	m3k	assistance: other resp (uncod)	discrete	numeric-8.0	84	320	-
54	m3l	na - assistance: cs other	discrete	numeric-8.0	0	404	-
55	m3m	na - assistance: cs other	discrete	numeric-8.0	0	404	-
56	m3n	assistance: no one	discrete	numeric-8.0	84	320	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
57	m4	duration of breastfeeding	discrete	numeric-8.0	84	320	-
58	m5	months of breastfeeding	discrete	numeric-8.0	84	320	-
59	m6	duration of amenorrhea	discrete	numeric-8.0	84	320	-
60	m7	months of amenorrhea	discrete	numeric-8.0	84	320	-
61	m8	duration of abstinence	discrete	numeric-8.0	84	320	-
62	m9	months of abstinence	discrete	numeric-8.0	84	320	-
63	m10	time wanted pregnancy	discrete	numeric-8.0	84	320	-
64	m11	time would have waited	discrete	numeric-8.0	4	400	-
65	m13	timing of 1st antenatal check	discrete	numeric-8.0	66	338	-
66	m14	antenatal visits for pregnancy	discrete	numeric-8.0	72	332	-
67	m15	place of delivery	discrete	numeric-8.0	84	320	-
68	m17	delivery by caesarean section	discrete	numeric-8.0	84	320	-
69	m18	size of child at birth	discrete	numeric-8.0	84	320	-
70	m19	birth weight (kilos - 3 dec.)	discrete	numeric-8.0	84	320	-
71	m19a	weight at birth recall	discrete	numeric-8.0	84	320	-
72	m27	na - flag for breastfeeding	discrete	numeric-8.0	0	404	-
73	m28	flag for amenorrhea	discrete	numeric-8.0	84	320	-
74	m29	flag for abstinence	discrete	numeric-8.0	84	320	-
75	m34	when child put to breast	discrete	numeric-8.0	70	334	-
76	m35	na - times breastfed during night	discrete	numeric-8.0	0	404	-
77	m36	na - times breastfed during day	discrete	numeric-8.0	0	404	-
78	m38	drank from bottle with nipple	discrete	numeric-8.0	82	322	-
79	m39	times ate solid, semi-solid or soft food yesterday	discrete	numeric-8.0	28	376	-
80	m42a	during pregnancy - weighed	discrete	numeric-8.0	66	338	-
81	m42b	during pregnancy - height measured	discrete	numeric-8.0	66	338	-
82	m42c	during pregnancy - blood pressure taken	discrete	numeric-8.0	66	338	-
83	m42d	during pregnancy - urine sample taken	discrete	numeric-8.0	66	338	-
84	m42e	during pregnancy - blood sample taken	discrete	numeric-8.0	66	338	-
85	m43	told about pregnancy complications	discrete	numeric-8.0	66	338	-
86	m44	na - told where to go for pregnancy complications	discrete	numeric-8.0	0	404	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
87	m45	during pregnancy, given or bought iron tablets/syrup	discrete	numeric-8.0	72	332	-
88	m46	days tablets or syrup taken	discrete	numeric-8.0	64	340	-
89	m47	during pregnancy, had difficulty with daylight vision	discrete	numeric-8.0	72	332	-
90	m48	during pregnancy, had difficulty with night blindness	discrete	numeric-8.0	72	332	-
91	m49a	during pregnancy - took fansidar for malaria	discrete	numeric-8.0	72	332	-
92	m49b	during pregnancy - took chloroquine for malaria	discrete	numeric-8.0	72	332	-
93	m49c	na - during pregnancy - took unknown drug for malaria	discrete	numeric-8.0	0	404	-
94	m49d	na - during pregnancy - took country specific drug for malaria	discrete	numeric-8.0	0	404	-
95	m49e	na - during pregnancy - took country specific drug for malaria	discrete	numeric-8.0	0	404	-
96	m49f	na - during pregnancy - took country specific drug for malaria	discrete	numeric-8.0	0	404	-
97	m49g	na - during pregnancy - took country specific drug for malaria	discrete	numeric-8.0	0	404	-
98	m49x	during pregnancy - took other drug for malaria	discrete	numeric-8.0	72	332	-
99	m49z	during pregnancy - don't know	discrete	numeric-8.0	72	332	-
100	m51a	respondent checkup after deliver timing	discrete	numeric-8.0	55	349	-
101	m54	received vitamin a dose in first 2 months after delivery	discrete	numeric-8.0	72	332	-
102	m55a	first 3 days, given milk other than breast milk	discrete	numeric-8.0	70	334	-
103	m55b	first 3 days, given plain water	discrete	numeric-8.0	70	334	-
104	m55c	first 3 days, given sugar/ honey water	discrete	numeric-8.0	70	334	-
105	m55d	na - first 3 days, given gripe water	discrete	numeric-8.0	0	404	-
106	m55e	first 3 days, given sugar/ salt/water solution	discrete	numeric-8.0	70	334	-
107	m55f	first 3 days, given coconut, fruit juice	discrete	numeric-8.0	70	334	-
108	m55g	first 3 days, given infant formula	discrete	numeric-8.0	70	334	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
109	m55h	first 3 days, given herbal tea	discrete	numeric-8.0	70	334	-
110	m55i	na - first 3 days, given honey	discrete	numeric-8.0	0	404	-
111	m55j	na - first 3 days, given country specific	discrete	numeric-8.0	0	404	-
112	m55k	na - first 3 days, given country specific	discrete	numeric-8.0	0	404	-
113	m55l	na - first 3 days, given country specific	discrete	numeric-8.0	0	404	-
114	m55m	na - first 3 days, given country specific	discrete	numeric-8.0	0	404	-
115	m55n	na - first 3 days, given country specific	discrete	numeric-8.0	0	404	-
116	m55x	first 3 days, given other	discrete	numeric-8.0	70	334	-
117	m55z	first 3 days, given nothing	discrete	numeric-8.0	70	334	-
118	m57a	antenatal care: your home	discrete	numeric-8.0	66	338	-
119	m57b	antenatal care: other home	discrete	numeric-8.0	66	338	-
120	m57c	antenatal care: midwife, tba home	discrete	numeric-8.0	66	338	-
121	m57d	na - antenatal care: cs home	discrete	numeric-8.0	0	404	-
122	m57e	antenatal care: national hospital	discrete	numeric-8.0	66	338	-
123	m57f	antenatal care: health center	discrete	numeric-8.0	66	338	-
124	m57g	antenatal care: health post	discrete	numeric-8.0	66	338	-
125	m57h	antenatal care: outreach	discrete	numeric-8.0	66	338	-
126	m57i	antenatal care: provincial hospital	discrete	numeric-8.0	66	338	-
127	m57j	antenatal care: district hospital	discrete	numeric-8.0	66	338	-
128	m57k	antenatal care: military hospital	discrete	numeric-8.0	66	338	-
129	m57l	antenatal care: other public	discrete	numeric-8.0	66	338	-
130	m57m	antenatal care: private hospital	discrete	numeric-8.0	66	338	-
131	m57n	na - antenatal care: private mobile clinic	discrete	numeric-8.0	0	404	-
132	m57o	antenatal care: private clinic	discrete	numeric-8.0	66	338	-
133	m57p	na - antenatal care: cs private	discrete	numeric-8.0	0	404	-
134	m57q	na - antenatal care: cs private	discrete	numeric-8.0	0	404	-
135	m57r	antenatal care: other private	discrete	numeric-8.0	66	338	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
136	m57s	na - antenatal care: cs other	discrete	numeric-8.0	0	404	-
137	m57t	na - antenatal care: cs other	discrete	numeric-8.0	0	404	-
138	m57u	na - antenatal care: cs other	discrete	numeric-8.0	0	404	-
139	m57v	na - antenatal care: cs other	discrete	numeric-8.0	0	404	-
140	m57x	antenatal care: other	discrete	numeric-8.0	66	338	-
141	m60	drugs for intestinal parasites	discrete	numeric-8.0	72	332	-
142	m61	na - time spent at place of delivery	discrete	numeric-8.0	0	404	-
143	m62	anyone checked respondent health before discharge	discrete	numeric-8.0	44	360	-
144	m63	how long before discharging respondent health check took place	discrete	numeric-8.0	39	365	-
145	m64	who checked respondent health before discharge	discrete	numeric-8.0	39	365	-
146	m65a	na - reason didn't deliver at health facility: cost too much	discrete	numeric-8.0	0	404	-
147	m65b	na - reason didn't deliver at health facility: facility not open	discrete	numeric-8.0	0	404	-
148	m65c	na - reason didn't deliver at health facility: too far/no transport	discrete	numeric-8.0	0	404	-
149	m65d	na - reason didn't deliver at health facility: don't trust facility/poor service	discrete	numeric-8.0	0	404	-
150	m65e	na - reason didn't deliver at health facility: no female provider	discrete	numeric-8.0	0	404	-
151	m65f	na - reason didn't deliver at health facility: husband/ family didn't allow	discrete	numeric-8.0	0	404	-
152	m65g	na - reason didn't deliver at health facility: not necessary	discrete	numeric-8.0	0	404	-
153	m65h	na - reason didn't deliver at health facility: not customary	discrete	numeric-8.0	0	404	-
154	m65i	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	404	-
155	m65j	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	404	-
156	m65k	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	404	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
157	m65l	na - reason didn't deliver at health facility: cs	discrete	numeric-8.0	0	404	-
158	m65x	na - reason didn't deliver at health facility: other	discrete	numeric-8.0	0	404	-
159	m66	after discharge/delivery at home anyone checked respondent health	discrete	numeric-8.0	33	371	-
160	m67	how long after discharge/delivery at home respondent health check took place	discrete	numeric-8.0	16	388	-
161	m68	who checked respondent health after discharge/delivery at home	discrete	numeric-8.0	16	388	-
162	m69	na - where respondent check after discharge/delivery at home took place	discrete	numeric-8.0	0	404	-
163	m70	baby postnatal check within 6 weeks	discrete	numeric-8.0	67	337	-
164	m71	how long after delivery postnatal check took place	discrete	numeric-8.0	36	368	-
165	m72	who performed postnatal checkup	discrete	numeric-8.0	36	368	-
166	m73	where was the baby checked for the first time	discrete	numeric-8.0	36	368	-
167	hidx	index to birth history	discrete	numeric-8.0	84	320	-
168	h1	has health card	discrete	numeric-8.0	82	322	-
169	h2	received bcg	discrete	numeric-8.0	82	322	-
170	h2d	bcg day	discrete	numeric-8.0	57	347	-
171	h2m	bcg month	discrete	numeric-8.0	57	347	-
172	h2y	bcg year	discrete	numeric-8.0	57	347	-
173	h3	received tetra/penta 1	discrete	numeric-8.0	82	322	-
174	h3d	tetra/penta 1 day	discrete	numeric-8.0	54	350	-
175	h3m	tetra/penta 1 month	discrete	numeric-8.0	54	350	-
176	h3y	tetra/penta 1 year	discrete	numeric-8.0	54	350	-
177	h4	received polio 1	discrete	numeric-8.0	82	322	-
178	h4d	polio 1 day	discrete	numeric-8.0	54	350	-
179	h4m	polio 1 month	discrete	numeric-8.0	54	350	-
180	h4y	polio 1 year	discrete	numeric-8.0	54	350	-
181	h5	received tetra/penta 2	discrete	numeric-8.0	82	322	-
182	h5d	tetra/penta 2 day	discrete	numeric-8.0	50	354	-
183	h5m	tetra/penta 2 month	discrete	numeric-8.0	50	354	-
184	h5y	tetra/penta 2 year	discrete	numeric-8.0	50	354	-
185	h6	received polio 2	discrete	numeric-8.0	82	322	-
186	h6d	polio 2 day	discrete	numeric-8.0	50	354	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
187	h6m	polio 2 month	discrete	numeric-8.0	50	354	-
188	h6y	polio 2 year	discrete	numeric-8.0	50	354	-
189	h7	received tetra/penta 3	discrete	numeric-8.0	82	322	-
190	h7d	tetra/penta 3 day	discrete	numeric-8.0	48	356	-
191	h7m	tetra/penta 3 month	discrete	numeric-8.0	48	356	-
192	h7y	tetra/penta 3 year	discrete	numeric-8.0	48	356	-
193	h8	received polio 3	discrete	numeric-8.0	82	322	-
194	h8d	polio 3 day	discrete	numeric-8.0	49	355	-
195	h8m	polio 3 month	discrete	numeric-8.0	49	355	-
196	h8y	polio 3 year	discrete	numeric-8.0	49	355	-
197	h9	received measles	discrete	numeric-8.0	82	322	-
198	h9d	measles day	discrete	numeric-8.0	40	364	-
199	h9m	measles month	discrete	numeric-8.0	40	364	-
200	h9y	measles year	discrete	numeric-8.0	40	364	-
201	h0	na - received p0	discrete	numeric-8.0	0	404	-
202	h0d	na - p0 day	discrete	numeric-8.0	0	404	-
203	h0m	na - p0 month	discrete	numeric-8.0	0	404	-
204	h0y	na - p0 year	discrete	numeric-8.0	0	404	-
205	h10	ever had vaccination	discrete	numeric-8.0	24	380	-
206	h11	had diarrhea recently	discrete	numeric-8.0	82	322	-
207	h11b	blood in the stools	discrete	numeric-8.0	7	397	-
208	h12a	diarrhea: national hospital (pp)	discrete	numeric-8.0	7	397	-
209	h12b	diarrhea: health center	discrete	numeric-8.0	7	397	-
210	h12c	diarrhea: health post	discrete	numeric-8.0	7	397	-
211	h12d	diarrhea: outreach	discrete	numeric-8.0	7	397	-
212	h12e	na - diarrhea: comm. health worker	discrete	numeric-8.0	0	404	-
213	h12f	diarrhea: provincial hospital (rh)	discrete	numeric-8.0	7	397	-
214	h12g	diarrhea: district hospital (rh)	discrete	numeric-8.0	7	397	-
215	h12h	diarrhea: military hospital	discrete	numeric-8.0	7	397	-
216	h12i	diarrhea: other public sector	discrete	numeric-8.0	7	397	-
217	h12j	diarrhea: private hospital	discrete	numeric-8.0	7	397	-
218	h12k	diarrhea: private pharmacy	discrete	numeric-8.0	7	397	-
219	h12l	na - diarrhea: private doctor	discrete	numeric-8.0	0	404	-
220	h12m	na - diarrhea: private mobile cln	discrete	numeric-8.0	0	404	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
221	h12n	na - diarrhea: comm.health worker	discrete	numeric-8.0	0	404	-
222	h12o	diarrhea: private clinic	discrete	numeric-8.0	7	397	-
223	h12p	diarrhea: home of trained health worker	discrete	numeric-8.0	7	397	-
224	h12q	diarrhea: visit of trained health worker	discrete	numeric-8.0	7	397	-
225	h12r	diarrhea: other med.priv sect.	discrete	numeric-8.0	7	397	-
226	h12s	diarrhea: shop	discrete	numeric-8.0	7	397	-
227	h12t	diarrhea: traditional pract.	discrete	numeric-8.0	7	397	-
228	h12u	na - diarrhea: cs oth.priv sector	discrete	numeric-8.0	0	404	-
229	h12v	na - diarrhea: cs oth.priv sector	discrete	numeric-8.0	0	404	-
230	h12w	na - diarrhea: cs oth.priv sector	discrete	numeric-8.0	0	404	-
231	h12x	diarrhea: other	discrete	numeric-8.0	7	397	-
232	h12y	diarrhea: no treatment	discrete	numeric-8.0	7	397	-
233	h12z	diarrhea: medical treatment	discrete	numeric-8.0	7	397	-
234	h13	given oral rehydration	discrete	numeric-8.0	7	397	-
235	h13b	given a pre-packaged ors liquid (from tablet)	discrete	numeric-8.0	7	397	-
236	h14	na - given recommend. home solution	discrete	numeric-8.0	0	404	-
237	h15	given antibiotic pills or syrups	discrete	numeric-8.0	7	397	-
238	h15a	given antimotility	discrete	numeric-8.0	7	397	-
239	h15b	given an antibiotic injection	discrete	numeric-8.0	7	397	-
240	h15c	given an intravenous (iv)	discrete	numeric-8.0	7	397	-
241	h15d	given home remedy, herbal med.	discrete	numeric-8.0	7	397	-
242	h15e	given zinc	discrete	numeric-8.0	7	397	-
243	h15f	given other (not antibiotic, antimotility, zinc)	discrete	numeric-8.0	7	397	-
244	h15g	given unknown pill or syrup	discrete	numeric-8.0	7	397	-
245	h15h	given non-antibiotic injection	discrete	numeric-8.0	7	397	-
246	h15i	given unknown injection	discrete	numeric-8.0	7	397	-
247	h15j	na - given cs	discrete	numeric-8.0	0	404	-
248	h15k	na - given cs	discrete	numeric-8.0	0	404	-
249	h15l	na - given cs	discrete	numeric-8.0	0	404	-
250	h15m	na - given cs	discrete	numeric-8.0	0	404	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
251	h20	given other treatment	discrete	numeric-8.0	7	397	-
252	h21a	given no treatment	discrete	numeric-8.0	7	397	-
253	h21	received any treatment	discrete	numeric-8.0	7	397	-
254	h22	had fever in last two weeks	discrete	numeric-8.0	82	322	-
255	h31	had cough in last two weeks	discrete	numeric-8.0	82	322	-
256	h31b	short, rapid breaths	discrete	numeric-8.0	13	391	-
257	h31c	problem in the chest or blocked or running nose	discrete	numeric-8.0	6	398	-
258	h31d	had fever/cough in last 2 weeks: amount offered to drink	discrete	numeric-8.0	20	384	-
259	h31e	had fever/cough in last 2 weeks: amount offered to eat	discrete	numeric-8.0	20	384	-
260	h32a	fever/cough: national hospital (pp)	discrete	numeric-8.0	20	384	-
261	h32b	fever/cough: health center	discrete	numeric-8.0	20	384	-
262	h32c	fever/cough: health post	discrete	numeric-8.0	20	384	-
263	h32d	fever/cough: outreach	discrete	numeric-8.0	20	384	-
264	h32e	na - fever/cough: comm. health wrkr	discrete	numeric-8.0	0	404	-
265	h32f	fever/cough: provincial hospital (rh)	discrete	numeric-8.0	20	384	-
266	h32g	fever/cough: district hospital (rh)	discrete	numeric-8.0	20	384	-
267	h32h	fever/cough: military hospital	discrete	numeric-8.0	20	384	-
268	h32i	fever/cough: other public sector	discrete	numeric-8.0	20	384	-
269	h32j	fever/cough: private hospital	discrete	numeric-8.0	20	384	-
270	h32k	fever/cough: private pharmacy	discrete	numeric-8.0	20	384	-
271	h32l	na - fever/cough: private doctor	discrete	numeric-8.0	0	404	-
272	h32m	na - fever/cough: private mobile clinic	discrete	numeric-8.0	0	404	-
273	h32n	na - fever/cough: comm. health wrkr	discrete	numeric-8.0	0	404	-
274	h32o	fever/cough: private clinic	discrete	numeric-8.0	20	384	-
275	h32p	fever/cough: home of trained health worker	discrete	numeric-8.0	20	384	-
276	h32q	fever/cough: visit of trained health worker	discrete	numeric-8.0	20	384	-
277	h32r	fever/cough: other priv. med. sector	discrete	numeric-8.0	20	384	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
278	h32s	fever/cough: shop	discrete	numeric-8.0	20	384	-
279	h32t	fever/cough: traditional pract	discrete	numeric-8.0	20	384	-
280	h32u	na - fever/cough: cs oth. priv sect	discrete	numeric-8.0	0	404	-
281	h32v	na - fever/cough: cs oth. priv sect	discrete	numeric-8.0	0	404	-
282	h32w	na - fever/cough: cs oth. priv sect	discrete	numeric-8.0	0	404	-
283	h32x	fever/cough: other	discrete	numeric-8.0	20	384	-
284	h32y	fever/cough: no treatment	discrete	numeric-8.0	20	384	-
285	h32z	fever/cough: medical treatment	discrete	numeric-8.0	20	384	-
286	h33	received vitamin a1 (most recent)	discrete	numeric-8.0	82	322	-
287	h33d	vitamin a1 day	discrete	numeric-8.0	27	377	-
288	h33m	vitamin a1 month	discrete	numeric-8.0	27	377	-
289	h33y	vitamin a1 year	discrete	numeric-8.0	27	377	-
290	h34	vitamin a in last 6 months	discrete	numeric-8.0	82	322	-
291	h35	na - any vaccinations in last 2 years part of campaign	discrete	numeric-8.0	0	404	-
292	h36a	na - vaccinated during campaign a	discrete	numeric-8.0	0	404	-
293	h36b	na - vaccinated during campaign b	discrete	numeric-8.0	0	404	-
294	h36c	na - vaccinated during campaign c	discrete	numeric-8.0	0	404	-
295	h36d	na - vaccinated during campaign d	discrete	numeric-8.0	0	404	-
296	h36e	na - vaccinated during campaign e	discrete	numeric-8.0	0	404	-
297	h36f	na - vaccinated during campaign f	discrete	numeric-8.0	0	404	-
298	h37a	fansidar taken for fever/ cough	discrete	numeric-8.0	20	384	-
299	h37b	chloroquine taken for fever/cough	discrete	numeric-8.0	20	384	-
300	h37c	na - amodiaquine taken for fever/cough	discrete	numeric-8.0	0	404	-
301	h37d	quinine taken for fever/ cough	discrete	numeric-8.0	20	384	-
302	h37e	artemisinin taken for fever/ cough	discrete	numeric-8.0	20	384	-
303	h37f	malarine taken for fever/ cough	discrete	numeric-8.0	20	384	-
304	h37g	a+m 2, 3, 4 taken for fever/ cough	discrete	numeric-8.0	20	384	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
305	h37h	other antimalarial taken for fever/cough	discrete	numeric-8.0	20	384	-
306	h37i	pills/syrup taken for fever/cough	discrete	numeric-8.0	20	384	-
307	h37j	injection taken for fever/cough	discrete	numeric-8.0	20	384	-
308	h37k	aspirin taken for fever/cough	discrete	numeric-8.0	20	384	-
309	h37l	acetaminophen taken for fever/cough	discrete	numeric-8.0	20	384	-
310	h37m	ibuprofen taken for fever/cough	discrete	numeric-8.0	20	384	-
311	h37n	drug cocktail taken for fever/cough	discrete	numeric-8.0	20	384	-
312	h37o	multivitamin taken for fever/cough	discrete	numeric-8.0	20	384	-
313	h37p	na - cs other for fever/cough	discrete	numeric-8.0	0	404	-
314	h37x	other taken for fever/convulsion	discrete	numeric-8.0	20	384	-
315	h37y	nothing taken for fever/convulsion	discrete	numeric-8.0	20	384	-
316	h37z	don't know if or what was taken for fever/convulsion	discrete	numeric-8.0	20	384	-
317	h38	had diarrhea in last 2 weeks: amount offered to drink	discrete	numeric-8.0	7	397	-
318	h39	had diarrhea in last 2 weeks: amount offered to eat	discrete	numeric-8.0	7	397	-
319	h40	na - received vitamin a2 (2nd most recent)	discrete	numeric-8.0	0	404	-
320	h40d	na - vitamin a2 day	discrete	numeric-8.0	0	404	-
321	h40m	na - vitamin a2 month	discrete	numeric-8.0	0	404	-
322	h40y	na - vitamin a2 year	discrete	numeric-8.0	0	404	-
323	h41a	na - received vitamin a after most recent in card	discrete	numeric-8.0	0	404	-
324	h41b	na - ever received vitamin a dose	discrete	numeric-8.0	0	404	-
325	h42	given micronutrient powder in last 7 days	discrete	numeric-8.0	82	322	-
326	h43	drugs for intestinal parasites in last 6 months	discrete	numeric-8.0	82	322	-
327	h44a	place first sought treatment for diarrhea	discrete	numeric-8.0	6	398	-
328	h44b	na - days after diarrhea sought advice or treatment	discrete	numeric-8.0	0	404	-
329	h44c	na - still has diarrhea	discrete	numeric-8.0	0	404	-
330	h45	na - times zinc was given	discrete	numeric-8.0	0	404	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
331	h46a	place first sought treatment for fever	discrete	numeric-8.0	14	390	-
332	h46b	na - days after fever sought advice or treatment	discrete	numeric-8.0	0	404	-
333	hwidx	index to birth history	discrete	numeric-8.0	67	337	-
334	hw1	age in months	continuous	numeric-8.0	65	339	-
335	hw2	weight in kilograms (1 dec.)	continuous	numeric-8.0	65	339	-
336	hw3	height in centimeters (1 dec.)	continuous	numeric-8.0	65	339	-
337	hw4	ht/a percentile	discrete	numeric-8.0	65	339	-
338	hw5	ht/a standard deviations	discrete	numeric-8.0	65	339	-
339	hw6	ht/a percent of ref. median	discrete	numeric-12.0	65	339	-
340	hw7	wt/a percentile	discrete	numeric-8.0	65	339	-
341	hw8	wt/a standard deviations	discrete	numeric-8.0	65	339	-
342	hw9	wt/a percent of ref. median	discrete	numeric-12.0	65	339	-
343	hw10	wt/ht percentile	discrete	numeric-8.0	65	339	-
344	hw11	wt/ht standard deviations	discrete	numeric-8.0	65	339	-
345	hw12	wt/ht percent of ref. median	discrete	numeric-12.0	65	339	-
346	hw13	result of measurement	discrete	numeric-8.0	67	337	-
347	hw15	height: lying or standing	discrete	numeric-8.0	65	339	-
348	hw16	day of birth of child	discrete	numeric-8.0	65	339	-
349	hw17	date measured (day)	continuous	numeric-8.0	65	339	-
350	hw18	date measured (month)	discrete	numeric-8.0	65	339	-
351	hw19	date measured (year)	discrete	numeric-8.0	65	339	-
352	hw51	line no. of parent/caretaker	discrete	numeric-8.0	60	344	-
353	hw52	read consent statement	discrete	numeric-8.0	60	344	-
354	hw53	hemoglobin level (g/dl - 1 decimal)	continuous	numeric-8.0	65	339	-
355	hw55	result of measuring (hemoglobin)	discrete	numeric-8.0	67	337	-
356	hw56	hemoglobin level adjusted by altitude (g/dl - 1 decimal)	continuous	numeric-8.0	65	339	-
357	hw57	anemia level	discrete	numeric-8.0	65	339	-
358	hw58	na - agrees to referral	discrete	numeric-8.0	0	404	-
359	hw70	ht/a standard deviations (according to who)	discrete	numeric-8.0	65	339	-
360	hw71	wt/a standard deviations (according to who)	discrete	numeric-8.0	65	339	-
361	hw72	wt/ht standard deviations (according to who)	discrete	numeric-8.0	65	339	-

File Births							
#	Name	Label	Type	Format	Valid	Invalid	Question
362	hw73	bmi standard deviations (according to who)	discrete	numeric-8.0	65	339	-
363	idx94	index to birth history	discrete	numeric-8.0	84	320	-
364	s413f	antenatal care: nutritional counseling	discrete	numeric-8.0	66	338	-
365	sml1	times took fansidar during pregnancy	discrete	numeric-8.0	1	403	-
366	sml2	type of visit at source for antimalarial during pregnancy	discrete	numeric-8.0	1	403	-
367	s435	delivery by caesarean section	discrete	numeric-8.0	50	354	-
368	s446b	received iron table	discrete	numeric-8.0	72	332	-
369	s446c	received deworming tablet	discrete	numeric-8.0	72	332	-
370	s446d	received advice on contraception	discrete	numeric-8.0	72	332	-
371	s446e	received counseling for newborn care	discrete	numeric-8.0	72	332	-
372	idx95	index to birth history	discrete	numeric-8.0	84	320	-
373	shb	received hb 0	discrete	numeric-8.0	82	322	-
374	shbd	hb 0 day	discrete	numeric-8.0	40	364	-
375	shbm	hb 0 month	discrete	numeric-8.0	40	364	-
376	shby	hb 0 year	discrete	numeric-8.0	40	364	-
377	s526	blood taken from finger or heel for testing	discrete	numeric-8.0	15	389	-
378	s538f	mefloquine taken for fever/ cough	discrete	numeric-8.0	20	384	-
379	s538h	artesunate tablet taken for fever/cough	discrete	numeric-8.0	20	384	-
380	s538i	artesunate suppository taken for fever/cough	discrete	numeric-8.0	20	384	-
381	s538j	artekine taken for fever/ cough	discrete	numeric-8.0	20	384	-
382	s538k	cotexin taken for fever/ cough	discrete	numeric-8.0	20	384	-
383	idx97	index to maternal mortality	discrete	numeric-8.0	329	75	-
384	s1112a	death related to accident such as traffic accident	discrete	numeric-8.0	2	402	-

Variables Description

Dataset contains 2567 variable(s)

File Households			
#1 hv001: cluster number			
Information	[Type= discrete] [Format=numeric] [Range= 1-611] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Literal question	cluster number		
#2 hv002: household number			
Information	[Type= discrete] [Format=numeric] [Range= 1-198] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Literal question	household number		
Value	Label	Cases	Percentage
1		176	<div></div> 100.0%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#3 hv003: respondent's line number			
Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Literal question	respondent's line number		
Value	Label	Cases	Percentage
1		72	<div></div> 40.9%
2		96	<div></div> 54.5%
3		6	<div></div> 3.4%
4		2	<div></div> 1.1%
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#4 hv004: ultimate area unit			
Information	[Type= continuous] [Format=numeric] [Range= 1-611] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-] [Mean=309.216 /-] [StdDev=184.479 /-]		
Literal question	ultimate area unit		
#5 hv005: sample weight			
Information	[Type= continuous] [Format=numeric] [Range= 53016-3767064] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Literal question	sample weight		
#6 hv009: number of household members			
Information	[Type= continuous] [Format=numeric] [Range= 1-23] [Missing=*]		
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=5.165 / 4.963] [StdDev=1.954 / 1.901]		
Literal question	number of household members		
#7 hv010: number of eligible women in hh			
Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=1.233 / 1.166] [StdDev=0.847 / 0.841]		
Literal question	number of eligible women in hh		

File Households

#8 hv011: number of eligible men in hh

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0.761 / 0.872] [StdDev=0.807 / 0.816]
Literal question	number of eligible men in hh

#9 hv012: number of de jure members

Information	[Type= continuous] [Format=numeric] [Range= 0-23] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=5.08 / 4.856] [StdDev=1.902 / 1.798]
Literal question	number of de jure members

#10 hv013: number of de facto members

Information	[Type= continuous] [Format=numeric] [Range= 0-21] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=4.807 / 4.681] [StdDev=1.857 / 1.874]
Literal question	number of de facto members

#11 hv014: number of children 5 and under

Information	[Type= continuous] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0.619 / 0.603] [StdDev=0.699 / 0.708]
Literal question	number of children 5 and under

#12 hv020: ever-married sample

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	ever-married sample

Value	Label	Cases	Weighted	Percentage (Weighted)
0	all woman sample	176	172273995.0	100.0%
1	ever married sample	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 hv021: primary sampling unit

Information	[Type= discrete] [Format=numeric] [Range= 1-611] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]
Literal question	primary sampling unit

Frequency table not shown (176 Modalities)

#14 hv022: sample stratum number

Information	[Type= discrete] [Format=numeric] [Range= 1-38] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]
Literal question	sample stratum number

Frequency table not shown (38 Modalities)

#15 hv023: sample domain

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]
Literal question	sample domain

File Households

#15 hv023: sample domain

Value	Label	Cases	Percentage
0	national	0	0.0%
1	banteay mean chey	11	6.2%
2	kampong cham	8	4.5%
3	kampong chhnang	11	6.2%
4	kampong speu	11	6.2%
5	kampong thom	4	2.3%
6	kandal	9	5.1%
7	kratie	9	5.1%
8	phnom penh	8	4.5%
9	prey veng	10	5.7%
10	pursat	8	4.5%
11	siem reap	9	5.1%
12	svay rieng	15	8.5%
13	takeo	13	7.4%
14	otdar mean chey	7	4.0%
15	battambang & pailin	12	6.8%
16	kampot & kep	11	6.2%
17	preah sihanouk & kaoh kong	6	3.4%
18	preah vihear & steung treng	6	3.4%
19	mondol kiri & rattanak kiri	8	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 hv024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-19] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Literal question	region		
Value	Label	Cases	Percentage
1	banteay mean chey	11	<div></div> 6.2%
2	kampong cham	8	<div></div> 4.5%
3	kampong chhnang	11	<div></div> 6.2%
4	kampong speu	11	<div></div> 6.2%
5	kampong thom	4	<div></div> 2.3%
6	kandal	9	<div></div> 5.1%
7	kratie	9	<div></div> 5.1%
8	phnom penh	8	<div></div> 4.5%
9	prey veng	10	<div></div> 5.7%
10	pursat	8	<div></div> 4.5%
11	siem reap	9	<div></div> 5.1%
12	svay rieng	15	<div></div> 8.5%
13	takeo	13	<div></div> 7.4%
14	otdar mean chey	7	<div></div> 4.0%
15	battambang & pailin	12	<div></div> 6.8%
16	kampot & kep	11	<div></div> 6.2%

File Households

#16 hv024: region

Value	Label	Cases	Percentage
17	preah sihanouk & kaoh kong	6	3.4%
18	preah vihear & steung treng	6	3.4%
19	mondol kiri & rattanak kiri	8	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 hv025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	type of place of residence

Value	Label	Cases	Weighted	Percentage (Weighted)
1	urban	42	24442572.0	14.2%
2	rural	134	147831423.0	85.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 hv027: selection for male/husb. int.

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	selection for male/husb. int.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	not selected	42	24442572.0	14.2%
1	men's survey	134	147831423.0	85.8%
2	husband's survey	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 hv028: sample weight for male subsamp

Information	[Type= continuous] [Format=numeric] [Range= 0-3767952] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-] [Mean=838361.148 /-] [StdDev=705348.598 /-]
Literal question	sample weight for male subsamp

#20 hv035: number of eligible children for height & weight

Information	[Type= continuous] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-] [Mean=0.443 /-] [StdDev=0.648 /-]
Literal question	number of eligible children for height & weight

#21 hv040: cluster altitude in meters

Information	[Type= continuous] [Format=numeric] [Range= 0-746] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-] [Mean=41.028 /-] [StdDev=86.97 /-]
Literal question	cluster altitude in meters

#22 hv041: total adults measured

Information	[Type= continuous] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-] [Mean=0.949 /-] [StdDev=0.921 /-]
Literal question	total adults measured

#23 hv042: selection for hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
-------------	--

File Households

#23 hv042: selection for hemoglobin

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Literal question selection for hemoglobin

Value	Label	Cases	Percentage
0	not selected	42	23.9%
1	selected	134	76.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 hv205: (107)type of toilet facility

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question What kind of toilet facility do members of your household usually use?

Interviewer's instructions The purpose of this question is to obtain a measure of the sanitation level of the household, since toilet facilities are important for disease control and health improvement. If the respondent answers in general terms such as "flush toilet," probe to determine where the toilet flushes to; likewise, if the respondent answers "latrine", probe to determine the type of latrine. Below are some definitions for the terms used in the codes for Q. 107.

Value	Label	Cases	Weighted	Percentage (Weighted)
10	flush toilet	0	0.0	0.0%
11	flush to piped sewer system	9	9681248.0	5.6%
12	flush to septic tank	60	59398537.0	34.5%
13	flush to pit latrine	3	483854.0	0.3%
14	flush to somewhere else	0	0.0	0.0%
15	flush, don't know where	0	0.0	0.0%
20	pit toilet latrine	0	0.0	0.0%
21	ventilated improved pit latrine	0	0.0	0.0%
22	pit latrine with slab	0	0.0	0.0%
23	pit latrine without slab/open pit	3	3479507.0	2.0%
30	no facility	0	0.0	0.0%
31	no facility/bush/field	98	96142961.0	55.8%
41	composting toilet	0	0.0	0.0%
42	bucket toilet	0	0.0	0.0%
43	hanging toilet/latrine	3	3087888.0	1.8%
96	other	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 hv206: (110) has electricity

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question Does your household have: Electricity?

Interviewer's instructions The answers to these questions on ownership of certain items will be used as a rough measure of the socioeconomic status of the household. Read out each item and circle the answer given after each item. Do not leave any item(s) blank.

If the respondent reports that a household item such as a radio is broken, try to find out how long it has been broken and whether it will be fixed. If the item appears to be out of use only temporarily, circle '1' for YES. Otherwise, circle '2' for NO.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	112	117133950.0	68.0%

File Households

#25 hv206: (110) has electricity

Value	Label	Cases	Weighted	Percentage (Weighted)
1	yes	64	55140045.0	32.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 hv207: has radio

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does your household have: a radio?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	83	81813615.0	47.5%
1	yes	93	90460380.0	52.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 hv208: has television

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does your household have: a television?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	69	67077176.0	38.9%
1	yes	107	105196819.0	61.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 hv209: has refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does your household have: a refrigerator?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	162	164912941.0	95.7%
1	yes	14	7361054.0	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 hv210: has bicycle/cyclo

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own: a bicycle/cyclo

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	62	51589161.0	29.9%
1	yes	114	120684834.0	70.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 hv211: has motorcycle/scooter

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own: a motorcycle/scooter?

File Households

#30 hv211: has motorcycle/scooter

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	86	88468945.0	51.4%
1	yes	90	83805050.0	48.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 hv212: has car/truck/van

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own: a car or truck or van?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	163	164833965.0	95.7%
1	yes	13	7440030.0	4.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 hv213: (114) main floor material

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	MAIN MATERIAL OF THE FLOOR.
Post-question	RECORD OBSERVATION.
Interviewer's instructions	<p>This is an observation not a question since you will usually be able to see for yourself what kind of floor the house has. However, ask if you are not sure.</p> <p>If there is more than one kind of flooring material, record the main type of material (the material that covers the largest amount of floor space).</p>

Value	Label	Cases	Weighted	Percentage (Weighted)
10	natural	0	0.0	0.0%
11	earth/sand/clay	16	16603792.0	9.6%
12	dung	0	0.0	0.0%
20	rudimentary	0	0.0	0.0%
21	wood planks	81	73525410.0	42.7%
22	palm/bamboo	33	41917865.0	24.3%
30	finished	0	0.0	0.0%
31	parquet or polished wood	0	0.0	0.0%
32	vynil or asphalt strips	0	0.0	0.0%
33	ceramic tiles	15	9767651.0	5.7%
34	cement tiles	7	4194953.0	2.4%
35	cement	21	23017794.0	13.4%
41	floating house	2	1532381.0	0.9%
96	other	1	1714149.0	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 hv214: (116) main wall material

Information	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	MAIN MATERIAL OF THE EXTERIOR WALLS.
Post-question	RECORD OBSERVATION.

File Households

#33 hv214: (116) main wall material

Interviewer's instructions	This is not a question but an observation. You will usually be able to see for yourself what kind of material the exterior walls are made of. However, ask the respondent if you are not sure. Again, if there is more than one kind of wall material, record the main type of material (the material that covers the largest amount of wall space).
-----------------------------------	--

Value	Label	Cases	Weighted	Percentage (Weighted)
10	natural	0	0.0	0.0%
11	no walls	0	0.0	0.0%
12	palm/bamboo/thatch	42	48870915.0	28.4%
13	dirt	0	0.0	0.0%
20	rudimentary	0	0.0	0.0%
21	bamboo with mud	0	0.0	0.0%
22	straw with mud	0	0.0	0.0%
23	stone with mud	0	0.0	0.0%
24	uncovered adobe	3	2780286.0	1.6%
25	plywood	0	0.0	0.0%
26	cardboard	0	0.0	0.0%
27	reused wood	9	6995808.0	4.1%
28	metal	8	8161439.0	4.7%
30	finished	0	0.0	0.0%
31	cement	5	3399284.0	2.0%
32	stone with lime/cement	0	0.0	0.0%
33	bricks	1	811618.0	0.5%
34	cement blocks	25	19513907.0	11.3%
35	covered adobe	0	0.0	0.0%
36	wood planks/shingles	78	75442854.0	43.8%
96	other	5	6297884.0	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 hv215: (115) main roof material

Information	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	MAIN MATERIAL OF THE ROOF.
Post-question	RECORD OBSERVATION.
Interviewer's instructions	As with the floor material, you will usually be able to see for yourself what kind of roof material the house has. However, observing the roof material may not always be easy or you may be able to observe part but not the whole roof. Ask the respondent if you are not sure or if you cannot observe the roof properly. If the household lives in an apartment building, look at the roof from a reasonable distance and ask the respondent if necessary. If there is more than one kind of roofing material, record the main type of material (the material that covers the largest amount of roof space).

Value	Label	Cases	Weighted	Percentage (Weighted)
10	natural	0	0.0	0.0%
11	no roof	0	0.0	0.0%
12	bamboo/thatch/palm leaf	20	18728726.0	10.9%
20	rudimentary	0	0.0	0.0%
21	rustic mat	0	0.0	0.0%
22	wood planks	2	1269216.0	0.7%
23	cardboard	0	0.0	0.0%

File Households

#34 hv215: (115) main roof material

Value	Label	Cases	Weighted	Percentage (Weighted)
24	plastic sheet	0	0.0	0.0%
30	finished	0	0.0	0.0%
31	metal	92	80272831.0	46.6%
32	wood	0	0.0	0.0%
33	calamine/cement fiber	17	19677775.0	11.4%
34	ceramic tiles	10	8581059.0	5.0%
35	clay tiles	29	38682113.0	22.5%
36	cement	5	3348126.0	1.9%
96	other	1	1714149.0	1.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 hv216: (117) rooms used for sleeping

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=1.614 / 1.48] [StdDev=1.309 / 1.23]
Literal question	How many rooms in this household are used for sleeping?

#36 hv217: relationship structure

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no adults	0	0.0	0.0%
1	one adult	5	4636579.0	2.7%
2	two adults, opp. sex	54	59095455.0	34.3%
3	two adults, same sex	6	5412693.0	3.1%
4	three+ related adult	98	92757016.0	53.8%
5	unrelated adults	13	10372252.0	6.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 hv218: line number of head of househ.

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1		176	172273995.0	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 hv219: sex of head of household

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	male	142	138174120.0	80.2%
2	female	34	34099875.0	19.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 hv220: age of head of household

Information	[Type= continuous] [Format=numeric] [Range= 14-98] [Missing=*]
-------------	--

File Households

#39 hv220: age of head of household

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0] [Mean=48.131 / 48.02] [StdDev=13.628 / 14.275]

Value	Label	Cases	Percentage
97	97+		
98	dk		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 hv221: has a landline telephone

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	158	153059227.0	88.8%
1	yes	18	19214768.0	11.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 hv225: share toilet with other households

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=78 / 76131034] [Invalid=98 / 96142961]

Literal question Do you share this toilet facility with other households?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	66	59752806.0	78.5%
1	yes	12	16378228.0	21.5%
11	.Z	0	0.0	
Sysmiss		98	96142961.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 hv226: type of cooking fuel

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question What type of fuel does your household mainly use for cooking?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	electricity	3	888731.0	0.5%
2	lpg	16	12191794.0	7.1%
3	natural gas	0	0.0	0.0%
4	biogas	1	804275.0	0.5%
5	kerosene	0	0.0	0.0%
6	coal, lignite	0	0.0	0.0%
7	charcoal	23	21260589.0	12.3%
8	wood	132	136368882.0	79.2%
9	straw / shrubs / grass	0	0.0	0.0%
10	agricultural crop	0	0.0	0.0%
11	animal dung	0	0.0	0.0%
95	no food cooked in hh	1	759724.0	0.4%
96	other	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#43 hv237: anything done to water to make safe to drink

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question Do you do anything to the water to make it safer to drink?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	38	39803878.0	23.1%
1	yes	138	132470117.0	76.9%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 hv237a: water usually treated by: boil

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question What do you usually do to make the water safer to drink?
- boil

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	49	51754623.0	30.0%
1	yes	127	120519372.0	70.0%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 hv237b: water usually treated by: add bleach/chlorine

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question What do you usually do to make the water safer to drink?
- add bleach/chlorine

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	176	172273995.0	100.0%
1	yes	0	0.0	0.0%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 hv237c: water usually treated by: strain through a cloth

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question What do you usually do to make the water safer to drink?
- strain through a cloth

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	174	169096117.0	98.2%
1	yes	2	3177878.0	1.8%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 hv237d: water usually treated by: use water filter

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question What do you usually do to make the water safer to drink?

File Households

#47 hv237d: water usually treated by: use water filter

- use water filter (ceramic/sand/composite/etc.)

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	160	158503077.0	92.0%
1	yes	16	13770918.0	8.0%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 hv237e: water usually treated by: solar disinfection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	What do you usually do to make the water safer to drink? - solar disinfection

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	176	172273995.0	100.0%
1	yes	0	0.0	0.0%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 hv237f: water usually treated by: let it stand and settle

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	What do you usually do to make the water safer to drink? - let it stand and settle

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	172	169627272.0	98.5%
1	yes	4	2646723.0	1.5%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 hv237x: water usually treated by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	What do you usually do to make the water safer to drink? - other, specify

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	174	171086892.0	99.3%
1	yes	2	1187103.0	0.7%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 hv237z: water usually treated by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	What do you usually do to make the water safer to drink? - don't know

File Households

#51 hv237z: water usually treated by: don't know

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	176	172273995.0	100.0%
1	yes: don't know what is done to water	0	0.0	0.0%
8	don't know	0	0.0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 hv238: number of households sharing toilet

Information	[Type= continuous] [Format=numeric] [Range= 2-99] [Missing=*/101]
Statistics [NW/ W]	[Valid=12 / 16378228] [Invalid=164 / 155895767] [Mean=2.333 / 2.349] [StdDev=0.651 / 0.642]
Literal question	How many households use this toilet facility?

Value	Label	Cases	Percentage
95	10 or more households		
98	don't know		
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 hv241: food cooked in the house / in separate building / outdoors

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=175 / 171514271] [Invalid=1 / 759724]
Literal question	Is the cooking usually done in the house, in a separate building, or outdoors?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	in the house	67	66337288.0	38.7%
2	in a separate building	59	61547304.0	35.9%
3	outdoors	45	40431895.0	23.6%
6	other	4	3197784.0	1.9%
11	.Z	0	0.0	
Sysmiss		1	759724.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 hv242: household has separate room used as kitchen

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=67 / 66337288] [Invalid=109 / 105936707]
Literal question	Do you have a separate room which is used as a kitchen?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	44	45946849.0	69.3%
1	yes	23	20390439.0	30.7%
11	.Z	0	0.0	
Sysmiss		109	105936707.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 hv243a: has a mobile telephone

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	has a mobile telephone

File Households

#55 hv243a: has a mobile telephone

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	56	53055544.0	30.8%
1	yes	120	119218451.0	69.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 hv243b: has a watch

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own: - a watch

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	125	126669191.0	73.5%
1	yes	51	45604804.0	26.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 hv243c: has an animal-drawn cart

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own: - a oxcart or horsecart?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	144	135545198.0	78.7%
1	yes	32	36728797.0	21.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 hv243d: has a boat with a motor

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own: a boat with a motor?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	171	165842138.0	96.3%
1	yes	5	6431857.0	3.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 hv244: own land usable for agriculture

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household own any agricultural land?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	59	57651384.0	33.5%
1	yes	117	114622611.0	66.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 hv245: hectares for agricultural land

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*/101]
-------------	---

File Households

#60 hv245: hectares for agricultural land

Statistics [NW/ W] [Valid=117 / 114622611] [Invalid=59 / 57651384] [Mean=2.034 / 1.747] [StdDev=2.7 / 2.559]

Literal question How many hectares of agricultural land do members of this household own?

Value	Label	Cases	Percentage
0	less than 1 hectare		
95	more than 95		
98	unknown		
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 hv246: livestock, herds or farm animals

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0]

Literal question Does this household own any livestock, herds, other farm animals, or poultry?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	58	54190880.0	31.5%
1	yes	118	118083115.0	68.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 hv246b: cows, bulls own

Information [Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0] [Mean=1.313 / 1.269] [StdDev=3.52 / 2.132]

Literal question How many of the following animals does this household own?
- cows, bulls ?

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 hv246c: horses, donkeys, mules own

Information [Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0.00568 / 0.0139] [StdDev=0.0754 / 0.117]

Literal question How many of the following animals does this household own?
- horses, donkeys, or mules?

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 hv246d: goats, sheeps own

Information [Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0.0795 / 0.00681] [StdDev=1.055 / 0.309]

Literal question How many of the following animals does this household own?
- goats, sheep ?

File Households

#64 hv246d: goats, sheeps own

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 hv246f: chickens, ducks own

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=8.017 / 7.989] [StdDev=12.694 / 11.492]
Literal question	How many of the following animals does this household own? - chickens or ducks?

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 hv246g: water buffalo

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0.398 / 0.322] [StdDev=1.336 / 1.224]
Literal question	How many of the following animals does this household own? - water buffalo?

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 hv246h: pigs

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0.597 / 0.642] [StdDev=1.76 / 1.803]
Literal question	How many of the following animals does this household own? - pigs?

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 hv246i: elephant

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0 / 0] [StdDev=0 / 0]
Literal question	How many of the following animals does this household own? - elephant ?

Value	Label	Cases	Percentage
0	none		

File Households

#68 hv246i: elephant

Value	Label	Cases	Percentage
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 hv246j: other

Information	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=0 / 0] [StdDev=0 / 0]
Literal question	How many of the following animals does this household own? - other (specify)

Value	Label	Cases	Percentage
0	none		
95	95 or more		
98	unknown		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 hv247: owns a bank account

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]
Literal question	Does any member of this household have a bank account?

Value	Label	Cases	Weighted	Percentage (Weighted)
0	no	158	158453013.0	92.0%
1	yes	18	13820982.0	8.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 hv270: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0]

Value	Label	Cases	Weighted	Percentage (Weighted)
1	poorest	32	31185489.0	18.1%
2	poorer	36	35396544.0	20.5%
3	middle	25	27268511.0	15.8%
4	richer	43	47040468.0	27.3%
5	richest	40	31382983.0	18.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 hv271: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -144381-326753] [Missing=*]
Statistics [NW/ W]	[Valid=176 / 172273995] [Invalid=0 / 0] [Mean=1755.347 / -7212.427] [StdDev=101192.338 / 91504.17]

#73 shprov: province

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=176 / -] [Invalid=0 / -]

Value	Label	Cases	Percentage
1	banteay mean chey	11	6.2%
2	battambang	9	5.1%

File Households

#73 shprov: province

Value	Label	Cases	Percentage
3	kampong cham	8	4.5%
4	kampong chhnang	11	6.2%
5	kampong speu	11	6.2%
6	kampong thom	4	2.3%
7	kampot	11	6.2%
8	kandal	9	5.1%
9	kaoh kong	3	1.7%
10	kratie	9	5.1%
11	mondol kiri	4	2.3%
12	phnom penh	8	4.5%
13	preah vihear	3	1.7%
14	prey veng	10	5.7%
15	pursat	8	4.5%
16	rattanak kiri	4	2.3%
17	siem reap	9	5.1%
18	preah sihanouk	3	1.7%
19	steung treng	3	1.7%
20	svay rieng	15	8.5%
21	takeo	13	7.4%
22	otdar mean chey	7	4.0%
23	kep	0	0.0%
24	pailin	3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 shdist: district

Information		[Type= discrete] [Format=numeric] [Range= 1-17] [Missing=*]	
Statistics [NW/ W]		[Valid=176 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		21	11.9%
2		27	15.3%
3		18	10.2%
4		19	10.8%
5		19	10.8%
6		17	9.7%
7		13	7.4%
8		16	9.1%
9		5	2.8%
10		11	6.2%
11		1	0.6%
12		3	1.7%
13		3	1.7%
14		1	0.6%
15		1	0.6%
16		1	0.6%

File Households

#74 shdist: district

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 shcom: commune

Information [Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		29	16.5%
2		28	15.9%
3		19	10.8%
4		22	12.5%
5		19	10.8%
6		10	5.7%
7		14	8.0%
8		10	5.7%
9		6	3.4%
10		7	4.0%
11		2	1.1%
12		3	1.7%
13		3	1.7%
14		3	1.7%
18		1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 shvill: village

Information [Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-] [Mean=4.864 /-] [StdDev=3.995 /-]

Value	Label	Cases	Percentage
1		34	19.3%
2		31	17.6%
3		19	10.8%
4		18	10.2%
5		15	8.5%
6		10	5.7%
7		12	6.8%
8		10	5.7%
9		7	4.0%
10		2	1.1%
11		5	2.8%
12		3	1.7%
13		2	1.1%
14		3	1.7%
15		1	0.6%
17		1	0.6%
18		2	1.1%
22		1	0.6%

File Households

#76 shvill: village

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 sh50: person in household accidentally killed or injured in last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	161	91.5%
1	yes	15	8.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 sh50n: number of persons accidentally killed or injured in last 12 months

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*/11]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-] [Mean=1.067 /-] [StdDev=0.258 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 sh59: physically impaired person in household

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	166	94.3%
1	yes	10	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 sh59n: number of physically impaired persons

Information [Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*/11]

Statistics [NW/ W] [Valid=10 /-] [Invalid=166 /-] [Mean=1.1 /-] [StdDev=0.316 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 sh64a: person in household with intellectual disability or mental impairment

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	164	93.2%
1	yes	12	6.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 sh65: person in household sick or injured in last 30 days

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	101	57.4%
1	yes	75	42.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#83 sh65n: number of persons sick or injured in last 30 days

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=75 /-] [Invalid=101 /-] [Mean=1.213 /-] [StdDev=0.444 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 sh81a: money came from: community-based health insurance

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 sh81b: money came from: health insurance through employer

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 sh81c: money came from: health equity fund

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	70	97.2%
1	yes	2	2.8%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 sh81d: money came from: other privacy purchased commercial health insurance

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#88 sh81e: money came from: wages/pocket money

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	43	59.7%
1	yes	29	40.3%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 sh81f: money came from: gift from relative/friend

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	68	94.4%
1	yes	4	5.6%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 sh81g: money came from: savings

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	31	43.1%
1	yes	41	56.9%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 sh81h: money came from: borrow (no interest)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 sh81i: money came from: loan (with interest)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	60	83.3%
1	yes	12	16.7%

File Households

#92 sh81i: money came from: loan (with interest)

Value	Label	Cases	Percentage
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 sh81j: money came from: sale of assets

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	70	97.2%
1	yes	2	2.8%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 sh81k: money came from: ngo

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 sh81l: money came from: tong tin

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 sh81x: money came from: other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	71	98.6%
1	yes	1	1.4%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#97 sh101: frequency of smoking inside the house

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never	33	18.8%
1	daily	100	56.8%
2	weekly	19	10.8%
3	monthly	7	4.0%
4	less than monthly	17	9.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 sh102: source of drinking water during the dry season

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	pipd water	0	0.0%
11	pipd into dwelling	17	9.7%
12	pipd to yard/plot	9	5.1%
13	public tap/standpipe	1	0.6%
20	tube well water	0	0.0%
21	tube well or borehole	51	29.0%
30	dug well (open/protected)	0	0.0%
31	protected well	7	4.0%
32	unprotected well	25	14.2%
40	water from spring	0	0.0%
41	protected spring	0	0.0%
42	unprotected spring	1	0.6%
43	river/dam/lake/ponds/stream/canal/irrigation channel	37	21.0%
51	rainwater	17	9.7%
61	tanker truck	4	2.3%
62	cart with small tank	3	1.7%
71	bottled water	3	1.7%
96	other	1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 sh103: location of source for water during dry season

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=133 /-] [Invalid=43 /-]

Value	Label	Cases	Percentage
1	in own dwelling	13	9.8%
2	in own yard/plot	52	39.1%
3	elsewhere	68	51.1%
11	.Z	0	
Sysmiss		43	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#100 sh104: time to get to water source during dry season (mins)

Information [Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		1	0.6%
3		6	3.4%
5		16	9.1%
7		1	0.6%
9		1	0.6%
10		11	6.2%
15		8	4.5%
17		1	0.6%
20		7	4.0%
30		5	2.8%
40		3	1.7%
60		4	2.3%
75		1	0.6%
90		1	0.6%
996	on premises	108	61.4%
998	don't know	2	1.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 sh104a: same source of drinking water during wet and dry season

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	62	35.2%
1	yes	114	64.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 sh104b: source of drinking water during wet season

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	pipd water	0	0.0%
11	pipd into dwelling	14	8.0%
12	pipd to yard/plot	6	3.4%
13	public tap/standpipe	1	0.6%
20	tube well water	0	0.0%
21	tube well or borehole	40	22.7%
30	dug well (open/protected)	0	0.0%
31	protected well	5	2.8%
32	unprotected well	12	6.8%
40	water from spring	0	0.0%
41	protected spring	0	0.0%

File Households

#102 sh104b: source of drinking water during wet season

Value	Label	Cases	Percentage
42	unprotected spring	0	0.0%
43	river/dam/lake/ponds/stream/canal/irrigation channel	17	9.7%
51	rainwater	77	43.8%
61	tanker truck	2	1.1%
62	cart with small tank	0	0.0%
71	bottled water	2	1.1%
96	other	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 sh104c: location of source for water during wet season

Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]	
Statistics [NW/ W]		[Valid=79 /-] [Invalid=97 /-]	
Value	Label	Cases	Percentage
1	in own dwelling	9	<div></div> 11.4%
2	in own yard/plot	43	<div></div> 54.4%
3	elsewhere	27	<div></div> 34.2%
11	.Z	0	
Sysmiss		97	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 sh104d: time to get to water source during wet season (mins)

Information		[Type= discrete] [Format=numeric] [Range= 1-999] [Missing=*]	
Statistics [NW/ W]		[Valid=176 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
3		4	<div><div></div></div> 2.3%
5		10	<div><div></div></div> 5.7%
10		3	<div><div></div></div> 1.7%
15		4	<div><div></div></div> 2.3%
17		1	<div><div></div></div> 0.6%
20		2	<div><div></div></div> 1.1%
40		2	<div><div></div></div> 1.1%
996	on premises	149	<div><div></div></div> 84.7%
998	don't know	1	<div><div></div></div> 0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 sh105: anything done to water to make safe to drink (2)

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=176 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	no	38	<div><div></div></div> 21.6%
1	yes, always	117	<div><div></div></div> 66.5%
2	yes, sometime	21	<div><div></div></div> 11.9%
8	don't know	0	<div><div></div></div> 0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#106 sh110g: has wardrobe

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	104	59.1%
1	yes	72	40.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 sh110h: has sewing machine

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	156	88.6%
1	yes	20	11.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 sh110i: has cd/dvd

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	112	63.6%
1	yes	64	36.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 sh110j: has generator/battery/solar panel

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	96	54.5%
1	yes	80	45.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 sh118d: has motorcycle-cart

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	173	98.3%
1	yes	3	1.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 sh118h: has boat without motor

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	168	95.5%
1	yes	8	4.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#112 sh120u: agricultural land (units)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=117 /-] [Invalid=59 /-]

Value	Label	Cases	Percentage
1	sq. meter	5	4.3%
2	a	22	18.8%
3	hectares	85	72.6%
4	ray	2	1.7%
5	kong	3	2.6%
9	don't know/missing	0	0.0%
11	.Z	0	
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 sh120n: agricultural land (number) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 1-99999] [Missing=*/100001]

Statistics [NW/ W] [Valid=117 /-] [Invalid=59 /-]

Frequency table not shown (37 Modalities)

#114 sh137: place for hand washing observed

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	observed	130	73.9%
2	not observed, not in dwelling / yard / plot	45	25.6%
3	not observed, no permission to see	0	0.0%
4	not observed, other reason	1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 sh138: presence of water observed

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=130 /-] [Invalid=46 /-]

Value	Label	Cases	Percentage
0	water is not available	1	0.8%
1	water is available	129	99.2%
11	.Z	0	
Sysmiss		46	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 sh139a: presence of soap, detergent

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=130 /-] [Invalid=46 /-]

Value	Label	Cases	Percentage
0	no	32	24.6%
1	yes	98	75.4%
11	.Z	0	

File Households

#116 sh139a: presence of soap, detergent

Value	Label	Cases	Percentage
Sysmiss		46	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 sh139b: presence of ash, mud, sand

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=130 /-] [Invalid=46 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		46	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 sh139c: no cleansing agent

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=130 /-] [Invalid=46 /-]

Value	Label	Cases	Percentage
0	no: some cleansing agent	98	75.4%
1	yes: none	32	24.6%
11	.Z	0	
Sysmiss		46	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 sh140: test salt for iodine

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no iodine	26	14.8%
1	iodine present	147	83.5%
3	no salt in household	3	1.7%
6	salt not tested	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 sh141: labeled iodized salt in the package

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not labeled iodized salt	74	42.0%
1	labeled iodized salt	55	31.2%
3	no salt package/can in household	47	26.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 sh142: household identified as poor or received an equity or priority access card

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=176 /-] [Invalid=0 /-]

File Households

#121 sh142: household identified as poor or received an equity or priority access card

Value	Label	Cases	Percentage
0	no	151	85.8%
1	yes, equity/priority access card seen	22	12.5%
2	yes, card not seen	3	1.7%
3	other card (not equity/priority access card)	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 sh143: members of this household receive free or subsidized health care

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	152	86.4%
1	yes	24	13.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 sh144a: free or subsidized health care: health equity funds

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	153	86.9%
1	yes	23	13.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 sh144b: free or subsidized health care: community-based health insurance

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	176	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 sh144c: free or subsidized health care: maternity voucher

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	176	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 sh144d: free or subsidized health care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	176	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#127 sh144f: free or subsidized health care: got free attention at hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=176 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	175	99.4%
1	yes	1	0.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 shcola_1: column number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*/11]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=161 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 shcola_2: column number

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*/11]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-] [Mean=2 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 shcola_3: column number

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 sh53_1: type of accident/injury in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*/101]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	0	0.0%
2	gun shot/weapon	0	0.0%
3	road accident	12	80.0%
4	fire/burning	0	0.0%
5	snake/animal bite	1	6.7%
6	fall from tree/building	0	0.0%
7	drowning	0	0.0%
8	poisoning (chemical)	0	0.0%
9	violence/assault	1	6.7%
10	accident at work	1	6.7%
96	other	0	0.0%
98	dk	0	0.0%
101	.Z	0	

File Households

#131 sh53_1: type of accident/injury in last 12 months

Value	Label	Cases	Percentage
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 sh53_2: type of accident/injury in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*/101]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	0	0.0%
2	gun shot/weapon	0	0.0%
3	road accident	1	100.0%
4	fire/burning	0	0.0%
5	snake/animal bite	0	0.0%
6	fall from tree/building	0	0.0%
7	drowning	0	0.0%
8	poisoning (chemical)	0	0.0%
9	violence/assault	0	0.0%
10	accident at work	0	0.0%
96	other	0	0.0%
98	dk	0	0.0%
101	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 sh53_3: type of accident/injury in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	0	
2	gun shot/weapon	0	
3	road accident	0	
4	fire/burning	0	
5	snake/animal bite	0	
6	fall from tree/building	0	
7	drowning	0	
8	poisoning (chemical)	0	
9	violence/assault	0	
10	accident at work	0	
96	other	0	
98	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 sh54_1: victim still alive

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
--------------------	---

File Households

#134 sh54_1: victim still alive

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	15	100.0%
11	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 sh54_2: victim still alive

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	1	100.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 sh54_3: victim still alive

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 sh55_1: extent of injury (last 12 months)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
1	serious	7	46.7%
2	moderate	5	33.3%
3	slight	2	13.3%
8	dk	1	6.7%
11	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 sh55_2: extent of injury (last 12 months)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1	serious	0	0.0%

File Households

#138 sh55_2: extent of injury (last 12 months)

Value	Label	Cases	Percentage
2	moderate	1	100.0%
3	slight	0	0.0%
8	dk	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 sh55_3: extent of injury (last 12 months)

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 sh56_1: line number from household

Information [Type= continuous] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-] [Mean=2.867 /-] [StdDev=2.1 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 sh56_2: line number from household

Information [Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*/101]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-] [Mean=3 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 sh56_3: line number from household

Information [Type= continuous] [Format=numeric] [Range= 3-6] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 sh57_1: death due to accident

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	

File Households

#143 sh57_1: death due to accident

Value	Label	Cases	Percentage
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 sh57_2: death due to accident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 sh57_3: death due to accident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 shcolb_1: column number

Information	[Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*/11]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=166 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 shcolb_2: column number

Information	[Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*/11]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-] [Mean=2 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 shcolb_3: column number

Information	[Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#149 sh61_1: line number from household

Information [Type= continuous] [Format=numeric] [Range= 1-16] [Missing=*/101]

Statistics [NW/ W] [Valid=10 /-] [Invalid=166 /-] [Mean=2.2 /-] [StdDev=2.394 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 sh61_2: line number from household

Information [Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*/101]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-] [Mean=4 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 sh61_3: line number from household

Information [Type= continuous] [Format=numeric] [Range= 3-6] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 sh62_1: source/timing of physical impairment

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]

Statistics [NW/ W] [Valid=10 /-] [Invalid=166 /-]

Value	Label	Cases	Percentage
1	since birth	1	10.0%
2	from illness	3	30.0%
3	accident	6	60.0%
8	dk	0	0.0%
11	.Z	0	
Sysmiss		166	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 sh62_2: source/timing of physical impairment

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1	since birth	0	0.0%
2	from illness	0	0.0%
3	accident	1	100.0%
8	dk	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 sh62_3: source/timing of physical impairment

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]

File Households

#154 sh62_3: source/timing of physical impairment

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	since birth	0	
2	from illness	0	
3	accident	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 sh63_1: type of accident

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*/101]

Statistics [NW/ W] [Valid=6 /-] [Invalid=170 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	2	33.3%
2	gun shot/weapon	2	33.3%
3	road accident	0	0.0%
4	fire/burning	0	0.0%
5	snake/animal bite	0	0.0%
6	fall from tree/building	0	0.0%
7	drowning	0	0.0%
8	poisoning (chemical)	0	0.0%
9	violence/assault	0	0.0%
96	other	2	33.3%
98	dk	0	0.0%
101	.Z	0	
Sysmiss		170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 sh63_2: type of accident

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*/101]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	1	100.0%
2	gun shot/weapon	0	0.0%
3	road accident	0	0.0%
4	fire/burning	0	0.0%
5	snake/animal bite	0	0.0%
6	fall from tree/building	0	0.0%
7	drowning	0	0.0%
8	poisoning (chemical)	0	0.0%
9	violence/assault	0	0.0%
96	other	0	0.0%
98	dk	0	0.0%
101	.Z	0	

File Households

#156 sh63_2: type of accident

Value	Label	Cases	Percentage
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 sh63_3: type of accident

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	0	
2	gun shot/weapon	0	
3	road accident	0	
4	fire/burning	0	
5	snake/animal bite	0	
6	fall from tree/building	0	
7	drowning	0	
8	poisoning (chemical)	0	
9	violence/assault	0	
96	other	0	
98	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 sh67_1: line number from household

Information	[Type= continuous] [Format=numeric] [Range= 1-19] [Missing=*/101]
Statistics [NW/ W]	[Valid=75 /-] [Invalid=101 /-] [Mean=2.693 /-] [StdDev=1.86 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 sh67_2: line number from household

Information	[Type= continuous] [Format=numeric] [Range= 1-12] [Missing=*/101]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=161 /-] [Mean=3.667 /-] [StdDev=1.718 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 sh67_3: line number from household

Information	[Type= continuous] [Format=numeric] [Range= 1-20] [Missing=*/101]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-] [Mean=5 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 sh67_4: line number from household

Information	[Type= continuous] [Format=numeric] [Range= 4-9] [Missing=*/11]
--------------------	---

File Households

#161 sh67_4: line number from household

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 sh67_5: line number from household

Information [Type= continuous] [Format=numeric] [Range= 5-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 sh67_6: line number from household

Information [Type= continuous] [Format=numeric] [Range= 1-11] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 sh67_7: line number from household

Information [Type= continuous] [Format=numeric] [Range= 7-12] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 sh67_8: line number from household

Information [Type= continuous] [Format=numeric] [Range= 13-13] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 sh67_9: line number from household

Information [Type= continuous] [Format=numeric] [Range= 14-14] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 sh68_1: extent of illness/injury (last 30 days)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=75 /-] [Invalid=101 /-]

Value	Label	Cases	Percentage
1	serious	10	13.3%
2	moderate	41	54.7%

File Households




#167 sh68_1: extent of illness/injury (last 30 days)

Value	Label	Cases	Percentage
3	slight	24	 32.0%
8	dk	0	0.0%
11	.Z	0	
Sysmiss		101	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 sh68_2: extent of illness/injury (last 30 days)


Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
1	serious	2	 13.3%
2	moderate	3	 20.0%
3	slight	10	 66.7%
8	dk	0	0.0%
11	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 sh68_3: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1	serious	0	0.0%
2	moderate	0	0.0%
3	slight	1	 100.0%
8	dk	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 sh68_4: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 sh68_5: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

File Households

#171 sh68_5: extent of illness/injury (last 30 days)

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 sh68_6: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 sh68_7: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 sh68_8: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#175 sh68_9: extent of illness/injury (last 30 days)

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	serious	0	
2	moderate	0	
3	slight	0	
8	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 sh69_1: treatment/advice sought (1)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=75 /-] [Invalid=101 /-]

Value	Label	Cases	Percentage
0	no	3	4.0%
1	yes	72	96.0%
11	.Z	0	
Sysmiss		101	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 sh69_2: treatment/advice sought (1)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
0	no	2	13.3%
1	yes	13	86.7%
11	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 sh69_3: treatment/advice sought (1)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	1	100.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 sh69_4: treatment/advice sought (1)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

File Households

#179 sh69_4: treatment/advice sought (1)

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 sh69_5: treatment/advice sought (1)

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=176 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 sh69_6: treatment/advice sought (1)

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=176 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 sh69_7: treatment/advice sought (1)

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=176 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 sh69_8: treatment/advice sought (1)

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=176 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#184 sh69_9: treatment/advice sought (1)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 sh70_1: place of treatment/advice (1)

Information [Type= discrete] [Format=numeric] [Range= 11-99] [Missing=*/101]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	4	5.6%
12	provincial hospital (rh)	6	8.3%
13	district hospital (rh)	5	6.9%
14	health center	11	15.3%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	12	16.7%
23	private pharmacy	11	15.3%
24	home/office of trained health worker/nurse	7	9.7%
25	visit of trained health worker/nurse	11	15.3%
26	other private medical	1	1.4%
31	shop selling drugs/market	3	4.2%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	1	1.4%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 sh70_2: place of treatment/advice (1)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]

Statistics [NW/ W] [Valid=13 /-] [Invalid=163 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	1	7.7%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	1	7.7%
14	health center	2	15.4%

File Households

#186 sh70_2: place of treatment/advice (1)

Value	Label	Cases	Percentage
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	2	15.4%
23	private pharmacy	1	7.7%
24	home/office of trained health worker/nurse	3	23.1%
25	visit of trained health worker/nurse	1	7.7%
26	other private medical	0	0.0%
31	shop selling drugs/market	2	15.4%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		163	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 sh70_3: place of treatment/advice (1)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]		
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]		
Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	1	100.0%
14	health center	0	0.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	0	0.0%
23	private pharmacy	0	0.0%
24	home/office of trained health worker/nurse	0	0.0%
25	visit of trained health worker/nurse	0	0.0%
26	other private medical	0	0.0%
31	shop selling drugs/market	0	0.0%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		175	

File Households

#187 sh70_3: place of treatment/advice (1)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 sh70_4: place of treatment/advice (1)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 sh70_5: place of treatment/advice (1)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	

File Households

#189 sh70_5: place of treatment/advice (1)

Value	Label	Cases	Percentage
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 sh70_6: place of treatment/advice (1)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 sh70_7: place of treatment/advice (1)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	

File Households

#191 sh70_7: place of treatment/advice (1)

Value	Label	Cases	Percentage
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#192 sh70_8: place of treatment/advice (1)

Information		[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=176 /-]	
Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	

File Households

#192 sh70_8: place of treatment/advice (1)

Value	Label	Cases	Percentage
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 sh70_9: place of treatment/advice (1)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 sh71u_1: cost of round-trip transport: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	free/no cost	27	37.5%
1	riels	44	61.1%
2	dollars	0	0.0%
9	in kind/dk/missing	1	1.4%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 sh71u_2: cost of round-trip transport: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
-------------	---

File Households

#195 sh71u_2: cost of round-trip transport: currency unit (1)

Statistics [NW/ W] [Valid=13 /-] [Invalid=163 /-]

Value	Label	Cases	Percentage
0	free/no cost	5	38.5%
1	riels	8	61.5%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		163	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 sh71u_3: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	1	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#197 sh71u_4: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 sh71u_5: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#199 sh71u_6: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 sh71u_7: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 sh71u_8: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 sh71u_9: cost of round-trip transport: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

File Households

#202 sh71u_9: cost of round-trip transport: currency unit (1)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 sh71n_1: cost of round-trip transport: amount (1)

Information [Type= discrete] [Format=numeric] [Range= 0-999999] [Missing=*/1000001]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	free/no cost	27	37.5%
1000		2	2.8%
2000		9	12.5%
3000		2	2.8%
4000		8	11.1%
4500		1	1.4%
5000		2	2.8%
8000		3	4.2%
10000		3	4.2%
15000		1	1.4%
20000		2	2.8%
24000		1	1.4%
25000		1	1.4%
30000		1	1.4%
40000		1	1.4%
50000		1	1.4%
60000		2	2.8%
80000		1	1.4%
100000		1	1.4%
300000		1	1.4%
700000		1	1.4%
999996	in kind	0	0.0%
999998	dk	1	1.4%
1000001	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 sh71n_2: cost of round-trip transport: amount (1)

Information [Type= discrete] [Format=numeric] [Range= 0-999999] [Missing=*/1000001]

Statistics [NW/ W] [Valid=13 /-] [Invalid=163 /-]

Value	Label	Cases	Percentage
0	free/no cost	5	38.5%
1000		1	7.7%
2000		1	7.7%
4000		1	7.7%
5000		1	7.7%
8000		2	15.4%
10000		1	7.7%
100000		1	7.7%

File Households

#204 sh71n_2: cost of round-trip transport: amount (1)

Value	Label	Cases	Percentage
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		163	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 sh71n_3: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
5000		1	100.0%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 sh71n_4: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 sh71n_5: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 sh71n_6: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	

File Households

#208 sh71n_6: cost of round-trip transport: amount (1)

Value	Label	Cases	Percentage
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#209 sh71n_7: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#210 sh71n_8: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 sh71n_9: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#212 sh72u_1: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	free/no cost	7	9.7%
1	riels	61	84.7%

File Households

#212 sh72u_1: cost of treatment: currency unit (1)

Value	Label	Cases	Percentage
2	dollars	4	5.6%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 sh72u_2: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=163 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	7.7%
1	riels	12	92.3%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		163	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#214 sh72u_3: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	1	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#215 sh72u_4: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 sh72u_5: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

File Households

#216 sh72u_5: cost of treatment: currency unit (1)

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 sh72u_6: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 sh72u_7: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 sh72u_8: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#220 sh72u_9: cost of treatment: currency unit (1)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#221 sh72n_1: cost of treatment: amount (1)

Information [Type= discrete] [Format=numeric] [Range= 0-999999] [Missing=*/1000001]

Statistics [NW/ W] [Valid=72 /-] [Invalid=104 /-]

Frequency table not shown (38 Modalities)

#222 sh72n_2: cost of treatment: amount (1)

Information [Type= discrete] [Format=numeric] [Range= 0-999999] [Missing=*/1000001]

Statistics [NW/ W] [Valid=13 /-] [Invalid=163 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	7.7%
3000		1	7.7%
3500		1	7.7%
6000		1	7.7%
20000		1	7.7%
30000		2	15.4%
40000		1	7.7%
50000		1	7.7%
70000		2	15.4%
80000		1	7.7%
600000		1	7.7%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		163	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 sh72n_3: cost of treatment: amount (1)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1500		1	100.0%
999996	in kind	0	0.0%
999998	dk	0	0.0%

File Households

#223 sh72n_3: cost of treatment: amount (1)

Value	Label	Cases	Percentage
1000001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 sh72n_4: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 sh72n_5: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 sh72n_6: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 sh72n_7: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	

File Households

#227 sh72n_7: cost of treatment: amount (1)

Value	Label	Cases	Percentage
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 sh72n_8: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 sh72n_9: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 sh73_1: treatment/advice sought (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	54	75.0%
1	yes	18	25.0%
11	.Z	0	
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 sh73_2: treatment/advice sought (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=163 /-]

Value	Label	Cases	Percentage
0	no	9	69.2%
1	yes	4	30.8%
11	.Z	0	
Sysmiss		163	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#232 sh73_3: treatment/advice sought (2)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 sh73_4: treatment/advice sought (2)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#234 sh73_5: treatment/advice sought (2)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 sh73_6: treatment/advice sought (2)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#236 sh73_7: treatment/advice sought (2)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Households

#236 sh73_7: treatment/advice sought (2)

Value	Label	Cases	Percentage
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#237 sh73_8: treatment/advice sought (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 sh73_9: treatment/advice sought (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 sh74_1: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	1	5.6%
13	district hospital (rh)	2	11.1%
14	health center	2	11.1%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	5.6%
23	private pharmacy	4	22.2%
24	home/office of trained health worker/nurse	2	11.1%
25	visit of trained health worker/nurse	6	33.3%
26	other private medical	0	0.0%
31	shop selling drugs/market	0	0.0%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%

File Households

#239 sh74_1: place of treatment/advice (2)

Value	Label	Cases	Percentage
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 sh74_2: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=172 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	1	25.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	25.0%
23	private pharmacy	0	0.0%
24	home/office of trained health worker/nurse	1	25.0%
25	visit of trained health worker/nurse	0	0.0%
26	other private medical	1	25.0%
31	shop selling drugs/market	0	0.0%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 sh74_3: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	

File Households

#241 sh74_3: place of treatment/advice (2)

Value	Label	Cases	Percentage
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 sh74_4: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#243 sh74_5: place of treatment/advice (2)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 sh74_6: place of treatment/advice (2)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	

File Households

#244 sh74_6: place of treatment/advice (2)

Value	Label	Cases	Percentage
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#245 sh74_7: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 sh74_8: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	

File Households

#246 sh74_8: place of treatment/advice (2)

Value	Label	Cases	Percentage
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 sh74_9: place of treatment/advice (2)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/1000000001]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]		
Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
1000000001	.Z	0	
Sysmiss		176	

File Households

#247 sh74_9: place of treatment/advice (2)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#248 sh75u_1: cost of round-trip transport: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=18 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
0	free/no cost	9	50.0%
1	riels	9	50.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#249 sh75u_2: cost of round-trip transport: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=4 /-] [Invalid=172 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	25.0%
1	riels	3	75.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 sh75u_3: cost of round-trip transport: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 sh75u_4: cost of round-trip transport: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	

File Households

#251 sh75u_4: cost of round-trip transport: currency unit (2)

Value	Label	Cases	Percentage
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 sh75u_5: cost of round-trip transport: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 sh75u_6: cost of round-trip transport: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 sh75u_7: cost of round-trip transport: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 sh75u_8: cost of round-trip transport: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	

File Households

#255 sh75u_8: cost of round-trip transport: currency unit (2)

Value	Label	Cases	Percentage
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 sh75u_9: cost of round-trip transport: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 sh75n_1: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999999] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
0	free/no cost	9	50.0%
2000		2	11.1%
3000		1	5.6%
4000		3	16.7%
5000		1	5.6%
10000		2	11.1%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 sh75n_2: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=172 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	25.0%
1000		1	25.0%
4000		2	50.0%
999996	in kind	0	0.0%
999998	dk	0	0.0%

File Households

#258 sh75n_2: cost of round-trip transport: amount (2)

Value	Label	Cases	Percentage
1000001	.Z	0	
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#259 sh75n_3: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 sh75n_4: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 sh75n_5: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#262 sh75n_6: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	

File Households

#262 sh75n_6: cost of round-trip transport: amount (2)

Value	Label	Cases	Percentage
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 sh75n_7: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 sh75n_8: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 sh75n_9: cost of round-trip transport: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 sh76u_1: cost of treatment: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	5.6%
1	riels	17	94.4%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	

File Households

#266 sh76u_1: cost of treatment: currency unit (2)

Value	Label	Cases	Percentage
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#267 sh76u_2: cost of treatment: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=4 /-] [Invalid=172 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	4	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#268 sh76u_3: cost of treatment: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#269 sh76u_4: cost of treatment: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#270 sh76u_5: cost of treatment: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	

File Households

#270 sh76u_5: cost of treatment: currency unit (2)

Value	Label	Cases	Percentage
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#271 sh76u_6: cost of treatment: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#272 sh76u_7: cost of treatment: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#273 sh76u_8: cost of treatment: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#274 sh76u_9: cost of treatment: currency unit (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

File Households

#274 sh76u_9: cost of treatment: currency unit (2)

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#275 sh76n_1: cost of treatment: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999999] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	5.6%
1000		2	11.1%
1500		2	11.1%
3500		1	5.6%
20000		1	5.6%
25000		1	5.6%
30000		1	5.6%
50000		1	5.6%
60000		1	5.6%
80000		2	11.1%
100000		2	11.1%
150000		1	5.6%
300000		2	11.1%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#276 sh76n_2: cost of treatment: amount (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=172 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
3000		1	25.0%
4000		1	25.0%
40000		1	25.0%
100000		1	25.0%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		172	

File Households

#276 sh76n_2: cost of treatment: amount (2)

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#277 sh76n_3: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#278 sh76n_4: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#279 sh76n_5: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#280 sh76n_6: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#281 sh76n_7: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#282 sh76n_8: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#283 sh76n_9: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#284 sh77_1: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=18 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
0	no	12	66.7%
1	yes	6	33.3%
11	.Z	0	
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#285 sh77_2: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=4 /-] [Invalid=172 /-]

File Households

#285 sh77_2: treatment/advice sought (3)

Value	Label	Cases	Percentage
0	no	3	 75.0%
1	yes	1	 25.0%
11	.Z	0	
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#286 sh77_3: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#287 sh77_4: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#288 sh77_5: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#289 sh77_6: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#290 sh77_7: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#291 sh77_8: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#292 sh77_9: treatment/advice sought (3)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#293 sh78_1: place of treatment/advice (3)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]

Statistics [NW/ W] [Valid=6 /-] [Invalid=170 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	0	0.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	16.7%
23	private pharmacy	3	50.0%
24	home/office of trained health worker/nurse	1	16.7%
25	visit of trained health worker/nurse	1	16.7%

File Households

#293 sh78_1: place of treatment/advice (3)

Value	Label	Cases	Percentage
26	other private medical	0	0.0%
31	shop selling drugs/market	0	0.0%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#294 sh78_2: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	0	0.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	0	0.0%
23	private pharmacy	0	0.0%
24	home/office of trained health worker/nurse	0	0.0%
25	visit of trained health worker/nurse	0	0.0%
26	other private medical	0	0.0%
31	shop selling drugs/market	1	100.0%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
101	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#295 sh78_3: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	

File Households

#295 sh78_3: place of treatment/advice (3)

Value	Label	Cases	Percentage
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#296 sh78_4: place of treatment/advice (3)

Information		[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=176 /-]	
Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	

File Households

#296 sh78_4: place of treatment/advice (3)

Value	Label	Cases	Percentage
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#297 sh78_5: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#298 sh78_6: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/101]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	

File Households

#298 sh78_6: place of treatment/advice (3)

Value	Label	Cases	Percentage
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
101	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#299 sh78_7: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#300 sh78_8: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

File Households

#300 sh78_8: place of treatment/advice (3)

Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#301 sh78_9: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*/1000000001]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]		
Value	Label	Cases	Percentage
11	national hospital (pp)	0	
12	provincial hospital (rh)	0	
13	district hospital (rh)	0	
14	health center	0	
15	health post	0	
16	outreach	0	
17	other public	0	
21	private hospital	0	
22	private clinic	0	
23	private pharmacy	0	
24	home/office of trained health worker/nurse	0	
25	visit of trained health worker/nurse	0	
26	other private medical	0	
31	shop selling drugs/market	0	
32	kru khmer/magician	0	
33	monk/religious leader	0	

File Households

#301 sh78_9: place of treatment/advice (3)

Value	Label	Cases	Percentage
34	traditional birth attendant	0	
41	outside of the country	0	
96	other	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#302 sh79u_1: cost of round-trip transport: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=170 /-]

Value	Label	Cases	Percentage
0	free/no cost	2	33.3%
1	riels	4	66.7%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#303 sh79u_2: cost of round-trip transport: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	1	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#304 sh79u_3: cost of round-trip transport: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#305 sh79u_4: cost of round-trip transport: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
-------------	---

File Households

#305 sh79u_4: cost of round-trip transport: currency unit (3)

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#306 sh79u_5: cost of round-trip transport: currency unit (3)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#307 sh79u_6: cost of round-trip transport: currency unit (3)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#308 sh79u_7: cost of round-trip transport: currency unit (3)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#309 sh79u_8: cost of round-trip transport: currency unit (3)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#310 sh79u_9: cost of round-trip transport: currency unit (3)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#311 sh79n_1: cost of round-trip transport: amount (3)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=6 /-] [Invalid=170 /-]

Value	Label	Cases	Percentage
0	free/no cost	2	33.3%
2000		1	16.7%
5000		1	16.7%
10000		1	16.7%
20000		1	16.7%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#312 sh79n_2: cost of round-trip transport: amount (3)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
2000		1	100.0%
999996	in kind	0	0.0%

File Households

#312 sh79n_2: cost of round-trip transport: amount (3)

Value	Label	Cases	Percentage
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#313 sh79n_3: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#314 sh79n_4: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#315 sh79n_5: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#316 sh79n_6: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	

File Households

#316 sh79n_6: cost of round-trip transport: amount (3)

Value	Label	Cases	Percentage
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#317 sh79n_7: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#318 sh79n_8: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#319 sh79n_9: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#320 sh80u_1: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=170 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	6	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%

File Households

#320 sh80u_1: cost of treatment: currency unit (3)

Value	Label	Cases	Percentage
11	.Z	0	
Sysmiss		170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#321 sh80u_2: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	1	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#322 sh80u_3: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#323 sh80u_4: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#324 sh80u_5: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	

File Households

#324 sh80u_5: cost of treatment: currency unit (3)

Value	Label	Cases	Percentage
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#325 sh80u_6: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#326 sh80u_7: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#327 sh80u_8: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#328 sh80u_9: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*/1000000001]
--------------------	---

File Households

#328 sh80u_9: cost of treatment: currency unit (3)

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
1	riels	0	
2	dollars	0	
9	in kind/dk/missing	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#329 sh80n_1: cost of treatment: amount (3)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=6 /-] [Invalid=170 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
4000		1	16.7%
20000		1	16.7%
40000		1	16.7%
50000		1	16.7%
120000		1	16.7%
139000		1	16.7%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		170	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#330 sh80n_2: cost of treatment: amount (3)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
3000		1	100.0%
999996	in kind	0	0.0%
999998	dk	0	0.0%
1000001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#331 sh80n_3: cost of treatment: amount (3)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	

File Households

#331 sh80n_3: cost of treatment: amount (3)

Value	Label	Cases	Percentage
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#332 sh80n_4: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#333 sh80n_5: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#334 sh80n_6: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/100001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
100001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#335 sh80n_7: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	

File Households

#335 sh80n_7: cost of treatment: amount (3)

Value	Label	Cases	Percentage
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#336 sh80n_8: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#337 sh80n_9: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	
999996	in kind	0	
999998	dk	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#338 shcolc_1: column number

Information	[Type= continuous] [Format=numeric] [Range= 1-3] [Missing=*/11]
Statistics [NW/ W]	[Valid=63 /-] [Invalid=113 /-] [Mean=1.079 /-] [StdDev=0.272 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#339 shcolc_2: column number

Information	[Type= continuous] [Format=numeric] [Range= 2-4] [Missing=*/11]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=161 /-] [Mean=2.067 /-] [StdDev=0.258 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#340 shcolc_3: column number

Information	[Type= continuous] [Format=numeric] [Range= 3-4] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

File Households

#340 shcolc_3: column number

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#341 shcolc_4: column number

Information [Type= continuous] [Format=numeric] [Range= 4-5] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#342 shcolc_5: column number

Information [Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#343 sh202_1: line number

Information [Type= continuous] [Format=numeric] [Range= 2-13] [Missing=*/101]

Statistics [NW/ W] [Valid=63 /-] [Invalid=113 /-] [Mean=5.095 /-] [StdDev=1.711 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#344 sh202_2: line number

Information [Type= continuous] [Format=numeric] [Range= 3-15] [Missing=*/101]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-] [Mean=6.4 /-] [StdDev=1.844 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#345 sh202_3: line number

Information [Type= continuous] [Format=numeric] [Range= 5-16] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#346 sh202_4: line number

Information [Type= continuous] [Format=numeric] [Range= 7-17] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#347 sh202_5: line number

Information [Type= continuous] [Format=numeric] [Range= 12-12] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

File Households

#347 sh202_5: line number

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#348 sh205_1: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 220-9999] [Missing=*/10001]

Statistics [NW/ W] [Valid=63 /-] [Invalid=113 /-]

Frequency table not shown (51 Modalities)

#349 sh205_2: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 220-9999] [Missing=*/10001]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
450		1	6.7%
570		1	6.7%
660		1	6.7%
670		1	6.7%
710		1	6.7%
720		1	6.7%
760		1	6.7%
800		1	6.7%
940		1	6.7%
970		1	6.7%
990		1	6.7%
1160		1	6.7%
1170		1	6.7%
1270		1	6.7%
9994	not present	0	0.0%
9995	refused	1	6.7%
9996	other	0	0.0%
10001	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#350 sh205_3: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 300-9999] [Missing=*/10001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#351 sh205_4: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 290-9996] [Missing=*/10001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#352 sh205_5: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 770-9996] [Missing=*/1001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#353 sh206_1: height in centimeters (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 390-9999] [Missing=*/10001]

Statistics [NW/ W] [Valid=63 /-] [Invalid=113 /-]

Frequency table not shown (62 Modalities)

#354 sh206_2: height in centimeters (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 292-9999] [Missing=*/10001]

Statistics [NW/ W] [Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
570		1	6.7%
574		1	6.7%
660		1	6.7%
668		1	6.7%
708		1	6.7%
724		1	6.7%
725		1	6.7%
777		1	6.7%
813		1	6.7%
814		1	6.7%
820		1	6.7%
832		1	6.7%
881		1	6.7%
882		1	6.7%
9994	not present	0	0.0%

File Households

#354 sh206_2: height in centimeters (1 decimal)

Value	Label	Cases	Percentage
9995	refused	1	6.7%
9996	other	0	0.0%
10001	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#355 sh206_3: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 480-9999] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#356 sh206_4: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 506-9996] [Missing=*/1001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#357 sh206_5: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 685-9996] [Missing=*/1001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#358 sh212_1: hemoglobin level (g/dl) (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 37-999] [Missing=*/1001]
Statistics [NW/ W]	[Valid=59 /-] [Invalid=117 /-]

Frequency table not shown (38 Modalities)

File Households

#359 sh212_2: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 56-999] [Missing=*/1001]

Statistics [NW/ W] [Valid=12 /-] [Invalid=164 /-]

Value	Label	Cases	Percentage
88		1	8.3%
90		1	8.3%
91		1	8.3%
102		1	8.3%
106		1	8.3%
109		2	16.7%
113		1	8.3%
114		1	8.3%
115		1	8.3%
120		1	8.3%
123		1	8.3%
994	not present	0	0.0%
995	refused	0	0.0%
996	other	0	0.0%
1001	.Z	0	
Sysmiss		164	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#360 sh212_3: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 59-999] [Missing=*/1001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#361 sh212_4: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 86-996] [Missing=*/1001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#362 sh212_5: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 111-996] [Missing=*/1001]

File Households

#362 sh212_5: hemoglobin level (g/dl) (1 decimal)

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#363 shcold_1: column number

Information [Type= continuous] [Format=numeric] [Range= 1-1] [Missing=*/11]

Statistics [NW/ W] [Valid=114 /-] [Invalid=62 /-] [Mean=1 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#364 shcold_2: column number

Information [Type= continuous] [Format=numeric] [Range= 2-2] [Missing=*/11]

Statistics [NW/ W] [Valid=40 /-] [Invalid=136 /-] [Mean=2 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#365 shcold_3: column number

Information [Type= continuous] [Format=numeric] [Range= 3-3] [Missing=*/11]

Statistics [NW/ W] [Valid=10 /-] [Invalid=166 /-] [Mean=3 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#366 shcold_4: column number

Information [Type= continuous] [Format=numeric] [Range= 4-4] [Missing=*/11]

Statistics [NW/ W] [Valid=2 /-] [Invalid=174 /-] [Mean=4 /-] [StdDev=0 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#367 shcold_5: column number

Information [Type= continuous] [Format=numeric] [Range= 5-5] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-] [Mean=5 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#368 shcold_6: column number

Information [Type= continuous] [Format=numeric] [Range= 6-6] [Missing=*/11]

File Households

#368 shcold_6: column number

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#369 shcold_7: column number

Information [Type= continuous] [Format=numeric] [Range= 7-7] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#370 shcold_8: column number

Information [Type= continuous] [Format=numeric] [Range= 8-8] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#371 shcold_9: column number

Information [Type= continuous] [Format=numeric] [Range= 9-9] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
11	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#372 sh215_1: line number

Information [Type= continuous] [Format=numeric] [Range= 1-10] [Missing=*/101]

Statistics [NW/ W] [Valid=114 /-] [Invalid=62 /-] [Mean=2.228 /-] [StdDev=0.799 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#373 sh215_2: line number

Information [Type= continuous] [Format=numeric] [Range= 2-12] [Missing=*/101]

Statistics [NW/ W] [Valid=40 /-] [Invalid=136 /-] [Mean=3.9 /-] [StdDev=1.411 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#374 sh215_3: line number

Information [Type= continuous] [Format=numeric] [Range= 3-12] [Missing=*/101]

Statistics [NW/ W] [Valid=10 /-] [Invalid=166 /-] [Mean=4.6 /-] [StdDev=0.699 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#375 sh215_4: line number

Information [Type= continuous] [Format=numeric] [Range= 4-17] [Missing=*/101]

Statistics [NW/ W] [Valid=2 /-] [Invalid=174 /-] [Mean=6.5 /-] [StdDev=0.707 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#376 sh215_5: line number

Information [Type= continuous] [Format=numeric] [Range= 5-16] [Missing=*/101]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-] [Mean=8 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#377 sh215_6: line number

Information [Type= continuous] [Format=numeric] [Range= 7-18] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#378 sh215_7: line number

Information [Type= continuous] [Format=numeric] [Range= 9-11] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#379 sh215_8: line number

Information [Type= continuous] [Format=numeric] [Range= 12-12] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#380 sh215_9: line number

Information [Type= continuous] [Format=numeric] [Range= 13-13] [Missing=*/101]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
101	.Z		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#381 sh216_1: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 2620-99999] [Missing=*/100001]

Statistics [NW/ W] [Valid=114 /-] [Invalid=62 /-]

Frequency table not shown (97 Modalities)

File Households

#382 sh216_2: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 2110-99999] [Missing=*/100001]

Statistics [NW/ W] [Valid=40 /-] [Invalid=136 /-]

Frequency table not shown (41 Modalities)

#383 sh216_3: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 2750-99999] [Missing=*/100001]

Statistics [NW/ W] [Valid=10 /-] [Invalid=166 /-]

Value	Label	Cases	Percentage
3710		1	10.0%
4510		1	10.0%
4580		1	10.0%
4680		1	10.0%
4960		1	10.0%
5090		1	10.0%
5190		1	10.0%
5200		1	10.0%
5610		1	10.0%
99994	not present	0	0.0%
99995	refused	0	0.0%
99996	other	0	0.0%
99999		1	10.0%
100001	.Z	0	
Sysmiss		166	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#384 sh216_4: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 2990-99999] [Missing=*/100001]

Statistics [NW/ W] [Valid=2 /-] [Invalid=174 /-]

Value	Label	Cases	Percentage
4260		1	50.0%
4940		1	50.0%
99994	not present	0	0.0%
99995	refused	0	0.0%
99996	other	0	0.0%
100001	.Z	0	
Sysmiss		174	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#385 sh216_5: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 3890-99996] [Missing=*/100001]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
3990		1	100.0%
99994	not present	0	0.0%
99995	refused	0	0.0%

File Households

#385 sh216_5: weight in kilograms (2 decimals)

Value	Label	Cases	Percentage
99996	other	0	0.0%
100001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#386 sh216_6: weight in kilograms (2 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 3840-99996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
99994	not present	0	
99995	refused	0	
99996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#387 sh216_7: weight in kilograms (2 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 4400-99996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
99994	not present	0	
99995	refused	0	
99996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#388 sh216_8: weight in kilograms (2 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5780-99996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
99994	not present	0	
99995	refused	0	
99996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#389 sh216_9: weight in kilograms (2 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 5740-99996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
99994	not present	0	
99995	refused	0	
99996	other	0	

File Households

#389 sh216_9: weight in kilograms (2 decimals)

Value	Label	Cases	Percentage
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#390 sh217_1: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1045-9999] [Missing=*/10001]
Statistics [NW/ W]	[Valid=114 /-] [Invalid=62 /-]

Frequency table not shown (81 Modalities)

#391 sh217_2: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1055-9999] [Missing=*/10001]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=136 /-]

Frequency table not shown (37 Modalities)

#392 sh217_3: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1355-9999] [Missing=*/10001]
Statistics [NW/ W]	[Valid=10 /-] [Invalid=166 /-]

Value	Label	Cases	Percentage
1466		1	10.0%
1483		1	10.0%
1500		1	10.0%
1506		1	10.0%
1520		1	10.0%
1525		1	10.0%
1543		1	10.0%
1546		1	10.0%
1588		1	10.0%
9994	not present	0	0.0%
9995	refused	0	0.0%
9996	other	0	0.0%
9999		1	10.0%
10001	.Z	0	
Sysmiss		166	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#393 sh217_4: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1352-9999] [Missing=*/10001]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=174 /-]

Value	Label	Cases	Percentage
1461		1	50.0%
1488		1	50.0%
9994	not present	0	0.0%
9995	refused	0	0.0%
9996	other	0	0.0%

File Households

#393 sh217_4: height in centimeters (1 decimal)

Value	Label	Cases	Percentage
10001	.Z	0	
Sysmiss		174	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#394 sh217_5: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1366-9996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1496		1	100.0%
9994	not present	0	0.0%
9995	refused	0	0.0%
9996	other	0	0.0%
10001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#395 sh217_6: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1501-9996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#396 sh217_7: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1541-9996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#397 sh217_8: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1565-9996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	

File Households

#397 sh217_8: height in centimeters (1 decimal)

Value	Label	Cases	Percentage
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#398 sh217_9: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 1577-9996] [Missing=*/10001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
9994	not present	0	
9995	refused	0	
9996	other	0	
10001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#399 sh222_1: read consent statement to parent/caretaker (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=8 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
1	granted	8	100.0%
2	parent/other responsible adult refused	0	0.0%
11	.Z	0	
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#400 sh222_2: read consent statement to parent/caretaker (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=161 /-]

Value	Label	Cases	Percentage
1	granted	15	100.0%
2	parent/other responsible adult refused	0	0.0%
11	.Z	0	
Sysmiss		161	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#401 sh222_3: read consent statement to parent/caretaker (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=171 /-]

Value	Label	Cases	Percentage
1	granted	4	80.0%
2	parent/other responsible adult refused	0	0.0%
9		1	20.0%
11	.Z	0	
Sysmiss		171	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#402 sh222_4: read consent statement to parent/caretaker (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=2 /-] [Invalid=174 /-]

Value	Label	Cases	Percentage
1	granted	2	100.0%
2	parent/other responsible adult refused	0	0.0%
11	.Z	0	
Sysmiss		174	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#403 sh222_5: read consent statement to parent/caretaker (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible adult refused	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#404 sh222_6: read consent statement to parent/caretaker (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible adult refused	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#405 sh222_7: read consent statement to parent/caretaker (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible adult refused	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#406 sh222_8: read consent statement to parent/caretaker (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/1000000001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible adult refused	0	

File Households

#406 sh222_8: read consent statement to parent/caretaker (anemia)

Value	Label	Cases	Percentage
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#407 sh222_9: read consent statement to parent/caretaker (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/1000000001]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible adult refused	0	
1000000001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#408 sh224_1: read consent statement to respondent (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=114 /-] [Invalid=62 /-]

Value	Label	Cases	Percentage
1	granted	109	95.6%
2	respondent refused	4	3.5%
9		1	0.9%
11	.Z	0	
Sysmiss		62	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#409 sh224_2: read consent statement to respondent (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=136 /-]

Value	Label	Cases	Percentage
1	granted	36	90.0%
2	respondent refused	1	2.5%
9		3	7.5%
11	.Z	0	
Sysmiss		136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#410 sh224_3: read consent statement to respondent (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=167 /-]

Value	Label	Cases	Percentage
1	granted	9	100.0%
2	respondent refused	0	0.0%
11	.Z	0	
Sysmiss		167	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#411 sh224_4: read consent statement to respondent (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*/11]

Statistics [NW/ W] [Valid=2 /-] [Invalid=174 /-]

Value	Label	Cases	Percentage
1	granted	2	100.0%
2	respondent refused	0	0.0%
11	.Z	0	
Sysmiss		174	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#412 sh224_5: read consent statement to respondent (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
1	granted	1	100.0%
2	respondent refused	0	0.0%
11	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#413 sh224_6: read consent statement to respondent (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	respondent refused	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#414 sh224_7: read consent statement to respondent (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	respondent refused	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#415 sh224_8: read consent statement to respondent (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	respondent refused	0	

File Households

#415 sh224_8: read consent statement to respondent (anemia)

Value	Label	Cases	Percentage
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#416 sh224_9: read consent statement to respondent (anemia)

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*/11]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	respondent refused	0	
11	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#417 sh240_1: hemoglobin level (g/dl) (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 19-999] [Missing=*/1001]
Statistics [NW/ W]	[Valid=109 /-] [Invalid=67 /-]

Frequency table not shown (58 Modalities)

#418 sh240_2: hemoglobin level (g/dl) (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 2-999] [Missing=*/1001]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=140 /-]

Value	Label	Cases	Percentage
85		1	2.8%
101		1	2.8%
108		1	2.8%
109		1	2.8%
110		1	2.8%
116		1	2.8%
117		2	5.6%
119		1	2.8%
120		2	5.6%
121		2	5.6%
124		1	2.8%
125		1	2.8%
126		1	2.8%
127		2	5.6%
128		4	11.1%
129		2	5.6%
130		1	2.8%
131		1	2.8%
132		1	2.8%
133		1	2.8%
135		3	8.3%

File Households

#418 sh240_2: hemoglobin level (g/dl) (1 decimal)

Value	Label	Cases	Percentage
138		1	2.8%
140		1	2.8%
141		2	5.6%
144		1	2.8%
994	not present	0	0.0%
995	refused	0	0.0%
996	other	0	0.0%
1001	.Z	0	
Sysmiss		140	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#419 sh240_3: hemoglobin level (g/dl) (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 72-999] [Missing=*/1001]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=167 /-]

Value	Label	Cases	Percentage
99		1	11.1%
116		1	11.1%
118		1	11.1%
121		1	11.1%
125		1	11.1%
126		1	11.1%
127		1	11.1%
133		1	11.1%
143		1	11.1%
994	not present	0	0.0%
995	refused	0	0.0%
996	other	0	0.0%
1001	.Z	0	
Sysmiss		167	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#420 sh240_4: hemoglobin level (g/dl) (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 78-996] [Missing=*/1001]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=174 /-]

Value	Label	Cases	Percentage
113		1	50.0%
116		1	50.0%
994	not present	0	0.0%
995	refused	0	0.0%
996	other	0	0.0%
1001	.Z	0	
Sysmiss		174	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Households

#421 sh240_5: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 82-996] [Missing=*/1001]

Statistics [NW/ W] [Valid=1 /-] [Invalid=175 /-]

Value	Label	Cases	Percentage
101		1	100.0%
994	not present	0	0.0%
995	refused	0	0.0%
996	other	0	0.0%
1001	.Z	0	
Sysmiss		175	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#422 sh240_6: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 98-996] [Missing=*/1001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#423 sh240_7: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 110-996] [Missing=*/1001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#424 sh240_8: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 118-996] [Missing=*/1001]

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#425 sh240_9: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 147-996] [Missing=*/1001]

File Households

#425 sh240_9: hemoglobin level (g/dl) (1 decimal)

Statistics [NW/ W] [Valid=0 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
994	not present	0	
995	refused	0	
996	other	0	
1001	.Z	0	
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#1 v001: cluster number

Information [Type= discrete] [Format=numeric] [Range= 1-610] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-] [Mean=297.392 /-] [StdDev=182.337 /-]

Frequency table not shown (146 Modalities)

#2 v002: household number

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 v003: respondent's line number

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		14	6.6%
2		98	46.2%
3		45	21.2%
4		26	12.3%
5		13	6.1%
6		6	2.8%
7		4	1.9%
8		4	1.9%
9		1	0.5%
10		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 v004: ultimate area unit

Information [Type= continuous] [Format=numeric] [Range= 1-610] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-] [Mean=297.392 /-] [StdDev=182.337 /-]

#5 v005: sample weight

Information [Type= continuous] [Format=numeric] [Range= 89018-3567615] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-] [Mean=955609.401 /-] [StdDev=614960.406 /-]

File Women

#6 v009: respondent's month of birth

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		21	9.9%
2		20	9.4%
3		30	14.2%
4		22	10.4%
5		24	11.3%
6		16	7.5%
7		9	4.2%
8		18	8.5%
9		19	9.0%
10		12	5.7%
11		15	7.1%
12		6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 v010: respondent's year of birth

Information [Type= discrete] [Format=numeric] [Range= 1961-1995] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-] [Mean=1980.877 /-] [StdDev=10.326 /-]

Frequency table not shown (35 Modalities)

#8 v011: date of birth (cmc)

Information [Type= continuous] [Format=numeric] [Range= 736-1149] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-] [Mean=976.142 /-] [StdDev=124.048 /-]

Definition CMCs: century month codes. The CMC for any event is based on the date of the event (e.g., the respondent's birth) and is calculated by multiplying the year (minus 1900) in which the event occurred by 12 and adding the code for the month in which the event occurred.

#9 v012: current age - respondent

Information [Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-] [Mean=29.014 /-] [StdDev=10.358 /-]

#10 v013: age 5-year groups

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	15-19	54	25.5%
2	20-24	36	17.0%
3	25-29	31	14.6%
4	30-34	22	10.4%
5	35-39	23	10.8%
6	40-44	24	11.3%
7	45-49	22	10.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#11 v014: completeness of information

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	month and year	186	87.7%
2	month and age -y imp	0	0.0%
3	year and age - m imp	26	12.3%
4	y & age - y ignored	0	0.0%
5	year - a, m imp	0	0.0%
6	age - y, m imp	0	0.0%
7	month - a, y imp	0	0.0%
8	none - all imp	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 v017: cmc start of calendar

Information [Type= discrete] [Format=numeric] [Range= 1261-1261] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1261		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 v018: row of month of interview

Information [Type= discrete] [Format=numeric] [Range= 0-14] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no calendar	0	0.0%
8		8	3.8%
9		36	17.0%
10		39	18.4%
11		21	9.9%
12		57	26.9%
13		36	17.0%
14		15	7.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 v019: length of calendar

Information [Type= discrete] [Format=numeric] [Range= 0-73] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no calendar	0	0.0%
67		15	7.1%
68		36	17.0%
69		57	26.9%
70		21	9.9%
71		39	18.4%
72		36	17.0%

File Women

#14 v019: length of calendar

Value	Label	Cases	Percentage
73		8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 v019a: number of calendar columns

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 v020: ever-married sample

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	all woman sample	212	100.0%
1	ever married sample	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 v021: primary sampling unit

Information	[Type= discrete] [Format=numeric] [Range= 1-610] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-] [Mean=297.392 /-] [StdDev=182.337 /-]

Frequency table not shown (146 Modalities)

#18 v022: sample stratum number

Information	[Type= discrete] [Format=numeric] [Range= 1-38] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Frequency table not shown (38 Modalities)

#19 v023: sample domain

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	national	0	0.0%
1	banteay mean chey	16	7.5%
2	kampong cham	6	2.8%
3	kampong chhnang	16	7.5%
4	kampong speu	10	4.7%
5	kampong thom	5	2.4%
6	kandal	12	5.7%
7	kratie	10	4.7%
8	phnom penh	14	6.6%
9	prey veng	11	5.2%
10	pursat	12	5.7%
11	siem reap	11	5.2%
12	svay rieng	15	7.1%

File Women

#19 v023: sample domain

Value	Label	Cases	Percentage
13	takeo	12	5.7%
14	otdar mean chey	9	4.2%
15	battambang & pailin	17	8.0%
16	kampot & kep	11	5.2%
17	preah sihanouk & kaoh kong	7	3.3%
18	preah vihear & steung treng	8	3.8%
19	mondol kiri & rattanak kiri	10	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 v024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-19] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	banteay mean chey	16	7.5%
2	kampong cham	6	2.8%
3	kampong chhnang	16	7.5%
4	kampong speu	10	4.7%
5	kampong thom	5	2.4%
6	kandal	12	5.7%
7	kratie	10	4.7%
8	phnom penh	14	6.6%
9	prey veng	11	5.2%
10	pursat	12	5.7%
11	siem reap	11	5.2%
12	svay rieng	15	7.1%
13	takeo	12	5.7%
14	otdar mean chey	9	4.2%
15	battambang & pailin	17	8.0%
16	kampot & kep	11	5.2%
17	preah sihanouk & kaoh kong	7	3.3%
18	preah vihear & steung treng	8	3.8%
19	mondol kiri & rattanak kiri	10	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 v025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	59	27.8%
2	rural	153	72.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 v027: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#22 v027: number of visits

Value	Label	Cases	Percentage
1		205	96.7%
2		5	2.4%
3		2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 v034: line number of husband

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
0	husband not in hh	7	5.6%
1		86	68.3%
2		9	7.1%
3		5	4.0%
4		3	2.4%
5		5	4.0%
6		5	4.0%
7		6	4.8%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 v040: cluster altitude in meters

Information	[Type= continuous] [Format=numeric] [Range= 1-746] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-] [Mean=41.217 /-] [StdDev=86.498 /-]

#25 v042: household selection for hemoglobin

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not selected	59	27.8%
1	selected	153	72.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 v101: region

Information	[Type= discrete] [Format=numeric] [Range= 1-19] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	banteay mean chey	16	7.5%
2	kampong cham	6	2.8%
3	kampong chhnang	16	7.5%
4	kampong speu	10	4.7%
5	kampong thom	5	2.4%
6	kandal	12	5.7%
7	kratie	10	4.7%
8	phnom penh	14	6.6%

File Women

#26 v101: region

Value	Label	Cases	Percentage
9	prey veng	11	5.2%
10	pursat	12	5.7%
11	siem reap	11	5.2%
12	svay rieng	15	7.1%
13	takeo	12	5.7%
14	otdar mean chey	9	4.2%
15	battambang & pailin	17	8.0%
16	kampot & kep	11	5.2%
17	preah sihanouk & kaoh kong	7	3.3%
18	preah vihear & steung treng	8	3.8%
19	mondol kiri & rattanak kiri	10	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 v102: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	urban	59	27.8%
2	rural	153	72.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 v106: highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no education	25	11.8%
1	primary	90	42.5%
2	secondary	89	42.0%
3	higher	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 v107: highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]		
Statistics [NW/ W]	[Valid=187 /-] [Invalid=25 /-]		
Value	Label	Cases	Percentage
0		2	1.1%
1		25	13.4%
2		32	17.1%
3		36	19.3%
4		31	16.6%
5		27	14.4%
6		34	18.2%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#30 v116: type of toilet facility

Information [Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	flush toilet	0	0.0%
11	flush to piped sewer system	13	6.1%
12	flush to septic tank	77	36.3%
13	flush to pit latrine	7	3.3%
14	flush to somewhere else	0	0.0%
15	flush, don't know where	0	0.0%
20	pit toilet latrine	0	0.0%
21	ventilated improved pit latrine	0	0.0%
22	pit latrine with slab	0	0.0%
23	pit latrine without slab/open pit	3	1.4%
30	no facility	0	0.0%
31	no facility/bush/field	105	49.5%
41	composting toilet	0	0.0%
42	bucket toilet	0	0.0%
43	hanging toilet/latrine	2	0.9%
96	other	0	0.0%
97	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 v119: has electricity

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	122	57.5%
1	yes	85	40.1%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 v120: has radio

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	89	42.0%
1	yes	118	55.7%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 v121: has television

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	77	36.3%

File Women

#33 v121: has television

Value	Label	Cases	Percentage
1	yes	130	61.3%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 v122: has refrigerator

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	189	89.2%
1	yes	18	8.5%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 v123: has bicycle

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	60	28.3%
1	yes	147	69.3%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 v124: has motorcycle/scooter

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	84	39.6%
1	yes	123	58.0%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 v125: has car/truck

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	184	86.8%
1	yes	23	10.8%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 v127: main floor material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	natural	0	0.0%

File Women

#38 v127: main floor material

Value	Label	Cases	Percentage
11	earth/sand/clay	14	6.6%
12	dung	0	0.0%
20	rudimentary	0	0.0%
21	wood planks	105	49.5%
22	palm/bamboo	31	14.6%
30	finished	0	0.0%
31	parquet or polished wood	0	0.0%
32	vynil or asphalt strips	0	0.0%
33	ceramic tiles	22	10.4%
34	cement tiles	8	3.8%
35	cement	23	10.8%
41	floating house	2	0.9%
96	other	2	0.9%
97	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 v128: main wall material

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	natural	0	0.0%
11	no walls	0	0.0%
12	palm/bamboo/thatch	40	18.9%
13	dirt	0	0.0%
20	rudimentary	0	0.0%
21	bamboo with mud	0	0.0%
22	straw with mud	0	0.0%
23	stone with mud	0	0.0%
24	uncovered adobe	3	1.4%
25	plywood	0	0.0%
26	cardboard	0	0.0%
27	reused wood	13	6.1%
28	metal	9	4.2%
30	finished	0	0.0%
31	cement	8	3.8%
32	stone with lime/cement	0	0.0%
33	bricks	2	0.9%
34	cement blocks	36	17.0%
35	covered adobe	0	0.0%
36	wood planks/shingles	89	42.0%
96	other	7	3.3%
97	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#40 v129: main roof material

Information [Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	natural	0	0.0%
11	no roof	0	0.0%
12	bamboo/thatch/palm leaf	24	11.3%
20	rudimentary	0	0.0%
21	rustic mat	0	0.0%
22	wood planks	2	0.9%
23	cardboard	0	0.0%
24	plastic sheet	0	0.0%
30	finished	0	0.0%
31	metal	107	50.5%
32	wood	0	0.0%
33	calamine/cement fiber	20	9.4%
34	ceramic tiles	15	7.1%
35	clay tiles	29	13.7%
36	cement	8	3.8%
96	other	2	0.9%
97	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 v130: religion

Information [Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	buddhist	203	95.8%
2	moslem	4	1.9%
3	christian	0	0.0%
96	other	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 v133: education in single years

Information [Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		25	11.8%
1		7	3.3%
2		13	6.1%
3		18	8.5%
4		20	9.4%
5		17	8.0%
6		16	7.5%
7		17	8.0%

File Women

#42 v133: education in single years

Value	Label	Cases	Percentage
8		17	8.0%
9		16	7.5%
10		9	4.2%
11		10	4.7%
12		20	9.4%
13		1	0.5%
14		2	0.9%
15		2	0.9%
16		2	0.9%
97	inconsistent	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 v135: usual resident or visitor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	usual resident	207	97.6%
2	visitor	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 v136: number of household members

Information	[Type= discrete] [Format=numeric] [Range= 3-12] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
3		18	8.5%
4		38	17.9%
5		51	24.1%
6		25	11.8%
7		30	14.2%
8		30	14.2%
9		8	3.8%
10		5	2.4%
11		1	0.5%
12		6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 v137: number of children 5 and under

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		105	49.5%
1		80	37.7%
2		26	12.3%
3		1	0.5%

File Women

#45 v137: number of children 5 and under

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 v138: number of eligible women in hh

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		95	44.8%
2		72	34.0%
3		33	15.6%
4		12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 v139: de jure region of residence

Information [Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	abroad	0	0.0%
1	banteay mean chey	14	6.6%
2	kampong cham	6	2.8%
3	kampong chhnang	16	7.5%
4	kampong speu	10	4.7%
5	kampong thom	5	2.4%
6	kandal	12	5.7%
7	kratie	10	4.7%
8	phnom penh	13	6.1%
9	prey veng	10	4.7%
10	pursat	12	5.7%
11	siem reap	11	5.2%
12	svay rieng	15	7.1%
13	takeo	12	5.7%
14	otdar mean chey	9	4.2%
15	battambang & pailin	16	7.5%
16	kampot & kep	11	5.2%
17	preah sihanouk & kaoh kong	7	3.3%
18	preah vihear & steung treng	8	3.8%
19	mondol kiri & rattanak kiri	10	4.7%
97	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 v140: de jure type of place of res.

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	abroad	0	0.0%
1	urban	57	26.9%

File Women

#48 v140: de jure type of place of res.

Value	Label	Cases	Percentage
2	rural	150	70.8%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 v149: educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	25	11.8%
1	incomplete primary	75	35.4%
2	complete primary	15	7.1%
3	incomplete secondary	70	33.0%
4	complete secondary	19	9.0%
5	higher	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 v150: relationship to household head

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	head	14	6.6%
2	wife	86	40.6%
3	daughter	89	42.0%
4	daughter-in-law	4	1.9%
5	grand-daughter	6	2.8%
6	mother	0	0.0%
7	mother-in-law	0	0.0%
8	sister	2	0.9%
9	co-spouse	0	0.0%
10	other relative	9	4.2%
11	adopted/foster child	1	0.5%
12	not related	1	0.5%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 v151: sex of household head

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	171	80.7%
2	female	41	19.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 v152: age of household head

Information	[Type= discrete] [Format=numeric] [Range= 24-98] [Missing=*]
-------------	--

File Women

#52 v152: age of household head

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Frequency table not shown (50 Modalities)

#53 v153: has a landline telephone

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	184	86.8%
1	yes	23	10.8%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 awfactt: all woman factor - total

Information [Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 awfactu: all woman factor - urban/rural

Information [Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 awfactr: all woman factor - regional

Information [Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 awfacte: all woman factor - educational

Information [Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 awfactw: all woman factor - wealth index

Information [Type= discrete] [Format=numeric] [Range= 100-100] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
100		212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#59 v155: literacy

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	cannot read at all	47	22.2%
1	able to read only parts of sentence	29	13.7%
2	able to read whole sentence	136	64.2%
3	no card with required language	0	0.0%
4	blind/visually impaired	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 v157: frequency of reading newspaper or magazine

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	115	54.2%
1	less than once a week	63	29.7%
2	at least once a week	34	16.0%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 v158: frequency of listening to radio

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	59	27.8%
1	less than once a week	69	32.5%
2	at least once a week	84	39.6%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 v159: frequency of watching television

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	51	24.1%
1	less than once a week	37	17.5%
2	at least once a week	124	58.5%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 v160: toilet facilities shared

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=107 /-] [Invalid=105 /-]

Value	Label	Cases	Percentage
0	no	83	77.6%

File Women

#63 v160: toilet facilities shared

Value	Label	Cases	Percentage
1	yes	19	17.8%
7	not dejure resident	5	4.7%
Sysmiss		105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 v161: type of cooking fuel

Information	[Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	electricity	2	0.9%
2	lpg	22	10.4%
3	natural gas	0	0.0%
4	biogas	1	0.5%
5	kerosene	0	0.0%
6	coal, lignite	0	0.0%
7	charcoal	26	12.3%
8	wood	156	73.6%
9	straw / shrubs / grass	0	0.0%
10	agricultural crop	0	0.0%
11	animal dung	0	0.0%
95	no food cooked in hh	0	0.0%
96	other	0	0.0%
97	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 v167: number of trips in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-15] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	136	64.2%
1		34	16.0%
2		20	9.4%
3		12	5.7%
4		2	0.9%
5		5	2.4%
6		1	0.5%
10		1	0.5%
15		1	0.5%


Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 v168: away for more than one month in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=136 /-]

File Women






#66 v168: away for more than one month in last 12 months

Value	Label	Cases	Percentage
0	no	58	 76.3%
1	yes	18	 23.7%
Sysmiss		136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 v190: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	poorest	37	 17.5%
2	poorer	39	 18.4%
3	middle	27	 12.7%
4	richer	52	 24.5%
5	richest	57	 26.9%










Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 v191: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -125479-299406] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-] [Mean=13651.165 /-] [StdDev=109063.737 /-]

#69 v201: total children ever born





Information	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		85	 40.1%
1		25	 11.8%
2		33	 15.6%
3		22	 10.4%
4		15	 7.1%
5		17	 8.0%
6		7	 3.3%
7		6	 2.8%
8		1	 0.5%
10		1	 0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 v202: sons at home

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		111	 52.4%
1		57	 26.9%
2		35	 16.5%
3		8	 3.8%

File Women

#70 v202: sons at home

Value	Label	Cases	Percentage
4		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 v203: daughters at home

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		112	52.8%
1		54	25.5%
2		29	13.7%
3		13	6.1%
4		3	1.4%
5		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 v204: sons elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		196	92.5%
1		14	6.6%
2		2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 v205: daughters elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		188	88.7%
1		17	8.0%
2		6	2.8%
3		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 v206: sons who have died

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		200	94.3%
1		9	4.2%
3		1	0.5%
4		1	0.5%
5		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#75 v207: daughters who have died

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		202	95.3%
1		10	4.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 v208: births in last five years

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		140	66.0%
1		60	28.3%
2		12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 v209: births in past year

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		197	92.9%
1		15	7.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 v210: births in month of interview

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		211	99.5%
1		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 v211: date of first birth (cmc)

Information [Type= continuous] [Format=numeric] [Range= 949-1330] [Missing=*]

Statistics [NW/ W] [Valid=127 /-] [Invalid=85 /-] [Mean=1168.89 /-] [StdDev=99.646 /-]

#80 v212: age of respondent at 1st birth

Information [Type= continuous] [Format=numeric] [Range= 12-44] [Missing=*]

Statistics [NW/ W] [Valid=127 /-] [Invalid=85 /-] [Mean=21.677 /-] [StdDev=4.031 /-]

#81 v213: currently pregnant

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no or unsure	201	94.8%
1	yes	11	5.2%

File Women

#81 v213: currently pregnant

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 v214: duration of current pregnancy

Information [Type= discrete] [Format=numeric] [Range= 3-9] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=201 /-]

Value	Label	Cases	Percentage
3		4	36.4%
7		1	9.1%
8		4	36.4%
9		2	18.2%
Sysmiss		201	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 v215: time since last menstrual perd

Information [Type= discrete] [Format=numeric] [Range= 100-999] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Frequency table not shown (52 Modalities)

#84 v216: menstruated in last six weeks

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	40	18.9%
1	yes	172	81.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 v217: knowledge of ovulatory cycle

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	during her period	1	0.5%
2	after period ended	30	14.2%
3	middle of the cycle	45	21.2%
4	before period begins	0	0.0%
5	at any time	17	8.0%
6	other	0	0.0%
8	don't know	119	56.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 v218: number of living children

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		85	40.1%
1		27	12.7%
2		33	15.6%

File Women

#86 v218: number of living children

Value	Label	Cases	Percentage
3		26	12.3%
4		17	8.0%
5		14	6.6%
6		7	3.3%
7		2	0.9%
8		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 v219: living children + current preg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		83	39.2%
1		27	12.7%
2		31	14.6%
3		29	13.7%
4		18	8.5%
5		12	5.7%
6		9	4.2%
7		2	0.9%
8		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 v220: living children + curr preg 6+

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		83	39.2%
1		27	12.7%
2		31	14.6%
3		29	13.7%
4		18	8.5%
5		12	5.7%
6	6+	12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 v221: marriage to first birth int.

Information	[Type= discrete] [Format=numeric] [Range= 2-996] [Missing=*]
Statistics [NW/ W]	[Valid=127 /-] [Invalid=85 /-]

Frequency table not shown (43 Modalities)

#90 v222: last birth to interview

Information	[Type= continuous] [Format=numeric] [Range= 0-247] [Missing=*]
Statistics [NW/ W]	[Valid=127 /-] [Invalid=85 /-] [Mean=70.866 /-] [StdDev=61.492 /-]

File Women

#91 v223: completeness of curr preg. inf

Information [Type= discrete] [Format=numeric] [Range= 7-8] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=201 /-]

Value	Label	Cases	Percentage
7	month - exact date	11	100.0%
8	none - date placed	0	0.0%
Sysmiss		201	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 v224: entries in birth history

Information [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		85	40.1%
1		25	11.8%
2		33	15.6%
3		22	10.4%
4		15	7.1%
5		17	8.0%
6		7	3.3%
7		6	2.8%
8		1	0.5%
10		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 v225: current pregnancy wanted

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=201 /-]

Value	Label	Cases	Percentage
1	then	9	81.8%
2	later	0	0.0%
3	not at all	2	18.2%
Sysmiss		201	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 v226: time since last period in months (comp)

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		158	74.5%
1		14	6.6%
2		2	0.9%
3		7	3.3%
4		4	1.9%
6		1	0.5%
7		1	0.5%

File Women

#94 v226: time since last period in months (comp)

Value	Label	Cases	Percentage
8		3	1.4%
9		1	0.5%
10		2	0.9%
12		3	1.4%
24		1	0.5%
994	in menopause/has had hysterectomy	1	0.5%
995	before last birth	9	4.2%
996	never menstruated	2	0.9%
997	inconsistent	2	0.9%
998	don't know	0	0.0%
999		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 v227: flag for last period

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no flag	208	98.1%
1	n > int. since birth	0	0.0%
2	n + amen. > interval	1	0.5%
3	n, but per. not ret.	0	0.0%
4	95, but no birth	0	0.0%
5	95, but per.returned	1	0.5%
6	96, but per.returned	0	0.0%
7	n, last per. in preg	0	0.0%
8	96, had children	0	0.0%
9	n, per.bef.last birth	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 v228: ever had a terminated preg.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	181	85.4%
1	yes	31	14.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 v229: month pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=31 /-] [Invalid=181 /-]		
Value	Label	Cases	Percentage
1		3	9.7%
2		3	9.7%
3		4	12.9%

File Women

#97 v229: month pregnancy ended

Value	Label	Cases	Percentage
4		3	9.7%
5		3	9.7%
6		2	6.5%
7		3	9.7%
8		2	6.5%
9		4	12.9%
10		1	3.2%
11		1	3.2%
12		1	3.2%
97	inconsistent	0	0.0%
98	dk	1	3.2%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 v230: year pregnancy ended

Information		[Type= discrete] [Format=numeric] [Range= 1995-9998] [Missing=*]	
Statistics [NW/ W]		[Valid=31 /-] [Invalid=181 /-]	
Value	Label	Cases	Percentage
1995		1	3.2%
1998		1	3.2%
1999		1	3.2%
2000		3	9.7%
2002		2	6.5%
2003		2	6.5%
2004		2	6.5%
2006		3	9.7%
2007		3	9.7%
2008		3	9.7%
2009		4	12.9%
2010		6	19.4%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 v231: cmc pregnancy ended

Information		[Type= discrete] [Format=numeric] [Range= 1144-9998] [Missing=*]	
Statistics [NW/ W]		[Valid=31 /-] [Invalid=181 /-]	
Value	Label	Cases	Percentage
1144		1	3.2%
1186		1	3.2%
1191		1	3.2%
1202		1	3.2%
1205		1	3.2%

File Women

#99 v231: cmc pregnancy ended

Value	Label	Cases	Percentage
1231		1	3.2%
1233		1	3.2%
1239		1	3.2%
1247		1	3.2%
1251		1	3.2%
1252		1	3.2%
1273		1	3.2%
1275		1	3.2%
1279		1	3.2%
1293		2	6.5%
1296		1	3.2%
1301		2	6.5%
1305		1	3.2%
1310		1	3.2%
1312		1	3.2%
1314		1	3.2%
1316		1	3.2%
1321		2	6.5%
1322		1	3.2%
1326		1	3.2%
1327		1	3.2%
1328		1	3.2%
9997	inconsistent	0	0.0%
9998	dk	1	3.2%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 v232: completeness of last term. inf

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=181 /-]

Value	Label	Cases	Percentage
1	month and year	30	96.8%
2	from calendar	0	0.0%
5	year	1	3.2%
7	month	0	0.0%
8	none	0	0.0%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 v233: months when pregnancy ended

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=193 /-]

Value	Label	Cases	Percentage
1		7	36.8%

File Women

#101 v233: months when pregnancy ended

Value	Label	Cases	Percentage
2		6	31.6%
3		4	21.1%
4		1	5.3%
9		1	5.3%
97	inconsistent	0	0.0%
98	don't know	0	0.0%
Sysmiss		193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 v234: other such pregnancies

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=19 /-] [Invalid=193 /-]		
Value	Label	Cases	Percentage
0	no	19	100.0%
1	yes	0	0.0%
Sysmiss		193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 v235: index last child prior to cal.

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no prior child	113	53.3%
1		49	23.1%
2		41	19.3%
3		9	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 v237: birth between last & interview

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=127 /-] [Invalid=85 /-]		
Value	Label	Cases	Percentage
0	no	125	98.4%
1	yes	2	1.6%
Sysmiss		85	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 v238: births in last three years

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		163	76.9%
1		48	22.6%
2		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#106 v239: pregnancies terminated before calendar beginning

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=31 /-] [Invalid=181 /-]

Value	Label	Cases	Percentage
0	no	16	51.6%
1	yes	15	48.4%
8	don't know year	0	0.0%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 v240: month of last termination prior to calendar

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=15 /-] [Invalid=197 /-]

Value	Label	Cases	Percentage
1		1	6.7%
2		1	6.7%
3		4	26.7%
4		2	13.3%
5		1	6.7%
7		1	6.7%
9		1	6.7%
10		2	13.3%
11		1	6.7%
97	inconsistent	0	0.0%
98	don't know	1	6.7%
Sysmiss		197	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 v241: year of last termination prior to calendar

Information [Type= discrete] [Format=numeric] [Range= 1995-9998] [Missing=*]

Statistics [NW/ W] [Valid=15 /-] [Invalid=197 /-]

Value	Label	Cases	Percentage
1995		1	6.7%
1998		2	13.3%
1999		2	13.3%
2000		3	20.0%
2002		2	13.3%
2003		3	20.0%
2004		2	13.3%
9997	inconsistent	0	0.0%
9998	don't know	0	0.0%
Sysmiss		197	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 v242: cmc termination ended prior to calendar

Information [Type= discrete] [Format=numeric] [Range= 1144-9998] [Missing=*]

File Women

#109 v242: cmc termination ended prior to calendar

Statistics [NW/ W] [Valid=15 /-] [Invalid=197 /-]

Value	Label	Cases	Percentage
1144		1	6.7%
1177		1	6.7%
1186		1	6.7%
1191		1	6.7%
1198		1	6.7%
1202		1	6.7%
1205		1	6.7%
1231		1	6.7%
1233		1	6.7%
1239		2	13.3%
1247		1	6.7%
1251		1	6.7%
1252		1	6.7%
9997	inconsistent	0	0.0%
9998	don't know	1	6.7%
Sysmiss		197	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 v243: completeness of last termination date prior to calendar

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=15 /-] [Invalid=197 /-]

Value	Label	Cases	Percentage
1	month and year	14	93.3%
2	from calendar	0	0.0%
5	year	1	6.7%
7	month	0	0.0%
8	none	0	0.0%
Sysmiss		197	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 v301: knowledge of any method

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	knows no method	2	0.9%
1	knows only folkloric	0	0.0%
2	knows only trad. mth	0	0.0%
3	knows modern method	210	99.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 v304a_01: type of method

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

File Women

#112 v304a_01: type of method

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 v304a_02: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 v304a_03: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 v304a_04: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 v304a_05: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%


Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 v304a_06: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women


#117 v304a_06: type of method

Value	Label	Cases	Percentage
1	modern method	212	 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 v304a_07: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 v304a_08: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	0	0.0%
2	traditional method	212	 100.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 v304a_09: type of method


Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	0	0.0%
2	traditional method	212	 100.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 v304a_10: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	0	0.0%
2	traditional method	0	0.0%
3	folkloric method	212	 100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 v304a_11: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#122 v304a_11: type of method

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 v304a_12: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	0	0.0%
2	traditional method	212	<div><div></div></div> 100.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 v304a_13: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 v304a_14: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 v304a_15: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 v304a_16: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#127 v304a_16: type of method

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 v304a_17: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 v304a_18: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	212	<div><div></div></div> 100.0%
2	traditional method	0	0.0%
3	folkloric method	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 v304a_19: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	0	0.0%
2	traditional method	0	0.0%
3	folkloric method	212	<div><div></div></div> 100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 v304a_20: type of method

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	modern method	0	0.0%
2	traditional method	0	0.0%
3	folkloric method	212	<div><div></div></div> 100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 v304_01: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#132 v304_01: knows method

Value	Label	Cases	Percentage
0	no	2	0.9%
1	yes	210	99.1%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 v304_02: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	10	4.7%
1	yes	202	95.3%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 v304_03: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	4	1.9%
1	yes	208	98.1%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 v304_04: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	0	0.0%
7	not in contraception table, but as a current method	212	100.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 v304_05: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	8	3.8%
1	yes	204	96.2%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#137 v304_06: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]



Value	Label	Cases	Percentage
0	no	25	 11.8%
1	yes	187	 88.2%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 v304_07: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]



Value	Label	Cases	Percentage
0	no	72	 34.0%
1	yes	140	 66.0%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 v304_08: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]



Value	Label	Cases	Percentage
0	no	104	 49.1%
1	yes	108	 50.9%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 v304_09: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	100	 47.2%
1	yes	112	 52.8%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 v304_10: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	 100.0%
1	yes	0	0.0%

File Women

#141 v304_10: knows method

Value	Label	Cases	Percentage
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 v304_11: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	29	13.7%
1	yes	183	86.3%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 v304_12: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	0	0.0%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 v304_13: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	151	71.2%
1	yes	61	28.8%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 v304_14: knows method

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	158	74.5%
1	yes	54	25.5%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#146 v304_15: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	0	0.0%
7	not in contraception table, but as a current method	212	100.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 v304_16: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	191	90.1%
1	yes	21	9.9%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 v304_17: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	80	37.7%
1	yes	132	62.3%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 v304_18: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	0	0.0%
7	not in contraception table, but as a current method	212	100.0%
8	not asked	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 v304_19: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	0	0.0%

File Women

#150 v304_19: knows method

Value	Label	Cases	Percentage
7	not in contraception table, but as a current method	0	0.0%
8	not asked	212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 v304_20: knows method

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	0	0.0%
7	not in contraception table, but as a current method	0	0.0%
8	not asked	212	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 v307_01: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=210 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	184	87.6%
1	yes	26	12.4%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 v307_02: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=202 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	no	201	99.5%
1	yes	1	0.5%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 v307_03: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=208 /-] [Invalid=4 /-]

Value	Label	Cases	Percentage
0	no	196	94.2%
1	yes	12	5.8%
Sysmiss		4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 v307_04: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

File Women

#155 v307_04: method currently used

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 v307_05: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=204 /-] [Invalid=8 /-]

Value	Label	Cases	Percentage
0	no	202	99.0%
1	yes	2	1.0%
Sysmiss		8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 v307_06: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=187 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	no	181	96.8%
1	yes	6	3.2%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 v307_07: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=140 /-] [Invalid=72 /-]

Value	Label	Cases	Percentage
0	no	140	100.0%
1	yes	0	0.0%
Sysmiss		72	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 v307_08: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=108 /-] [Invalid=104 /-]

Value	Label	Cases	Percentage
0	no	101	93.5%
1	yes	7	6.5%
Sysmiss		104	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 v307_09: method currently used


Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=112 /-] [Invalid=100 /-]

Value	Label	Cases	Percentage
0	no	100	89.3%

File Women

#160 v307_09: method currently used

Value	Label	Cases	Percentage
1	yes	12	 10.7%
Sysmiss		100	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 v307_10: method currently used


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 v307_11: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=183 /-] [Invalid=29 /-]

Value	Label	Cases	Percentage
0	no	183	 100.0%
1	yes	0	0.0%
Sysmiss		29	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 v307_12: method currently used


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 v307_13: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=61 /-] [Invalid=151 /-]

Value	Label	Cases	Percentage
0	no	61	 100.0%
1	yes	0	0.0%
Sysmiss		151	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 v307_14: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=158 /-]

Value	Label	Cases	Percentage
0	no	54	 100.0%

File Women

#165 v307_14: method currently used

Value	Label	Cases	Percentage
1	yes	0	0.0%
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 v307_15: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 v307_16: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 v307_17: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=132 /-] [Invalid=80 /-]		
Value	Label	Cases	Percentage
0	no	132	100.0%
1	yes	0	0.0%
Sysmiss		80	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 v307_18: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 v307_19: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

File Women

#170 v307_19: method currently used

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 v307_20: method currently used

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 v312: current contraceptive method

Information [Type= discrete] [Format=numeric] [Range= 0-20] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not using	146	68.9%
1	pill	26	12.3%
2	iud	1	0.5%
3	injections	12	5.7%
4	diaphragm	0	0.0%
5	condom	2	0.9%
6	female sterilization	6	2.8%
7	male sterilization	0	0.0%
8	periodic abstinence	7	3.3%
9	withdrawal	12	5.7%
10	other traditional method	0	0.0%
11	norplant	0	0.0%
12	abstinence	0	0.0%
13	lactational amenorrhea	0	0.0%
14	female condom	0	0.0%
15	foam or jelly	0	0.0%
16		0	0.0%
17	monthly pill	0	0.0%
18	other modern method	0	0.0%
19	specific method 3	0	0.0%
20	specific method 4	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 v313: current use by method type

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no method	146	68.9%
1	folkloric method	0	0.0%
2	traditional method	19	9.0%

File Women

#173 v313: current use by method type

Value	Label	Cases	Percentage
3	modern method	47	22.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 v315: month of start of use of method

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=146 /-]

Value	Label	Cases	Percentage
1		9	13.6%
3		6	9.1%
4		6	9.1%
5		9	13.6%
6		6	9.1%
7		6	9.1%
8		4	6.1%
9		7	10.6%
10		4	6.1%
11		5	7.6%
12		4	6.1%
Sysmiss		146	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 v316: year of start of use of method

Information	[Type= discrete] [Format=numeric] [Range= 1997-2010] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=146 /-]

Value	Label	Cases	Percentage
1997		1	1.5%
1999		1	1.5%
2001		2	3.0%
2002		3	4.5%
2003		1	1.5%
2004		1	1.5%
2005		5	7.6%
2006		7	10.6%
2007		4	6.1%
2008		6	9.1%
2009		17	25.8%
2010		18	27.3%
Sysmiss		146	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 v317: date of start of use of method (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1171-1329] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=146 /-] [Mean=1294.788 /-] [StdDev=35.997 /-]

File Women

#177 v318: completeness of information

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=146 /-]

Value	Label	Cases	Percentage
1	month and year	65	98.5%
5	year - m imp, a calc	1	1.5%
7	month - date placed	0	0.0%
8	none - date placed	0	0.0%
9	from calendar	0	0.0%
Sysmiss		146	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 v319: years since sterilization

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
1	<2	2	33.3%
2	2-3	0	0.0%
3	4-5	1	16.7%
4	6-7	1	16.7%
5	8-9	1	16.7%
6	10+	1	16.7%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 v320: age at sterilization

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
1	<25	0	0.0%
2	25-29	3	50.0%
3	30-34	1	16.7%
4	35-39	0	0.0%
5	40-44	2	33.3%
6	45-49	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 v321: marital duration at sterilization

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	single, before marriage	0	0.0%
1	0-4	0	0.0%
2	5-9	2	33.3%
3	10-14	2	33.3%

File Women

#180 v321: marital duration at sterilization

Value	Label	Cases	Percentage
4	15-19	1	16.7%
5	20-24	1	16.7%
6	25+	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 v322: parity at sterilization

Information	[Type= discrete] [Format=numeric] [Range= 3-5] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
3		2	33.3%
4		1	16.7%
5	5+	3	50.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 v323: brand of pill used

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=26 /-] [Invalid=186 /-]

Value	Label	Cases	Percentage
1	srey pich	10	38.5%
2	ok	16	61.5%
3	chinese pill	0	0.0%
4	coc	0	0.0%
5	jazmin	0	0.0%
6	diana	0	0.0%
7	diny 35	0	0.0%
96	other	0	0.0%
98	don't know	0	0.0%
Sysmiss		186	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 v323a: brand of condom used

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=210 /-]

Value	Label	Cases	Percentage
1	number one	1	50.0%
2	ok	1	50.0%
3	okamoto	0	0.0%
96	other	0	0.0%
98	don't know	0	0.0%
Sysmiss		210	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#184 v326: last source for current users

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=47 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
10	public	0	0.0%
11	national hospital (pp)	1	2.1%
12	provincial hospital (rh)	2	4.3%
13	district hospital (rh)	0	0.0%
14	health center	18	38.3%
15	health post	0	0.0%
16	military hospital	0	0.0%
17	other public sector	0	0.0%
20	private medical	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	2.1%
23	pharmacy	5	10.6%
24	other private medical sector	5	10.6%
30	other private	0	0.0%
31	shop	4	8.5%
32	community distributor	8	17.0%
33	friend/relative	0	0.0%
96	other	2	4.3%
98	dk	0	0.0%
99		1	2.1%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 v327: last source for users by type

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=47 /-] [Invalid=165 /-]

Value	Label	Cases	Percentage
1	govt hospital/clinic	21	44.7%
2	govt home/comm deliv	0	0.0%
3	ngo	0	0.0%
4	private clin/deliv	6	12.8%
5	private pharmacy	5	10.6%
6	shop, comm distributor, friend	12	25.5%
7	other	2	4.3%
8	don't know	0	0.0%
9		1	2.1%
Sysmiss		165	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 v337: months of use of current method

Information [Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=146 /-]

File Women

#186 v337: months of use of current method

Frequency table not shown (42 Modalities)

#187 v359: last method disc. last 5 years

Information [Type= discrete] [Format=numeric] [Range= 1-20] [Missing=*]

Statistics [NW/ W] [Valid=36 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	pill	14	38.9%
2	iud	0	0.0%
3	injections	9	25.0%
4	diaphragm	0	0.0%
5	condom	2	5.6%
6	female sterilization	0	0.0%
7	male sterilization	0	0.0%
8	periodic abstinence	1	2.8%
9	withdrawal	10	27.8%
10	other traditional method	0	0.0%
11	norplant	0	0.0%
12	abstinence	0	0.0%
13	lactational amenorrhea	0	0.0%
14	female condom	0	0.0%
15	foam or jelly	0	0.0%
16		0	0.0%
17	specific method 1	0	0.0%
18	other modern method	0	0.0%
19	specific method 3	0	0.0%
20	specific method 4	0	0.0%
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 v360: reason of last discontinuation

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=36 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	became pregnant	5	13.9%
2	wanted to become prg	17	47.2%
3	husband disapproved	1	2.8%
4	side effects, health concerns	5	13.9%
5		0	0.0%
6	access, availability	0	0.0%
7	wanted more eff. meth	0	0.0%
8	inconvenient to use	3	8.3%
9	infreq. sex, husband away	3	8.3%
10	cost	0	0.0%
11	fatalistic	0	0.0%
12	diff. preg., menopause	0	0.0%

File Women

#188 v360: reason of last discontinuation

Value	Label	Cases	Percentage
13	marital dissolution	0	0.0%
14	other	1	2.8%
98	don't know	0	0.0%
99		1	2.8%
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 v361: pattern of use

Information	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	currently using	66	31.1%
2	used since last birth	13	6.1%
3	used before last birth	19	9.0%
4	never used	114	53.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 v362: intention to use

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
1	in next 12 months	0	0.0%
2	use later	87	59.6%
3	unsure about timing	0	0.0%
4	unsure about use	18	12.3%
5	does not intend	41	28.1%
6	never had sex	0	0.0%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 v364: contraceptive use & intention

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	using modern method	47	22.2%
2	using traditional method	19	9.0%
3	non-user intend to	87	41.0%
4	does not intend to	59	27.8%
5	never had sex	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#192 v367: wanted last child

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=140 /-]

File Women

#192 v367: wanted last child

Value	Label	Cases	Percentage
1	wanted then	59	81.9%
2	wanted later	4	5.6%
3	wanted no more	9	12.5%
Sysmiss		140	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 v384a: heard fp on radio last months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	103	48.6%
1	yes	109	51.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 v384b: seen fp on tv last months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	71	33.5%
1	yes	141	66.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 v384c: read fp in newspaper/magazine last few months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	163	76.9%
1	yes	49	23.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 v393: visited by fp worker last 12m

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	163	76.9%
1	yes	49	23.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#197 v394: visited health facil. last 12m

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	141	66.5%
1	yes	71	33.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#198 v395: at health facility, told of fp

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=141 /-]

Value	Label	Cases	Percentage
0	no	41	57.7%
1	yes	30	42.3%
Sysmiss		141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 v3a00a: source of fp for non-users: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	139	95.2%
1	yes	6	4.1%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 v3a00b: source of fp for non-users: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	134	91.8%
1	yes	11	7.5%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 v3a00c: source of fp for non-users: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	131	89.7%
1	yes	14	9.6%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 v3a00d: source of fp for non-users: health center

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	47	32.2%
1	yes	98	67.1%
9		1	0.7%

File Women

#202 v3a00d: source of fp for non-users: health center

Value	Label	Cases	Percentage
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 v3a00e: source of fp for non-users: health post

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	144	98.6%
1	yes	1	0.7%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 v3a00f: source of fp for non-users: military hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	145	99.3%
1	yes	0	0.0%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 v3a00i: source of fp for non-users: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	144	98.6%
1	yes	1	0.7%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 v3a00j: source of fp for non-users: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	138	94.5%
1	yes	7	4.8%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 v3a00k: source of fp for non-users: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

File Women

#207 v3a00k: source of fp for non-users: private pharmacy

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	129	88.4%
1	yes	16	11.0%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 v3a00o: source of fp for non-users: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	140	95.9%
1	yes	5	3.4%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#209 v3a00r: source of fp for non-users: other private med sect

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	141	96.6%
1	yes	4	2.7%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#210 v3a00s: source of fp for non-users: shop

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	134	91.8%
1	yes	11	7.5%
9		1	0.7%
Sysmiss		66	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 v3a00t: source of fp for non-users: community distributor

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=146 /-] [Invalid=66 /-]

Value	Label	Cases	Percentage
0	no	138	94.5%
1	yes	7	4.8%
9		1	0.7%

File Women

#211 v3a00t: source of fp for non-users: community distributor

Value	Label	Cases	Percentage
Sysmiss		66	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#212 v3a00u: source of fp for non-users: friend, relative

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	no	145	99.3%
1	yes	0	0.0%
9		1	0.7%
Sysmiss		66	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#213 v3a00x: source of fp for non-users: other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	no	144	98.6%
1	yes	1	0.7%
9		1	0.7%
Sysmiss		66	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#214 v3a00y: source of fp for non-users: no source

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	no: knows a source	119	81.5%
1	yes: knows no source	26	17.8%
9		1	0.7%
Sysmiss		66	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#215 v3a00z: source of fp for non-users: any source

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=146 /-] [Invalid=66 /-]		
Value	Label	Cases	Percentage
0	no	26	17.8%
1	yes	119	81.5%
9		1	0.7%
Sysmiss		66	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			



#216 v3a02: told about side effects

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
--------------------	--	--	--

File Women

#216 v3a02: told about side effects

Statistics [NW/ W] [Valid=40 /-] [Invalid=172 /-]



Value	Label	Cases	Percentage
0	no	8	 20.0%
1	yes	32	 80.0%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 v3a03: told about side effects by health or fp worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=8 /-] [Invalid=204 /-]


Value	Label	Cases	Percentage
0	no	7	 87.5%
1	yes	1	 12.5%
Sysmiss		204	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 v3a04: told how to deal with side effects

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=33 /-] [Invalid=179 /-]



Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	33	 100.0%
Sysmiss		179	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 v3a05: told about other fp methods

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=172 /-]



Value	Label	Cases	Percentage
0	no	11	 27.5%
1	yes	29	 72.5%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 v3a06: told about other fp methods by health or fp worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=201 /-]

Value	Label	Cases	Percentage
0	no	7	 63.6%
1	yes	4	 36.4%
Sysmiss		201	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#221 v3a07: first source for current method

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=54 /-] [Invalid=158 /-]

File Women

#221 v3a07: first source for current method

Value	Label	Cases	Percentage
10	public	0	0.0%
11	national hospital (pp)	1	1.9%
12	provincial hospital (rh)	2	3.7%
13	district hospital (rh)	0	0.0%
14	health center	19	35.2%
15	health post	0	0.0%
16	military hospital	0	0.0%
17	other public sector	0	0.0%
20	private medical	0	0.0%
21	private hospital	0	0.0%
22	private clinic	2	3.7%
23	pharmacy	5	9.3%
24	other private medical sector	4	7.4%
30	other private	0	0.0%
31	shop	4	7.4%
32	community distributor	7	13.0%
33	friend/relative	3	5.6%
96	other	4	7.4%
98	dk	0	0.0%
99		3	5.6%
Sysmiss		158	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#222 v3a08a: reason not using: not married

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]		
Value	Label	Cases	Percentage
0	no	38	86.4%
1	not married	6	13.6%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 v3a08b: reason not using: not having sex

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]		
Value	Label	Cases	Percentage
0	no	37	84.1%
1	not having sex	7	15.9%
Sysmiss		168	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 v3a08c: reason not using: infrequent sex

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]		

File Women



#224 v3a08c: reason not using: infrequent sex

Value	Label	Cases	Percentage
0	no	34	 77.3%
1	infrequent sex	10	 22.7%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 v3a08d: reason not using: menopausal/hysterectomy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	42	 95.5%
1	menopausal/hysterectomy	2	 4.5%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 v3a08e: reason not using: subfecund/infecund

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	43	 97.7%
1	subfecund/infecund	1	 2.3%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 v3a08f: reason not using: postpartum amenorrheic



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	40	 90.9%
1	postpartum amenorrheic	4	 9.1%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 v3a08g: reason not using: breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	 100.0%
1	breastfeeding	0	 0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 v3a08h: reason not using: fatalistic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

File Women

#229 v3a08h: reason not using: fatalistic

Value	Label	Cases	Percentage
0	no	41	93.2%
1	fatalistic	3	6.8%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 v3a08i: reason not using: respondent opposed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	43	97.7%
1	respondent opposed	1	2.3%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 v3a08j: reason not using: husband/partner opposed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	43	97.7%
1	husband/partner opposed	1	2.3%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#232 v3a08k: reason not using: others opposed

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	100.0%
1	others opposed	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 v3a08l: reason not using: religious prohibition

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	100.0%
1	religious prohibition	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#234 v3a08m: reason not using: knows no method

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

File Women

#234 v3a08m: reason not using: knows no method

Value	Label	Cases	Percentage
0	no	43	97.7%
1	knows no method	1	2.3%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 v3a08n: reason not using: knows no source

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	43	97.7%
1	knows no source	1	2.3%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#236 v3a08o: reason not using: side effects, health concerns

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	34	77.3%
1	side effects, health concerns	10	22.7%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#237 v3a08q: reason not using: lack of access/too far

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	100.0%
1	lack of access/too far	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 v3a08r: reason not using: costs too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	43	97.7%
1	costs too much	1	2.3%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 v3a08s: reason not using: inconvenient to use

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

File Women

#239 v3a08s: reason not using: inconvenient to use

Value	Label	Cases	Percentage
0	no	44	<div><div></div></div> 100.0%
1	inconvenient to use	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 v3a08t: reason not using: interferes with bodys processes

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	<div><div></div></div> 100.0%
1	interferes with bodys processes	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 v3a08u: reason not using: preferred method not available

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	<div><div></div></div> 100.0%
1	preferred method not available	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 v3a08v: reason not using: no method available

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	44	<div><div></div></div> 100.0%
1	no method available	0	0.0%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#243 v3a08x: reason not using: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

Value	Label	Cases	Percentage
0	no	42	<div><div></div></div> 95.5%
1	other	2	4.5%
Sysmiss		168	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 v3a08z: reason not using: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=168 /-]

File Women


#244 v3a08z: reason not using: don't know

Value	Label	Cases	Percentage
0	no	42	 95.5%
1	don't know	2	 4.5%
Sysmiss		168	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#245 v401: last birth caesarean section


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=140 /-]

Value	Label	Cases	Percentage
0	no	72	 100.0%
1	yes	0	0.0%
Sysmiss		140	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 v404: currently breastfeeding



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	185	 87.3%
1	yes	27	 12.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 v405: currently amenorrheic



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	203	 95.8%
1	yes	9	 4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#248 v406: currently abstaining



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	203	 95.8%
1	yes	9	 4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#249 v409: gave child plain water

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	7	 25.0%
1	yes	21	 75.0%
8	don't know	0	0.0%

File Women

#249 v409: gave child plain water

Value	Label	Cases	Percentage
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 v410: gave child juice or juice drinks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 v411: gave child tinned, powdered or fresh milk

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	25	89.3%
1	yes	3	10.7%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 v411a: gave child baby formula

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	26	92.9%
1	yes	2	7.1%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 v412a: gave child baby cereal

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 v413: gave child other liquid

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Women

#254 v413: gave child other liquid

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	23	82.1%
1	yes	5	17.9%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 v413a: gave child soup

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	24	85.7%
1	yes	4	14.3%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 v414a: gave child yogurt

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	26	92.9%
1	yes	1	3.6%
8	don't know	1	3.6%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 v414b: gave child snake, snail, frog, rat, insects

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 v414e: gave child bread, noddles, other made from grains

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	9	32.1%
1	yes	19	67.9%
8	don't know	0	0.0%

File Women

#258 v414e: gave child bread, noddles, other made from grains

Value	Label	Cases	Percentage
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#259 v414f: gave child potatoes, cassave, or other tubers

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	26	92.9%
1	yes	2	7.1%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 v414g: gave child eggs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	20	71.4%
1	yes	8	28.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 v414h: gave child meat (beef, pork, lamb, chicken, etc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	18	64.3%
1	yes	10	35.7%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#262 v414i: gave child pumpkin, carrots, squash (yellow or orange inside)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	23	82.1%
1	yes	5	17.9%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 v414j: gave child any dark green leafy vegetables

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Women

#263 v414j: gave child any dark green leafy vegetables

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	22	78.6%
1	yes	6	21.4%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 v414k: gave child mangoes, papayas, other vitamin a fruits

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 v414l: gave child any other fruits

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	24	85.7%
1	yes	4	14.3%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 v414m: gave child liver, heart, other organs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#267 v414n: gave child fish or shellfish

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	17	60.7%
1	yes	11	39.3%
8	don't know	0	0.0%

File Women

#267 v414n: gave child fish or shellfish

Value	Label	Cases	Percentage
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#268 v414o: gave child food made from beans, peas, lentils, nuts

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#269 v414p: gave child cheese, yogurt , other milk products

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	28	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#270 v414q: gave child oil, fats, butter, products made of them

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	27	96.4%
1	yes	1	3.6%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#271 v414r: gave child chocolates, sweets, candies, pastries, etc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	16	57.1%
1	yes	12	42.9%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#272 v414s: gave child other solid-semisolid food

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Women

#272 v414s: gave child other solid-semisolid food

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	no	17	60.7%
1	yes	11	39.3%
8	don't know	0	0.0%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#273 v415: drank from bottle with nipple

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=142 /-]

Value	Label	Cases	Percentage
0	no	56	80.0%
1	yes	14	20.0%
8	dk	0	0.0%
Sysmiss		142	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#274 v416: heard of oral rehydration

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never heard of	14	6.6%
1	used ors	2	0.9%
2	heard of ors	196	92.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#275 v417: entries in maternity table

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		140	66.0%
1		60	28.3%
2		12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#276 v418: entries in health table

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		140	66.0%
1		60	28.3%
2		12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#277 v419: entries in height/weight table

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		156	73.6%
1		45	21.2%
2		11	5.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#278 v426: when child put to breast

Information [Type= discrete] [Format=numeric] [Range= 0-205] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=142 /-]

Value	Label	Cases	Percentage
0	immediately	45	64.3%
100		4	5.7%
101		9	12.9%
102		2	2.9%
103		2	2.9%
104		1	1.4%
106		1	1.4%
201		3	4.3%
202		1	1.4%
203		1	1.4%
205		1	1.4%
Sysmiss		142	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#279 v437: respondent's weight (kilos-1d)

Information [Type= continuous] [Format=numeric] [Range= 298-770] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-] [Mean=488.196 /-] [StdDev=79.587 /-]

#280 v438: respondent's height (cms-1d)

Information [Type= continuous] [Format=numeric] [Range= 1348-1743] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-] [Mean=1528.438 /-] [StdDev=56.277 /-]

#281 v439: ht/a percentile (resp.)

Information [Type= discrete] [Format=numeric] [Range= 0-9998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (107 Modalities)

#282 v440: ht/a standard deviations (resp)

Information [Type= discrete] [Format=numeric] [Range= -440-9998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (103 Modalities)

#283 v441: ht/a percent ref. median (resp)

Information [Type= discrete] [Format=numeric] [Range= 8273-99998] [Missing=*]

File Women

#283 v441: ht/a percent ref. median (resp)

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (110 Modalities)

#284 v442: wt/ht percent ref. median (dhs)

Information [Type= discrete] [Format=numeric] [Range= 5883-99998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (150 Modalities)

#285 v443: wt/ht percent ref. median (fog)

Information [Type= discrete] [Format=numeric] [Range= 6403-99998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (148 Modalities)

#286 v444: wt/ht percent ref. median (who)

Information [Type= discrete] [Format=numeric] [Range= 7688-99998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (151 Modalities)

#287 v444a: wt/ht std deviations(resp) dhs

Information [Type= discrete] [Format=numeric] [Range= -363-9998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (123 Modalities)

#288 v445: body mass index for respondent

Information [Type= discrete] [Format=numeric] [Range= 1362-9998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (139 Modalities)

#289 v446: rohrer's index for respondent

Information [Type= discrete] [Format=numeric] [Range= 921-9998] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Frequency table not shown (138 Modalities)

#290 v447: result of measurement of resp.

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	measured	153	72.2%
3	not present	0	0.0%
4	refused	0	0.0%
6	other	0	0.0%
7	no measurement found in hh	59	27.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#291 v447a: women's age in years from household report

Information [Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-] [Mean=28.817 /-] [StdDev=10.452 /-]

File Women

#292 v452a: under age 18 (hh report)

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Value	Label	Cases	Percentage
1	under age 18	29	19.0%
2	age 18 or older	124	81.0%
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#293 v452b: line no. of parent/caretaker

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=184 /-]

Value	Label	Cases	Percentage
0	not in household	1	3.6%
1		10	35.7%
2		17	60.7%
Sysmiss		184	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#294 v452c: read consent statement

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Value	Label	Cases	Percentage
1	granted	150	98.0%
2	parent/other refused	0	0.0%
3	respondent refused	3	2.0%
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#295 v453: hemoglobin level (g/dl - 1 decimal)

Information [Type= continuous] [Format=numeric] [Range= 78-999] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-] [Mean=138.542 /-] [StdDev=122.959 /-]

#296 v454: currently pregnant (household report)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

Value	Label	Cases	Percentage
0	no/don't know	145	94.8%
1	yes	8	5.2%
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#297 v455: result of measuring (hemoglobin)

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=153 /-] [Invalid=59 /-]

File Women

#297 v455: result of measuring (hemoglobin)

Value	Label	Cases	Percentage
0	measured	150	98.0%
3	not present	0	0.0%
4	refused	3	2.0%
6	other	0	0.0%
7	no measurement found in hh	0	0.0%
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#298 v456: hemoglobin level adjusted by altitude (g/dl - 1 decimal)

Information	[Type= continuous] [Format=numeric] [Range= 78-999] [Missing=*]
Statistics [NW/ W]	[Valid=153 /-] [Invalid=59 /-] [Mean=138.49 /-] [StdDev=122.971 /-]

#299 v457: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=153 /-] [Invalid=59 /-]

Value	Label	Cases	Percentage
1	severe	0	0.0%
2	moderate	13	8.5%
3	mild	47	30.7%
4	not anemic	90	58.8%
9		3	2.0%
Sysmiss		59	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#300 v463a: smokes cigarettes

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	208	98.1%
1	yes	4	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#301 v463b: smokes pipe

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#302 v463c: chewing tobacco

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	206	97.2%

File Women

#302 v463c: chewing tobacco

Value	Label	Cases	Percentage
1	yes	6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#303 v463d: uses snuff

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#304 v463x: smokes other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#305 v463z: does not use tobacco

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	10	4.7%
1	yes, smokes nothing	202	95.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#306 v464: number of cigarettes in last 24 hours

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=208 /-]

Value	Label	Cases	Percentage
2		1	25.0%
4		1	25.0%
10		1	25.0%
20		1	25.0%
98		0	0.0%
Sysmiss		208	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#307 v465: disposal of youngest child's stools when not using toilet

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=69 /-] [Invalid=143 /-]

Value	Label	Cases	Percentage
1	always use toilet/latrine	5	7.2%
2	put/rinsed in toilet/latrine	19	27.5%

File Women

#307 v465: disposal of youngest child's stools when not using toilet

Value	Label	Cases	Percentage
3	put/rinsed into drain or ditch	6	8.7%
4	throw into garbage	1	1.4%
5	buried	24	34.8%
6	rinse away	0	0.0%
7	use disposable diapers	0	0.0%
8	use washable diapers	0	0.0%
9	left in the open	13	18.8%
96	other	1	1.4%
Sysmiss		143	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#308 v467b: getting medical help for self: getting permission to go

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no problem	0	0.0%
1	big problem	62	29.2%
2	not a big problem	150	70.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#309 v467c: getting medical help for self: getting money needed for tx

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no problem	0	0.0%
1	big problem	130	61.3%
2	not a big problem	82	38.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#310 v467d: getting medical help for self: distance to health facility

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no problem	0	0.0%
1	big problem	81	38.2%
2	not a big problem	131	61.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#311 v467f: getting medical help for self: not wanting to go alone

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no problem	0	0.0%
1	big problem	79	37.3%
2	not a big problem	133	62.7%

File Women

#311 v467f: getting medical help for self: not wanting to go alone

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#312 v468: columns used for last birth only variables

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	see specific questions	0	0.0%
1	only last birth	212	100.0%
2	all columns	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#313 v472f: na - mother had potatoes, cassave, or other tubers

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#314 v472k: na - mother had mangoes, papayas, other vitamin a fruits

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#315 v474a: na - tuberculosis spread by: air when coughing or sneezing

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#316 v474b: na - tuberculosis spread by: sharing utensils

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Women

#316 v474b: na - tuberculosis spread by: sharing utensils

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#317 v474c: na - tuberculosis spread by: touching a person with tb

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=212 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#318 v474d: na - tuberculosis spread through food

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=212 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#319 v474e: na - tuberculosis spread by: sexual contact

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=212 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#320 v474f: na - tuberculosis spread by: mosquito bites

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=212 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#321 v474g: na - tuberculosis spread by: cs

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=212 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Women

#321 v474g: na - tuberculosis spread by: cs

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#322 v474h: na - tuberculosis spread by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#323 v474i: na - tuberculosis spread by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#324 v474j: na - tuberculosis spread by: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#325 v474x: na - tuberculosis spread by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#326 v474z: na - tuberculosis spread by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Women

#326 v474z: na - tuberculosis spread by: don't know

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#327 v477: number of injections in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	141	66.5%
1		20	9.4%
2		9	4.2%
3		12	5.7%
4		3	1.4%
5		5	2.4%
7		1	0.5%
8		1	0.5%
9		1	0.5%
10		5	2.4%
12		1	0.5%
15		1	0.5%
18		1	0.5%
20		1	0.5%
30		4	1.9%
40		1	0.5%
48		1	0.5%
50		2	0.9%
55		1	0.5%
70		1	0.5%
90	90+	0	0.0%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#328 v478: injections administered by a health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=141 /-]

Value	Label	Cases	Percentage
0	none	0	0.0%
1		21	29.6%
2		8	11.3%
3		12	16.9%
4		3	4.2%
5		5	7.0%
7		1	1.4%
8		1	1.4%
9		2	2.8%

File Women

#328 v478: injections administered by a health worker

Value	Label	Cases	Percentage
10		4	5.6%
12		1	1.4%
15		1	1.4%
18		1	1.4%
20		1	1.4%
30		4	5.6%
40		1	1.4%
48		1	1.4%
50		2	2.8%
55		1	1.4%
70		1	1.4%
90	90+	0	0.0%
98	don't know	0	0.0%
Sysmiss		141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#329 v480: syringe and needle from new, unopened package

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=71 /-] [Invalid=141 /-]		
Value	Label	Cases	Percentage
0	no	1	1.4%
1	yes	70	98.6%
8	don't know	0	0.0%
Sysmiss		141	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#330 v481: covered by health insurance

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	183	86.3%
1	yes	29	13.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#331 v481a: health insurance type: community-based health insurance

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	209	98.6%
1	yes	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#332 v481b: health insurance type: provided by employer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		

File Women

#332 v481b: health insurance type: provided by employer

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#333 v481c: health insurance type: health equity fund

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	188	88.7%
1	yes	24	11.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#334 v481d: health insurance type: private/commercial purchased

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#335 v481e: health insurance type: maternal health voucher

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	210	99.1%
1	yes	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#336 v481f: health insurance type: priority

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#337 v481g: health insurance type: through a ngo

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#338 v481x: health insurance type: other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#339 v501: current marital status

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never married	79	37.3%
1	married	126	59.4%
2	living together	0	0.0%
3	widowed	3	1.4%
4	divorced	3	1.4%
5	not living together	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#340 v502: currently/formerly/never marr.

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never married	79	37.3%
1	currently married	126	59.4%
2	formerly married	7	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#341 v503: number of unions

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
1	once	124	93.2%
2	more than once	9	6.8%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#342 v504: husband lives in house

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
1	living with her	119	94.4%
2	staying elsewhere	7	5.6%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#343 v505: number of other wives

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
0	no other wives	113	89.7%
1		7	5.6%
3		1	0.8%
6		1	0.8%
98	don't know	4	3.2%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#344 v506: wife rank number

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
1		3	23.1%
2		4	30.8%
4		1	7.7%
7		1	7.7%
98	don't know	4	30.8%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#345 v507: month of first marriage

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
1		16	12.0%
2		11	8.3%
3		27	20.3%
4		16	12.0%
5		26	19.5%
6		9	6.8%
7		6	4.5%
8		3	2.3%
9		2	1.5%
10		3	2.3%
11		8	6.0%
12		6	4.5%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#346 v508: year of first marriage

Information [Type= continuous] [Format=numeric] [Range= 1978-2010] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-] [Mean=1996.015 /-] [StdDev=8.643 /-]

File Women

#347 v509: date of first marriage (cmc)

Information [Type= continuous] [Format=numeric] [Range= 946-1325] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-] [Mean=1157 /-] [StdDev=103.258 /-]

#348 v510: completeness of date inform.

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
1	month and year	120	90.2%
2	month and age -y imp	0	0.0%
3	year and age - m imp	0	0.0%
5	year - a, m imp	12	9.0%
6	age - y, m imp	1	0.8%
7	month - a, y imp	0	0.0%
8	none - all imp	0	0.0%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#349 v511: age at first marriage

Information [Type= continuous] [Format=numeric] [Range= 11-43] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-] [Mean=20.12 /-] [StdDev=3.869 /-]

#350 v512: years since first marriage

Information [Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-] [Mean=13.902 /-] [StdDev=8.627 /-]

#351 v513: marital duration (grouped)

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never married	79	37.3%
1	0-4	23	10.8%
2	5-9	18	8.5%
3	10-14	28	13.2%
4	15-19	26	12.3%
5	20-24	20	9.4%
6	25-29	13	6.1%
7	30+	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#352 v525: age at first intercourse

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not had intercourse	79	37.3%
12		1	0.5%
15		2	0.9%

File Women

#352 v525: age at first intercourse

Value	Label	Cases	Percentage
16		9	4.2%
17		11	5.2%
18		11	5.2%
19		13	6.1%
20		18	8.5%
21		10	4.7%
22		11	5.2%
23		4	1.9%
24		5	2.4%
25		4	1.9%
26		1	0.5%
27		3	1.4%
28		1	0.5%
30		1	0.5%
44		1	0.5%
96	at first union	27	12.7%
97	inconsistent	0	0.0%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#353 v527: time since last intercourse

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=133 /-] [Invalid=79 /-]
Frequency table not shown (33 Modalities)	

#354 v528: time in days since last intercourse(g)

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
0		5	3.8%
1		12	9.0%
2		18	13.5%
3		13	9.8%
4		7	5.3%
5		10	7.5%
6		2	1.5%
7		17	12.8%
9		1	0.8%
10		3	2.3%
14		9	6.8%
15		3	2.3%
31	31+ days	33	24.8%
95	within last 4 weeks	0	0.0%
96	before last birth	0	0.0%

File Women

#354 v528: time in days since last intercourse(g)

Value	Label	Cases	Percentage
97	inconsistent	0	0.0%
98	don't know	0	0.0%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#355 v529: time in months since last intercourse (imputed)

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=133 -] [Invalid=79 -]

Value	Label	Cases	Percentage
0		100	75.2%
1		10	7.5%
2		1	0.8%
3		2	1.5%
4		1	0.8%
5		1	0.8%
12		2	1.5%
24		2	1.5%
48		1	0.8%
60		2	1.5%
96		1	0.8%
108		1	0.8%
995	within last 4 weeks	0	0.0%
996	before last birth	9	6.8%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#356 v530: flag for v529

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=133 -] [Invalid=79 -]

Value	Label	Cases	Percentage
0	no flag	124	93.2%
1	n > int. since birth	0	0.0%
2	n + abst. > interval	0	0.0%
3	n, but sex not res.	0	0.0%
4	96, but no birth	0	0.0%
5	96, but curr.preg.	0	0.0%
6	96, but resumed sex	0	0.0%
7	n, last sex bef preg	0	0.0%
8	n, inconsis 4 weeks	0	0.0%
9	n, sex bef last birth	9	6.8%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#357 v531: age at first intercourse (imp)

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not had intercourse	79	37.3%
11		1	0.5%
15		3	1.4%
16		12	5.7%
17		14	6.6%
18		14	6.6%
19		17	8.0%
20		18	8.5%
21		15	7.1%
22		9	4.2%
23		10	4.7%
24		5	2.4%
25		1	0.5%
26		3	1.4%
27		4	1.9%
28		1	0.5%
30		2	0.9%
44		1	0.5%
97	inconsistent	3	1.4%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#358 v532: flag for v531

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no flag	165	77.8%
1	after interview	0	0.0%
2	after concep >= 1 yr	3	1.4%
3	after concep < 1 yr	20	9.4%
4	at marr, never marr	0	0.0%
5	at marr, after concep	0	0.0%
6	after marriage	24	11.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#359 v535: have ever been married

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=126 /-]

Value	Label	Cases	Percentage
0	no	79	91.9%
1	formerly married	7	8.1%

File Women

#359 v535: have ever been married

Value	Label	Cases	Percentage
2	lived with a man	0	0.0%
Sysmiss		126	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#360 v536: recent sexual activity

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never had intercourse	79	37.3%
1	active in last 4 weeks	100	47.2%
2	not active in last 4 weeks - postpartum abst.	9	4.2%
3	not active in last 4 weeks - not postpartum abst.	24	11.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#361 v537: months of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=33 /-] [Invalid=179 /-]

Value	Label	Cases	Percentage
0		1	3.0%
1		10	30.3%
2		2	6.1%
3		4	12.1%
4		1	3.0%
5		2	6.1%
10		1	3.0%
12		2	6.1%
15		1	3.0%
17		1	3.0%
24		2	6.1%
43		1	3.0%
48		1	3.0%
60	60+	4	12.1%
96	before last birth	0	0.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		179	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#362 v602: fertility preference

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	have another	96	45.3%
2	undecided, don't know	30	14.2%

File Women

#362 v602: fertility preference

Value	Label	Cases	Percentage
3	no more	74	34.9%
4	sterilized	6	2.8%
5	declared infecund	6	2.8%
6	never had sex	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#363 v603: preferred waiting time

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=116 /-]

Value	Label	Cases	Percentage
100	zero months	0	0.0%
101	months	0	0.0%
200	zero years	0	0.0%
201	years	6	6.2%
202		1	1.0%
203		9	9.4%
204		6	6.2%
205		9	9.4%
206		4	4.2%
208		1	1.0%
210		1	1.0%
993	after marriage	32	33.3%
994	soon, now	10	10.4%
996	other, non-numeric	1	1.0%
997	inconsistent	0	0.0%
998	don't know	16	16.7%
Sysmiss		116	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#364 v604: preferred waiting time (grpd)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=116 /-]

Value	Label	Cases	Percentage
0	<12 months	10	10.4%
1	1 year	6	6.2%
2	2 years	1	1.0%
3	3 years	9	9.4%
4	4 years	6	6.2%
5	5 years	9	9.4%
6	6+ years	6	6.2%
7	non-numeric	33	34.4%
8	don't know	16	16.7%
Sysmiss		116	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#365 v605: desire for more children

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	wants within 2 years	16	7.5%
2	wants after 2+ years	31	14.6%
3	wants, unsure timing	49	23.1%
4	undecided	30	14.2%
5	wants no more	74	34.9%
6	sterilized	6	2.8%
7	declared infecund	6	2.8%
8	never had sex	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#366 v613: ideal number of children

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		4	1.9%
1		3	1.4%
2		64	30.2%
3		62	29.2%
4		47	22.2%
5		21	9.9%
6		6	2.8%
7		1	0.5%
8		1	0.5%
96	non-numeric response	3	1.4%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#367 v614: ideal number of children (grp)

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		4	1.9%
1		3	1.4%
2		64	30.2%
3		62	29.2%
4		47	22.2%
5		21	9.9%
6	6+	8	3.8%
7	non-numeric response	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#368 v616: time for future birth

Information [Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]

Statistics [NW/ W] [Valid=97 /-] [Invalid=115 /-]

Value	Label	Cases	Percentage
100	zero months	0	0.0%
101	months	0	0.0%
200	zero years	0	0.0%
201	years	6	6.2%
202		1	1.0%
203		9	9.3%
204		6	6.2%
205		9	9.3%
206		4	4.1%
208		1	1.0%
210		1	1.0%
993	after marriage	32	33.0%
994	soon/now	10	10.3%
995	can't get pregnant	1	1.0%
996	other	1	1.0%
998	dk	16	16.5%
Sysmiss		115	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#369 v621: husbands desire for children

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=120 /-] [Invalid=92 /-]

Value	Label	Cases	Percentage
1	both want same	81	67.5%
2	husband wants more	21	17.5%
3	husband wants fewer	6	5.0%
8	dk	12	10.0%
Sysmiss		92	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#370 v623: exposure

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	fecund	168	79.2%
1	pregnant	11	5.2%
2	amenorrheic	9	4.2%
3	infecund, menopausal	24	11.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#371 v624: unmet need

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

File Women

#371 v624: unmet need

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never had sex	77	36.3%
1	unmet need to space	5	2.4%
2	unmet need to limit	20	9.4%
3	using to space	28	13.2%
4	using to limit	38	17.9%
5	spacing failure	0	0.0%
6	limiting failure	0	0.0%
7	desire birth < 2 yrs	19	9.0%
8	no sex, want to wait	2	0.9%
9	infecund, menopausal	21	9.9%
99		2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#372 v625: exposure (definition 2)

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	fecund	162	76.4%
1	pregnant	11	5.2%
2	amenorrheic	9	4.2%
3	infecund, menopausal	30	14.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#373 v626: unmet need (definition 2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never had sex	75	35.4%
1	unmet need to space	5	2.4%
2	unmet need to limit	18	8.5%
3	using to space	28	13.2%
4	using to limit	38	17.9%
5	spacing failure	0	0.0%
6	limiting failure	0	0.0%
7	desire birth < 2 yrs	19	9.0%
8	no sex, want to wait	2	0.9%
9	infecund, menopausal	27	12.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#374 v627: ideal number of boys

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

File Women

#374 v627: ideal number of boys

Value	Label	Cases	Percentage
0		12	5.7%
1		105	49.5%
2		76	35.8%
3		12	5.7%
4		4	1.9%
96	other	3	1.4%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#375 v628: ideal number of girls

Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=212 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		10	4.7%
1		88	41.5%
2		87	41.0%
3		22	10.4%
4		1	0.5%
5		1	0.5%
96	other	3	1.4%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#376 v629: ideal number of either sex

Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=212 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		204	96.2%
2		1	0.5%
3		3	1.4%
4		1	0.5%
96	other	3	1.4%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#377 v632: decision maker for using contraception

Information		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]	
Statistics [NW/ W]		[Valid=65 /-] [Invalid=147 /-]	
Value	Label	Cases	Percentage
1	mainly respondent	10	15.4%
2	mainly husband, partner	6	9.2%
3	joint decision	49	75.4%
6	other	0	0.0%
Sysmiss		147	

File Women

#377 v632: decision maker for using contraception

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#378 v701: partner's education level

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
0	no education	11	8.3%
1	primary	59	44.4%
2	secondary	54	40.6%
3	higher	6	4.5%
8	don't know	3	2.3%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#379 v702: highest year of education

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=119 /-] [Invalid=93 /-]

Value	Label	Cases	Percentage
1		13	10.9%
2		22	18.5%
3		21	17.6%
4		23	19.3%
5		17	14.3%
6		22	18.5%
8		1	0.8%
98	don't know	0	0.0%
Sysmiss		93	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#380 v704: partner's occupation

Information [Type= discrete] [Format=numeric] [Range= 0-999] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Frequency table not shown (46 Modalities)

#381 v705: partner's occupation

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
0	did not work	0	0.0%
1	prof., tech., manag.	12	9.0%
2	clerical	5	3.8%
3	sales	9	6.8%
4	agric-self employed	61	45.9%
5	agric-employee	0	0.0%
6	household & domestic	0	0.0%
7	services	14	10.5%

File Women

#381 v705: partner's occupation

Value	Label	Cases	Percentage
8	skilled manual	30	22.6%
9	unskilled manual	1	0.8%
98	don't know	0	0.0%
99		1	0.8%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#382 v714: respondent currently working

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	70	33.0%
1	yes	142	67.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#383 v714a: have a job from which respondent was absent

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=134 /-]

Value	Label	Cases	Percentage
0	no	70	89.7%
1	yes	8	10.3%
Sysmiss		134	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#384 v715: husbands education-single yrs

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
0		11	8.3%
1		3	2.3%
2		11	8.3%
3		6	4.5%
4		17	12.8%
5		15	11.3%
6		7	5.3%
7		10	7.5%
8		11	8.3%
9		15	11.3%
10		1	0.8%
11		2	1.5%
12		15	11.3%
16		5	3.8%
20		1	0.8%
97	inconsistent	0	0.0%

File Women

#384 v715: husbands education-single yrs

Value	Label	Cases	Percentage
98	don't know	3	2.3%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#385 v716: respondent's occupation

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Frequency table not shown (44 Modalities)

#386 v717: respondent's occupation

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not working	48	22.6%
1	prof., tech., manag.	12	5.7%
2	clerical	2	0.9%
3	sales	36	17.0%
4	agric-self employed	91	42.9%
5	agric-employee	0	0.0%
6	household & domestic	0	0.0%
7	services	4	1.9%
8	skilled manual	16	7.5%
9	unskilled manual	3	1.4%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#387 v719: work for family, others, self

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
1	for family member	22	13.4%
2	for someone else	44	26.8%
3	self-employed	98	59.8%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#388 v729: partner's educational attainm.

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
0	no education	11	8.3%
1	incomplete primary	52	39.1%
2	complete primary	7	5.3%
3	incomplete secondary	39	29.3%

File Women

#388 v729: partner's educational attainm.

Value	Label	Cases	Percentage
4	complete secondary	15	11.3%
5	higher	6	4.5%
8	don't know	3	2.3%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#389 v730: partners age

Information	[Type= discrete] [Format=numeric] [Range= 18-98] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=86 /-]

Frequency table not shown (39 Modalities)

#390 v731: worked in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	48	22.6%
1	in the past year	22	10.4%
2	currently working	134	63.2%
3	have a job, but on leave last 7 days	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#391 v732: employment all year/seasonal

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
1	all year	75	45.7%
2	seasonal	81	49.4%
3	occasional	8	4.9%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#392 v739: who decides how to spend money

Information	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
Statistics [NW/ W]	[Valid=83 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
1	respondent alone	59	71.1%
2	respondent and husband/partner	21	25.3%
3	respondent and other person	0	0.0%
4	husband/partner alone	3	3.6%
5	someone else	0	0.0%
6	other	0	0.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#393 v741: type of earnings for work

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	not paid	12	7.3%
1	cash only	86	52.4%
2	cash and kind	38	23.2%
3	in kind only	28	17.1%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#394 v743a: final say on own health care

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
1	respondent alone	49	38.9%
2	respondent and husband/partner	62	49.2%
3	respondent and other person	0	0.0%
4	husband/partner alone	14	11.1%
5	someone else	1	0.8%
6	other	0	0.0%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#395 v743b: final say on making large household purchases

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
1	respondent alone	18	14.3%
2	respondent and husband/partner	101	80.2%
3	respondent and other person	0	0.0%
4	husband/partner alone	6	4.8%
5	someone else	1	0.8%
6	other	0	0.0%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#396 v743d: final say on visits to family or relatives

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
1	respondent alone	24	19.0%
2	respondent and husband/partner	98	77.8%
3	respondent and other person	0	0.0%
4	husband/partner alone	4	3.2%
5	someone else	0	0.0%

File Women

#396 v743d: final say on visits to family or relatives

Value	Label	Cases	Percentage
6	other	0	0.0%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#397 v743f: final say on deciding what to do with money husband earns

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
1	respondent alone	58	46.0%
2	respondent and husband/partner	64	50.8%
3	respondent and other person	0	0.0%
4	husband/partner alone	4	3.2%
5	someone else	0	0.0%
6	other	0	0.0%
7	husband/partner has no earnings	0	0.0%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#398 v744a: wife beating justified if she goes out without telling him

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	143	67.5%
1	yes	63	29.7%
8	don't know	6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#399 v744b: wife beating justified if she neglects the children

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	118	55.7%
1	yes	88	41.5%
8	don't know	6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#400 v744c: wife beating justified if she argues with him

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	151	71.2%
1	yes	52	24.5%
8	don't know	9	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#401 v744d: wife beating justified if she refuses to have sex with him

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	174	82.1%
1	yes	29	13.7%
8	don't know	9	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#402 v744e: wife beating justified if she burns the food

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	183	86.3%
1	yes	22	10.4%
8	don't know	7	3.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#403 v746: earns more than partner

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=83 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
1	more than him	11	13.3%
2	less than him	45	54.2%
3	about the same	26	31.3%
4	partner doesn't bring in money	0	0.0%
8	don't know	1	1.2%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#404 v750: heard sexual transmit. disease

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	5	2.4%
1	yes	207	97.6%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#405 v751: ever heard of aids

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	5	2.4%
1	yes	207	97.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#406 v754cp: reduce chances of aids by always using condoms during sex

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	18	8.7%
1	reduce chances of aids by always using condoms during sex	181	87.4%
8	don't know	8	3.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#407 v754dp: reduce chance of aids: have 1 sex partner with no oth partner

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	8	3.9%
1	reduce chance of aids: have 1 sex partner with no oth partner	186	89.9%
8	don't know	13	6.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#408 v754jp: get aids from mosquito bites

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	151	72.9%
1	get aids from mosquito bites	41	19.8%
8	don't know	15	7.2%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#409 v754wp: get aids by sharing food with person who has aids

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	189	91.3%
1	get aids by sharing food with person who has aids	12	5.8%
8	don't know	6	2.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#410 v756: can a healthy person have aids

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	39	18.8%
1	yes	142	68.6%

File Women

#410 v756: can a healthy person have aids

Value	Label	Cases	Percentage
8	dk	26	12.6%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#411 v761: last intercourse used condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=120 /-] [Invalid=92 /-]

Value	Label	Cases	Percentage
0	no	115	95.8%
1	yes	5	4.2%
8	dk	0	0.0%
Sysmiss		92	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#412 v761b: intercourse with other man (1) used condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#413 v761c: intercourse with other man (2) used condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#414 v762aa: source for condoms: national hospital (pp)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	208	98.1%
1	yes	4	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#415 v762ab: source for condoms: health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#415 v762ab: source for condoms: health center

Value	Label	Cases	Percentage
0	no	108	50.9%
1	yes	104	49.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#416 v762ac: source for condoms: health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#417 v762ad: source for condoms: outreach

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	209	98.6%
1	yes	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#418 v762af: source for condoms: other public

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	210	99.1%
1	yes	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#419 v762ag: source for condoms: provincial hospital (rh)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	208	98.1%
1	yes	4	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#420 v762ah: source for condoms: district hospital (rh)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	201	94.8%
1	yes	11	5.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#421 v762ai: source for condoms: military hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#422 v762aj: source for condoms: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	206	97.2%
1	yes	6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#423 v762ak: source for condoms: pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	138	65.1%
1	yes	74	34.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#424 v762ao: source for condoms: other private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#425 v762ap: source for condoms: private clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	196	92.5%
1	yes	16	7.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#426 v762aq: na - source for condoms: private cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Women

#426 v762aq: na - source for condoms: private cs

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#427 v762as: source for condoms: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	179	84.4%
1	yes	33	15.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#428 v762at: source for condoms: community distributor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	199	93.9%
1	yes	13	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#429 v762au: source for condoms: friends, relatives

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	210	99.1%
1	yes	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#430 v762ax: source for condoms: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#431 v762az: source for condoms: dk source for condom

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no: source known	156	73.6%
1	yes: no source known	56	26.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#432 v762ba: source for female condoms: national hospital (pp)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
--------------------	--	--	--

File Women

#432 v762ba: source for female condoms: national hospital (pp)

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	210	99.1%
1	yes	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#433 v762bb: source for female condoms: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	208	98.1%
1	yes	4	1.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#434 v762bc: source for female condoms: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#435 v762bd: source for female condoms: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#436 v762bf: source for female condoms: other public

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#437 v762bg: source for female condoms: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	209	98.6%
1	yes	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#438 v762bh: source for female condoms: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#439 v762bi: source for female condoms: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#440 v762bj: source for female condoms: private hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	211	99.5%
1	yes	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#441 v762bk: source for female condoms: pharmacy

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	210	99.1%
1	yes	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#442 v762bo: source for female condoms: other private

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#443 v762bp: source for female condoms: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	211	99.5%
1	yes	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#444 v762bs: source for female condoms: shop

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	211	99.5%
1	yes	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#445 v762bt: source for female condoms: community distributor

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	211	99.5%
1	yes	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#446 v762bu: source for female condoms: friends, relatives

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#447 v762bx: source for female condoms: other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#448 v762bz: source for female condoms: dk source for condom

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no: source known	8	3.8%
1	yes: no source known	204	96.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#449 v763a: had any std in last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	209	98.6%
1	yes	2	0.9%

File Women

#449 v763a: had any std in last 12 months

Value	Label	Cases	Percentage
8	dk	0	0.0%
9		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#450 v763b: had genital sore/ulcer in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	3	1.4%
8	dk	1	0.5%
9		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#451 v763c: had genital discharge in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	199	93.9%
1	yes	12	5.7%
8	dk	0	0.0%
9		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#452 v766a: no. other than husband had sex in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		211	99.5%
1		1	0.5%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#453 v766b: no. had sex including husband in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		92	43.4%
1		120	56.6%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#454 v767a: relationship with last sex partner

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=120 /-] [Invalid=92 /-]

File Women

#454 v767a: relationship with last sex partner

Value	Label	Cases	Percentage
1	spouse	119	99.2%
2	boyfriend not living with respondent	0	0.0%
3	other friend	0	0.0%
4	casual acquaintance	1	0.8%
5	relative	0	0.0%
6	commercial sex worker	0	0.0%
7	live-in partner	0	0.0%
96	other	0	0.0%
Sysmiss		92	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#455 v767b: relationship with other sex partner (1)

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	spouse	0	
2	boyfriend not living with respondent	0	
3	other friend	0	
4	casual acquaintance	0	
5	relative	0	
6	commercial sex worker	0	
7	live-in partner	0	
96	other	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#456 v767c: relationship with other sex partner (2)

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	spouse	0	
2	boyfriend not living with respondent	0	
3	other friend	0	
4	casual acquaintance	0	
5	relative	0	
6	commercial sex worker	0	
7	live-in partner	0	
96	other	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#457 v768a: length of time knows last partner

Information	[Type= discrete] [Format=numeric] [Range= 101-432] [Missing=*]
Statistics [NW/ W]	[Valid=96 /-] [Invalid=116 /-]

File Women

#457 v768a: length of time knows last partner

Frequency table not shown (38 Modalities)

#458 v768b: length of time knows other partner (1)

Information [Type= discrete] [Format=numeric] [Range= 101-401] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
101	one day	0	
201	one week	0	
301	one month	0	
401	one year	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#459 v768c: length of time knows other partner (2)

Information [Type= discrete] [Format=numeric] [Range= 101-401] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
101	one day	0	
201	one week	0	
301	one month	0	
401	one year	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#460 v769: could get a condom

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=156 /-] [Invalid=56 /-]

Value	Label	Cases	Percentage
0	no	7	4.5%
1	yes	149	95.5%
8	dk	0	0.0%
Sysmiss		56	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#461 v769a: could get a female condom

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=8 /-] [Invalid=204 /-]

Value	Label	Cases	Percentage
0	no	1	12.5%
1	yes	6	75.0%
8	dk	1	12.5%
Sysmiss		204	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#462 v770: seek advice for last disease

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Women

#462 v770: seek advice for last disease

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	2	15.4%
1	yes	11	84.6%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#463 v770a: seek advice sti: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#464 v770b: seek advice sti: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	6	46.2%
1	yes	7	53.8%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#465 v770c: seek advice sti: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#466 v770d: seek advice sti: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


#467 v770e: seek advice sti: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=199 /-]

File Women


#467 v770e: seek advice sti: military hospital

Value	Label	Cases	Percentage
0	no	13	 100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#468 v770f: seek advice sti: fieldworker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	 100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#469 v770g: seek advice sti: provincial hospital (rh)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	 100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#470 v770h: seek advice sti: district hospital (rh)



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	 100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#471 v770j: seek advice sti: other public

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	12	 92.3%
1	yes	1	 7.7%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#472 v770k: seek advice sti: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

File Women

#472 v770k: seek advice sti: private hospital

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#473 v770p: seek advice sti: private clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	11	84.6%
1	yes	2	15.4%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#474 v770q: seek advice sti: private laboratory

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#475 v770s: seek advice sti: other private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#476 v770v: seek advice sti: public vct center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	13	100.0%
1	yes	0	0.0%
Sysmiss		199	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#477 v770w: seek advice sti: public pmtct site

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

File Women



#477 v770w: seek advice sti: public pmtct site

Value	Label	Cases	Percentage
0	no	13	 100.0%
1	yes	0	 0.0%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#478 v770x: seek advice other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=13 /-] [Invalid=199 /-]

Value	Label	Cases	Percentage
0	no	12	 92.3%
1	yes	1	 7.7%
Sysmiss		199	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#479 v774a: aids transmit. during pregnancy




Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	25	 12.1%
1	yes	171	 82.6%
8	dk	11	 5.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#480 v774b: aids transmit. during delivery




Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	26	 12.6%
1	yes	167	 80.7%
8	dk	14	 6.8%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#481 v774c: aids transmit. by breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	7	 3.4%
1	yes	192	 92.8%
8	dk	8	 3.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#482 v777: allowed to keep aids infection secret

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	112	54.1%
1	yes	91	44.0%
8	dk, not sure, depends	4	1.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#483 v778: willing to care for relative with aids

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	33	15.9%
1	yes	168	81.2%
8	dk, not sure, depends	6	2.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#484 v779: person with aids allowed continuing teaching

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	16	7.7%
1	yes	183	88.4%
8	dk, not sure, depends	8	3.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#485 v781: ever been tested for aids

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	169	79.7%
1	yes	43	20.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#486 v783: know a place to get aids test

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	48	23.2%
1	yes	159	76.8%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#487 v784a: place for aids test: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	150	91.5%
1	yes	14	8.5%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#488 v784b: place for aids test: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	85	51.8%
1	yes	79	48.2%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#489 v784c: place for aids test: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	164	100.0%
1	yes	0	0.0%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#490 v784d: place for aids test: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	164	100.0%
1	yes	0	0.0%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#491 v784e: place for aids test: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	164	100.0%
1	yes	0	0.0%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#492 v784g: place for aids test: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Women

#492 v784g: place for aids test: provincial hospital (rh)

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	no	134	81.7%
1	yes	30	18.3%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#493 v784h: place for aids test: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	no	148	90.2%
1	yes	16	9.8%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#494 v784j: place for aids test: other public

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	no	162	98.8%
1	yes	2	1.2%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#495 v784k: place for aids test: private hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	no	155	94.5%
1	yes	9	5.5%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#496 v784p: place for aids test: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
0	no	156	95.1%
1	yes	8	4.9%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#497 v784q: place for aids test: private laboratory

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=164 /-] [Invalid=48 /-]

File Women

#497 v784q: place for aids test: private laboratory

Value	Label	Cases	Percentage
0	no	162	98.8%
1	yes	2	1.2%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#498 v784s: place for aids test: other private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	161	98.2%
1	yes	3	1.8%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#499 v784u: place for aids test: public vct center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	160	97.6%
1	yes	4	2.4%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#500 v784v: place for aids test: public pmtct site

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	164	100.0%
1	yes	0	0.0%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#501 v784x: place for aids test: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=164 -] [Invalid=48 -]

Value	Label	Cases	Percentage
0	no	162	98.8%
1	yes	2	1.2%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#502 v785: heard about other stds

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 -] [Invalid=0 -]

File Women

#502 v785: heard about other stds

Value	Label	Cases	Percentage
0	no	47	22.2%
1	yes	165	77.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#503 v822: wife justified to ask husband to use condom if he has std

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	6	2.8%
1	yes	198	93.4%
8	don't know	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#504 v823: can get aids by witchcraft or supernatural means

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	186	89.9%
1	yes	8	3.9%
8	don't know	13	6.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#505 v824: drugs to avoid aids transmission to baby during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=202 /-] [Invalid=10 /-]

Value	Label	Cases	Percentage
0	no	18	8.9%
1	yes	121	59.9%
8	don't know	63	31.2%
Sysmiss		10	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#506 v825: would buy vegetables from vendor with aids

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	52	25.1%
1	yes	155	74.9%
8	don't know	0	0.0%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#507 v826: when was last time you were tested

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
-------------	--

File Women

#507 v826: when was last time you were tested

Statistics [NW/ W] [Valid=43 /-] [Invalid=169 /-]

Value	Label	Cases	Percentage
1	less than 12 months	9	20.9%
2	12-23 months	4	9.3%
3	2 years or more	30	69.8%
Sysmiss		169	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#508 v828: did get results for last test

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=43 /-] [Invalid=169 /-]

Value	Label	Cases	Percentage
0	no	2	4.7%
1	yes	41	95.3%
Sysmiss		169	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#509 v829: place were last aids test was taken

Information [Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]

Statistics [NW/ W] [Valid=43 /-] [Invalid=169 /-]

Value	Label	Cases	Percentage
10	other public	1	2.3%
11	national hospital (pp)	7	16.3%
12	provincial hospital (rh)	7	16.3%
13	district hospital (rh)	0	0.0%
14	health center	19	44.2%
15	health post	0	0.0%
16	outreach	1	2.3%
17	military hospital	0	0.0%
18	vct center	1	2.3%
19	pmtct site	0	0.0%
21	private hospital	1	2.3%
22	private clinic	3	7.0%
23	private laboratory	0	0.0%
24	other private medical	1	2.3%
96	other	2	4.7%
Sysmiss		169	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#510 v832b: time since last intercourse with next to last sexual partner

Information [Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
100	<1 day ago	0	
101	days: 1	0	

File Women

#510 v832b: time since last intercourse with next to last sexual partner

Value	Label	Cases	Percentage
201	weeks: 1	0	
301	months: 1	0	
401	years: 1	0	
995	within last 4 weeks	0	
996	before last birth	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#511 v832c: time since last intercourse with second to last sexual partner

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
100	<1 day ago	0	
101	days: 1	0	
201	weeks: 1	0	
301	months: 1	0	
401	years: 1	0	
995	within last 4 weeks	0	
996	before last birth	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#512 v833a: used condom every time had sex with last sex partner (last 12 months)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
0	no	1	20.0%
1	yes	4	80.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#513 v833b: used condom every time had sex with next to last sex partner (last 12 months)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#514 v833c: used condom every time had sex with second to last sex partner (last 12 months)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#515 v834a: age of last sexual partner

Information [Type= discrete] [Format=numeric] [Range= 18-98] [Missing=*]

Statistics [NW/ W] [Valid=120 /-] [Invalid=92 /-]

Frequency table not shown (37 Modalities)

#516 v834b: age of next to last sexual partner

Information [Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
95	95+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#517 v834c: age of second to last sexual partner

Information [Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
95	95+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#518 v836: total lifetime number of sexual partners

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=133 /-] [Invalid=79 /-]

Value	Label	Cases	Percentage
1		124	93.2%
2		9	6.8%
95	95+	0	0.0%
98	don't know	0	0.0%
Sysmiss		79	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#519 v838a: talk during antenatal visit: aids transmitted mother to child

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=172 /-]

File Women

#519 v838a: talk during antenatal visit: aids transmitted mother to child

Value	Label	Cases	Percentage
0	no	13	32.5%
1	yes	27	67.5%
8	don't know	0	0.0%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#520 v838b: talk during antenatal visit: things to do to prevent aids

Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=172 /-]	
Value	Label	Cases	Percentage
0	no	14	35.0%
1	yes	23	57.5%
8	don't know	3	7.5%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#521 v838c: talk during antenatal visit: getting tested for aids virus

Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=172 /-]	
Value	Label	Cases	Percentage
0	no	13	32.5%
1	yes	27	67.5%
8	don't know	0	0.0%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#522 v839: offered aids test as part of antenatal visit

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=172 /-]	
Value	Label	Cases	Percentage
0	no	18	45.0%
1	yes	22	55.0%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#523 v840: tested for aids virus as part of antenatal visit

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=172 /-]	
Value	Label	Cases	Percentage
0	no	22	55.0%
1	yes	18	45.0%
Sysmiss		172	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#524 v841: got results of aids test as part of antenatal visit

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=18 /-] [Invalid=194 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	18	100.0%
Sysmiss		194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#525 v842: place were aids test was taken as part of antenatal visit

Information [Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]

Statistics [NW/ W] [Valid=18 /-] [Invalid=194 /-]

Value	Label	Cases	Percentage
10	other public	1	5.6%
11	national hospital (pp)	1	5.6%
12	provincial hospital (rh)	4	22.2%
13	district hospital (rh)	0	0.0%
14	health center	12	66.7%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	vct center	0	0.0%
19	pmtct site	0	0.0%
20	private medical	0	0.0%
21	private hospital	0	0.0%
22	private clinic	0	0.0%
23	private laboratory	0	0.0%
24	other private medical	0	0.0%
96	other	0	0.0%
Sysmiss		194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#526 v843: tested for aids since test as part of antenatal visit

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=18 /-] [Invalid=194 /-]

Value	Label	Cases	Percentage
0	no	11	61.1%
1	yes	7	38.9%
Sysmiss		194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#527 v844: knows someone denied health services because of aids last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	no	125	60.4%

File Women

#527 v844: knows someone denied health services because of aids last 12 months

Value	Label	Cases	Percentage
1	yes	16	7.7%
2	don't know anyone with aids	66	31.9%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#528 v847: people with aids should be ashamed of themselves

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	disagree	87	42.0%
1	agree	111	53.6%
8	don't know / no opinion	9	4.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#529 v848: people with aids should be blamed for bringing disease to community

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=207 /-] [Invalid=5 /-]

Value	Label	Cases	Percentage
0	disagree	120	58.0%
1	agree	78	37.7%
8	don't know / no opinion	9	4.3%
Sysmiss		5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#530 v850a: can respondent refuse sex

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
0	no	6	4.8%
1	yes	117	92.9%
8	dk, not sure, depends	3	2.4%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#531 v850b: can ask partner to use condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=126 /-] [Invalid=86 /-]

Value	Label	Cases	Percentage
0	no	9	7.1%
1	yes	107	84.9%
8	dk, not sure, depends	10	7.9%
Sysmiss		86	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#532 v801: time interview started

Information	[Type= continuous] [Format=numeric] [Range= 630-1920] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-] [Mean=1106.967 /-] [StdDev=308.21 /-]

#533 v802: time interview ended

Information	[Type= continuous] [Format=numeric] [Range= 700-9999] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-] [Mean=1279.165 /-] [StdDev=906.047 /-]

#534 v803: length of interview in minutes

Information	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Frequency table not shown (49 Modalities)

#535 v804: number of visits

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		205	96.7%
2		5	2.4%
3		2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#536 v805: interviewer identification

Information	[Type= continuous] [Format=numeric] [Range= 12-195] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-] [Mean=99.778 /-] [StdDev=53.812 /-]

#537 v806: keyer identification

Information	[Type= discrete] [Format=numeric] [Range= 9-20] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
9		15	7.1%
10		18	8.5%
11		14	6.6%
12		24	11.3%
13		22	10.4%
14		18	8.5%
15		13	6.1%
16		13	6.1%
17		27	12.7%
18		15	7.1%
19		21	9.9%
20		12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#538 v811: pres. children < 10 (sec 7)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#538 v811: pres. children < 10 (sec 7)

Value	Label	Cases	Percentage
0	no	196	92.5%
1	yes - listening	7	3.3%
2	yes - not listening	9	4.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#539 v812: pres. husband (sec 7)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	204	96.2%
1	yes - listening	0	0.0%
2	yes - not listening	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#540 v813: pres. other males (sec 7)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes - listening	0	0.0%
2	yes - not listening	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#541 v814: pres. other females (sec 7)

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	206	97.2%
1	yes - listening	1	0.5%
2	yes - not listening	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#542 vcol_1: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	212	100.0%
2	reason for discontinuation	0	0.0%
3	marriage & unions	0	0.0%
4	moves & communities	0	0.0%
5	source of method	0	0.0%
6	country specific	0	0.0%
7	country specific	0	0.0%
8	country specific	0	0.0%

File Women

#542 vcol_1: calendar column number

Value	Label	Cases	Percentage
9	country specific	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#543 vcol_2: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	0.0%
2	reason for discontinuation	212	100.0%
3	marriage & unions	0	0.0%
4	moves & communities	0	0.0%
5	source of method	0	0.0%
6	country specific	0	0.0%
7	country specific	0	0.0%
8	country specific	0	0.0%
9	country specific	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#544 vcol_3: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#545 vcol_4: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	

File Women

#545 vcol_4: calendar column number

Value	Label	Cases	Percentage
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#546 vcol_5: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#547 vcol_6: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#548 vcol_7: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	

File Women

#548 vcol_7: calendar column number

Value	Label	Cases	Percentage
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#549 vcol_8: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#550 vcol_9: calendar column number

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	pregnancies & contraception	0	
2	reason for discontinuation	0	
3	marriage & unions	0	
4	moves & communities	0	
5	source of method	0	
6	country specific	0	
7	country specific	0	
8	country specific	0	
9	country specific	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#551 vcal_1: calendar

Information	[Type= discrete] [Format=character] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

File Women

#551 vcal_1: calendar

Frequency table not shown (109 Modalities)

#552 vcal_2: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=36 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		5	13.9%
2		13	36.1%
2 2		1	2.8%
2 8		1	2.8%
2 84		1	2.8%
2 7 2		1	2.8%
3		1	2.8%
4		4	11.1%
4 2		1	2.8%
8		1	2.8%
8 2		1	2.8%
8 4 7		1	2.8%
9		3	8.3%
?		1	2.8%
W		1	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#553 vcal_3: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

#554 vcal_4: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

#555 vcal_5: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

#556 vcal_6: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

#557 vcal_7: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

#558 vcal_8: calendar

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

File Women			
#559 vcal_9: calendar			
Information		[Type= discrete] [Format=character] [Missing=*]	
Statistics [NW/ W]		[Valid=0 -] [Invalid=0 -]	
#560 mmidx_01: maternal mortality index			
Information		[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]	
Statistics [NW/ W]		[Valid=206 -] [Invalid=6 -]	
Value	Label	Cases	Percentage
1		206	<div></div> 100.0%
Sysmiss		6	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#561 mmidx_02: maternal mortality index			
Information		[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]	
Statistics [NW/ W]		[Valid=197 -] [Invalid=15 -]	
Value	Label	Cases	Percentage
2		197	<div></div> 100.0%
Sysmiss		15	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#562 mmidx_03: maternal mortality index			
Information		[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]	
Statistics [NW/ W]		[Valid=181 -] [Invalid=31 -]	
Value	Label	Cases	Percentage
3		181	<div></div> 100.0%
Sysmiss		31	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#563 mmidx_04: maternal mortality index			
Information		[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]	
Statistics [NW/ W]		[Valid=149 -] [Invalid=63 -]	
Value	Label	Cases	Percentage
4		149	<div></div> 100.0%
Sysmiss		63	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#564 mmidx_05: maternal mortality index			
Information		[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]	
Statistics [NW/ W]		[Valid=111 -] [Invalid=101 -]	
Value	Label	Cases	Percentage
5		111	<div></div> 100.0%
Sysmiss		101	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			
#565 mmidx_06: maternal mortality index			
Information		[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]	
Statistics [NW/ W]		[Valid=76 -] [Invalid=136 -]	

File Women

#565 mmidx_06: maternal mortality index

Value	Label	Cases	Percentage
6		76	<div><div></div></div> 100.0%
Sysmiss		136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#566 mmidx_07: maternal mortality index

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
7		36	<div><div></div></div> 100.0%
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#567 mmidx_08: maternal mortality index

Information	[Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=190 /-]

Value	Label	Cases	Percentage
8		22	<div><div></div></div> 100.0%
Sysmiss		190	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#568 mmidx_09: maternal mortality index

Information	[Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=200 /-]

Value	Label	Cases	Percentage
9		12	<div><div></div></div> 100.0%
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#569 mmidx_10: maternal mortality index

Information	[Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
10		5	<div><div></div></div> 100.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#570 mmidx_11: maternal mortality index

Information	[Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
11		3	<div><div></div></div> 100.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#571 mmidx_12: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#572 mmidx_13: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#573 mmidx_14: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#574 mmidx_15: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#575 mmidx_16: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#576 mmidx_17: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#577 mmidx_18: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

File Women

#577 mmidx_18: maternal mortality index

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#578 mmidx_19: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#579 mmidx_20: maternal mortality index

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#580 mm1_01: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=206 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
1	male	105	51.0%
2	female	101	49.0%
8	dk	0	0.0%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#581 mm1_02: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=197 /-] [Invalid=15 /-]

Value	Label	Cases	Percentage
1	male	100	50.8%
2	female	97	49.2%
8	dk	0	0.0%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#582 mm1_03: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=181 /-] [Invalid=31 /-]

Value	Label	Cases	Percentage
1	male	87	48.1%
2	female	94	51.9%
8	dk	0	0.0%
Sysmiss		31	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#583 mm1_04: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=149 /-] [Invalid=63 /-]

Value	Label	Cases	Percentage
1	male	74	49.7%
2	female	75	50.3%
8	dk	0	0.0%
Sysmiss		63	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#584 mm1_05: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=111 /-] [Invalid=101 /-]

Value	Label	Cases	Percentage
1	male	51	45.9%
2	female	60	54.1%
8	dk	0	0.0%
Sysmiss		101	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#585 mm1_06: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=76 /-] [Invalid=136 /-]

Value	Label	Cases	Percentage
1	male	46	60.5%
2	female	30	39.5%
8	dk	0	0.0%
Sysmiss		136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#586 mm1_07: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=36 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
1	male	19	52.8%
2	female	17	47.2%
8	dk	0	0.0%
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#587 mm1_08: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=190 /-]

Value	Label	Cases	Percentage
1	male	7	31.8%
2	female	15	68.2%

File Women

#587 mm1_08: sex of sibling

Value	Label	Cases	Percentage
8	dk	0	0.0%
Sysmiss		190	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#588 mm1_09: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=200 /-]

Value	Label	Cases	Percentage
1	male	5	41.7%
2	female	7	58.3%
8	dk	0	0.0%
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#589 mm1_10: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
1	male	4	80.0%
2	female	1	20.0%
8	dk	0	0.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#590 mm1_11: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
1	male	3	100.0%
2	female	0	0.0%
8	dk	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#591 mm1_12: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#592 mm1_13: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#593 mm1_14: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#594 mm1_15: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#595 mm1_16: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#596 mm1_17: sex of sibling

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	

File Women

#596 mm1_17: sex of sibling

Value	Label	Cases	Percentage
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#597 mm1_18: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#598 mm1_19: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#599 mm1_20: sex of sibling

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
1	male	0	
2	female	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#600 mm2_01: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=206 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0	dead	29	14.1%
1	alive	177	85.9%
8	dk	0	0.0%
Sysmiss		6	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#601 mm2_02: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=197 -] [Invalid=15 -]



Value	Label	Cases	Percentage
0	dead	31	 15.7%
1	alive	166	 84.3%
8	dk	0	0.0%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#602 mm2_03: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=181 -] [Invalid=31 -]



Value	Label	Cases	Percentage
0	dead	27	 14.9%
1	alive	154	 85.1%
8	dk	0	0.0%
Sysmiss		31	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#603 mm2_04: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=149 -] [Invalid=63 -]


Value	Label	Cases	Percentage
0	dead	19	 12.8%
1	alive	130	 87.2%
8	dk	0	0.0%
Sysmiss		63	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#604 mm2_05: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=111 -] [Invalid=101 -]

Value	Label	Cases	Percentage
0	dead	16	 14.4%
1	alive	95	 85.6%
8	dk	0	0.0%
Sysmiss		101	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#605 mm2_06: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=76 -] [Invalid=136 -]

Value	Label	Cases	Percentage
0	dead	9	 11.8%
1	alive	67	 88.2%

File Women

#605 mm2_06: sibling's survival status

Value	Label	Cases	Percentage
8	dk	0	0.0%
Sysmiss		136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#606 mm2_07: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
0	dead	3	8.3%
1	alive	33	91.7%
8	dk	0	0.0%
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#607 mm2_08: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=22 /-] [Invalid=190 /-]

Value	Label	Cases	Percentage
0	dead	4	18.2%
1	alive	18	81.8%
8	dk	0	0.0%
Sysmiss		190	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#608 mm2_09: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=12 /-] [Invalid=200 /-]

Value	Label	Cases	Percentage
0	dead	3	25.0%
1	alive	9	75.0%
8	dk	0	0.0%
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#609 mm2_10: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
0	dead	3	60.0%
1	alive	2	40.0%
8	dk	0	0.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#610 mm2_11: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
0	dead	2	66.7%
1	alive	1	33.3%
8	dk	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#611 mm2_12: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#612 mm2_13: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#613 mm2_14: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#614 mm2_15: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	

File Women

#614 mm2_15: sibling's survival status

Value	Label	Cases	Percentage
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#615 mm2_16: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#616 mm2_17: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#617 mm2_18: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#618 mm2_19: sibling's survival status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#619 mm2_20: sibling's survival status

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	dead	0	
1	alive	0	
8	dk	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#620 mm3_01: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 7-99] [Missing=*]

Statistics [NW/ W] [Valid=177 /-] [Invalid=35 /-]

Frequency table not shown (51 Modalities)

#621 mm3_02: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=166 /-] [Invalid=46 /-]

Frequency table not shown (53 Modalities)

#622 mm3_03: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]

Statistics [NW/ W] [Valid=154 /-] [Invalid=58 /-]

Frequency table not shown (51 Modalities)

#623 mm3_04: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 4-99] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=82 /-]

Frequency table not shown (47 Modalities)

#624 mm3_05: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=95 /-] [Invalid=117 /-]

Frequency table not shown (43 Modalities)

#625 mm3_06: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 2-99] [Missing=*]

Statistics [NW/ W] [Valid=67 /-] [Invalid=145 /-]

Frequency table not shown (37 Modalities)

#626 mm3_07: sibling's current age

Information [Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]

Statistics [NW/ W] [Valid=33 /-] [Invalid=179 /-]

Value	Label	Cases	Percentage
3		1	3.0%
15		2	6.1%
16		4	12.1%

File Women

#626 mm3_07: sibling's current age

Value	Label	Cases	Percentage
17		1	3.0%
18		1	3.0%
19		1	3.0%
20		1	3.0%
21		1	3.0%
22		3	9.1%
23		1	3.0%
25		1	3.0%
26		2	6.1%
28		1	3.0%
30		2	6.1%
31		1	3.0%
34		1	3.0%
36		1	3.0%
38		1	3.0%
40		1	3.0%
43		1	3.0%
46		1	3.0%
51		2	6.1%
52		1	3.0%
53		1	3.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		179	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#627 mm3_08: sibling's current age

Information		[Type= discrete] [Format=numeric] [Range= 14-98] [Missing=*]	
Statistics [NW/ W]		[Valid=18 /-] [Invalid=194 /-]	
Value	Label	Cases	Percentage
14		1	5.6%
15		3	16.7%
18		1	5.6%
22		2	11.1%
23		2	11.1%
24		1	5.6%
27		1	5.6%
28		1	5.6%
32		1	5.6%
41		1	5.6%
43		1	5.6%
45		1	5.6%
47		1	5.6%
51		1	5.6%

File Women

#627 mm3_08: sibling's current age

Value	Label	Cases	Percentage
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#628 mm3_09: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 18-98] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=203 /-]

Value	Label	Cases	Percentage
18		1	11.1%
19		2	22.2%
22		1	11.1%
25		2	22.2%
37		1	11.1%
40		1	11.1%
45		1	11.1%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		203	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#629 mm3_10: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 6-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=210 /-]

Value	Label	Cases	Percentage
6		1	50.0%
29		1	50.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		210	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#630 mm3_11: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 27-98] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=211 /-]

Value	Label	Cases	Percentage
27		1	100.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		211	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#631 mm3_12: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

File Women

#631 mm3_12: sibling's current age

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#632 mm3_13: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#633 mm3_14: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#634 mm3_15: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#635 mm3_16: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#636 mm3_17: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

File Women

#636 mm3_17: sibling's current age

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#637 mm3_18: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#638 mm3_19: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#639 mm3_20: sibling's current age

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#640 mm4_01: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 443-1241] [Missing=*]
Statistics [NW/ W]	[Valid=206 /-] [Invalid=6 /-] [Mean=903.612 /-] [StdDev=151.39 /-]

#641 mm4_02: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 496-1313] [Missing=*]
Statistics [NW/ W]	[Valid=197 /-] [Invalid=15 /-] [Mean=939.518 /-] [StdDev=152.365 /-]

#642 mm4_03: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 542-1302] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=31 /-] [Mean=973.994 /-] [StdDev=152.406 /-]

#643 mm4_04: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 590-1274] [Missing=*]
-------------	---

File Women

#643 mm4_04: cmc date of birth of sibling

Statistics [NW/ W]	[Valid=149 /-] [Invalid=63 /-] [Mean=990.45 /-] [StdDev=149.886 /-]
---------------------------	---

#644 mm4_05: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 609-1310] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=111 /-] [Invalid=101 /-] [Mean=1007.027 /-] [StdDev=148.475 /-]
---------------------------	--

#645 mm4_06: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 649-1299] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=76 /-] [Invalid=136 /-] [Mean=1023.487 /-] [StdDev=155.206 /-]
---------------------------	---

#646 mm4_07: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 685-1288] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=36 /-] [Invalid=176 /-] [Mean=990.611 /-] [StdDev=148.916 /-]
---------------------------	--

#647 mm4_08: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 709-1153] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=22 /-] [Invalid=190 /-] [Mean=994.636 /-] [StdDev=135.464 /-]
---------------------------	--

#648 mm4_09: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 721-1172] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=12 /-] [Invalid=200 /-] [Mean=995.333 /-] [StdDev=149.347 /-]
---------------------------	--

#649 mm4_10: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 733-1251] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-] [Mean=1045.2 /-] [StdDev=200.907 /-]
---------------------------	--

#650 mm4_11: cmc date of birth of sibling

Information	[Type= continuous] [Format=numeric] [Range= 752-1188] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-] [Mean=980.667 /-] [StdDev=218.781 /-]
---------------------------	---

#651 mm4_12: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#652 mm4_13: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]
---------------------------	-------------------------------

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#653 mm4_14: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]
---------------------------	-------------------------------

File Women

#653 mm4_14: cmc date of birth of sibling

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#654 mm4_15: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#655 mm4_16: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#656 mm4_17: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#657 mm4_18: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#658 mm4_19: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#659 mm4_20: cmc date of birth of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#660 mm6_01: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 4-99] [Missing=*]

Statistics [NW/ W] [Valid=29 /-] [Invalid=183 /-]

Value	Label	Cases	Percentage
4		2	6.9%
9		1	3.4%
12		4	13.8%
14		1	3.4%
15		1	3.4%
23		2	6.9%
24		1	3.4%
25		1	3.4%
26		1	3.4%
30		4	13.8%
31		1	3.4%
32		1	3.4%
34		2	6.9%
35		1	3.4%
37		1	3.4%
39		1	3.4%
40		2	6.9%
52		1	3.4%
97	97+	0	0.0%
98	don't know	0	0.0%
99		1	3.4%
Sysmiss		183	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#661 mm6_02: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=31 /-] [Invalid=181 /-]

Value	Label	Cases	Percentage
0		1	3.2%
3		1	3.2%
4		1	3.2%
5		1	3.2%
6		1	3.2%
11		1	3.2%
15		1	3.2%
17		1	3.2%
18		1	3.2%
19		1	3.2%
22		1	3.2%
24		1	3.2%
27		1	3.2%

File Women

#661 mm6_02: years ago sibling died

Value	Label	Cases	Percentage
28		2	6.5%
30		3	9.7%
33		3	9.7%
34		2	6.5%
35		1	3.2%
37		1	3.2%
40		2	6.5%
42		1	3.2%
48		1	3.2%
50		2	6.5%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#662 mm6_03: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=185 /-]

Value	Label	Cases	Percentage
0		1	3.7%
3		1	3.7%
4		2	7.4%
8		1	3.7%
10		1	3.7%
16		1	3.7%
18		2	7.4%
19		3	11.1%
25		1	3.7%
28		1	3.7%
30		1	3.7%
32		2	7.4%
34		2	7.4%
35		2	7.4%
39		1	3.7%
40		1	3.7%
46		2	7.4%
56		1	3.7%
97	97+	0	0.0%
98	don't know	0	0.0%
99		1	3.7%
Sysmiss		185	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#663 mm6_04: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=19 /-] [Invalid=193 /-]

Value	Label	Cases	Percentage
1		1	5.3%
2		1	5.3%
3		3	15.8%
12		1	5.3%
17		1	5.3%
23		2	10.5%
27		1	5.3%
28		3	15.8%
30		1	5.3%
31		2	10.5%
32		2	10.5%
51		1	5.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#664 mm6_05: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=16 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
1		1	6.2%
3		1	6.2%
7		2	12.5%
12		1	6.2%
17		1	6.2%
19		1	6.2%
25		1	6.2%
27		3	18.8%
29		1	6.2%
30		1	6.2%
32		2	12.5%
37		1	6.2%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#665 mm6_06: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 13-98] [Missing=*]

Statistics [NW/ W] [Valid=9 /-] [Invalid=203 /-]

File Women

#665 mm6_06: years ago sibling died

Value	Label	Cases	Percentage
13		1	11.1%
19		1	11.1%
23		1	11.1%
28		1	11.1%
30		1	11.1%
31		1	11.1%
32		2	22.2%
37		1	11.1%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		203	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#666 mm6_07: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 4-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]		
Value	Label	Cases	Percentage
4		1	33.3%
10		1	33.3%
24		1	33.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#667 mm6_08: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 12-98] [Missing=*]		
Statistics [NW/ W]	[Valid=4 /-] [Invalid=208 /-]		
Value	Label	Cases	Percentage
12		1	25.0%
25		2	50.0%
29		1	25.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		208	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#668 mm6_09: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 6-98] [Missing=*]		
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]		
Value	Label	Cases	Percentage
6		1	33.3%
12		1	33.3%
30		1	33.3%

File Women

#668 mm6_09: years ago sibling died

Value	Label	Cases	Percentage
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#669 mm6_10: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 13-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
13		1	33.3%
17		1	33.3%
30		1	33.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#670 mm6_11: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 11-98] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=210 /-]

Value	Label	Cases	Percentage
11		1	50.0%
43		1	50.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		210	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#671 mm6_12: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#672 mm6_13: years ago sibling died

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#673 mm6_14: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#674 mm6_15: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#675 mm6_16: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#676 mm6_17: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#677 mm6_18: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#678 mm6_19: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

File Women

#678 mm6_19: years ago sibling died

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#679 mm6_20: years ago sibling died

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#680 mm7_01: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=29 /-] [Invalid=183 /-]

Value	Label	Cases	Percentage
0		7	24.1%
3		3	10.3%
5		1	3.4%
7		1	3.4%
9		1	3.4%
11		1	3.4%
12		2	6.9%
13		1	3.4%
15		1	3.4%
16		1	3.4%
18		2	6.9%
20		2	6.9%
35		1	3.4%
39		1	3.4%
40		1	3.4%
42		1	3.4%
50		1	3.4%
97	97+	0	0.0%
98	don't know	0	0.0%
99		1	3.4%
Sysmiss		183	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#681 mm7_02: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

File Women

#681 mm7_02: sibling's age at death

Statistics [NW/ W] [Valid=31 /-] [Invalid=181 /-]

Value	Label	Cases	Percentage
0		7	22.6%
2		3	9.7%
5		3	9.7%
6		1	3.2%
7		3	9.7%
10		1	3.2%
12		2	6.5%
14		2	6.5%
17		1	3.2%
19		1	3.2%
24		1	3.2%
25		1	3.2%
31		1	3.2%
32		1	3.2%
33		1	3.2%
40		1	3.2%
56		1	3.2%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		181	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#682 mm7_03: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=27 /-] [Invalid=185 /-]

Value	Label	Cases	Percentage
0		8	29.6%
1		2	7.4%
2		1	3.7%
3		1	3.7%
4		1	3.7%
6		1	3.7%
7		1	3.7%
8		1	3.7%
10		1	3.7%
20		3	11.1%
22		1	3.7%
27		1	3.7%
32		2	7.4%
40		1	3.7%
58		1	3.7%
60		1	3.7%

File Women

#682 mm7_03: sibling's age at death

Value	Label	Cases	Percentage
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		185	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#683 mm7_04: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=193 /-]

Value	Label	Cases	Percentage
0		4	21.1%
4		3	15.8%
6		1	5.3%
7		1	5.3%
10		1	5.3%
15		1	5.3%
16		1	5.3%
18		1	5.3%
25		1	5.3%
36		1	5.3%
39		1	5.3%
40		1	5.3%
56		1	5.3%
57		1	5.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#684 mm7_05: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
0		3	18.8%
2		1	6.2%
5		2	12.5%
7		2	12.5%
8		1	6.2%
13		1	6.2%
20		1	6.2%
22		1	6.2%
25		1	6.2%
28		1	6.2%
35		1	6.2%
39		1	6.2%

File Women

#684 mm7_05: sibling's age at death

Value	Label	Cases	Percentage
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#685 mm7_06: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=203 /-]

Value	Label	Cases	Percentage
0		3	33.3%
1		1	11.1%
3		1	11.1%
13		1	11.1%
17		1	11.1%
22		2	22.2%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		203	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#686 mm7_07: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
3		1	33.3%
8		1	33.3%
28		1	33.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#687 mm7_08: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=208 /-]

Value	Label	Cases	Percentage
0		2	50.0%
2		1	25.0%
3		1	25.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		208	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#688 mm7_09: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
3		1	33.3%
6		1	33.3%
20		1	33.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#689 mm7_10: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
0		1	33.3%
1		1	33.3%
19		1	33.3%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#690 mm7_11: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=210 /-]

Value	Label	Cases	Percentage
0		1	50.0%
4		1	50.0%
97	97+	0	0.0%
98	don't know	0	0.0%
Sysmiss		210	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#691 mm7_12: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#692 mm7_13: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

File Women

#692 mm7_13: sibling's age at death

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#693 mm7_14: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#694 mm7_15: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#695 mm7_16: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#696 mm7_17: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#697 mm7_18: sibling's age at death

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

File Women

#697 mm7_18: sibling's age at death

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#698 mm7_19: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#699 mm7_20: sibling's age at death

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
97	97+	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#700 mm8_01: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 698-1274] [Missing=*]
Statistics [NW/ W]	[Valid=29 /-] [Invalid=183 /-] [Mean=1023.31 /-] [StdDev=145.158 /-]

#701 mm8_02: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 722-1323] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=181 /-] [Mean=1004.452 /-] [StdDev=168.739 /-]

#702 mm8_03: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 653-1321] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=185 /-] [Mean=1021.889 /-] [StdDev=176.256 /-]

#703 mm8_04: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 712-1309] [Missing=*]
Statistics [NW/ W]	[Valid=19 /-] [Invalid=193 /-] [Mean=1067.895 /-] [StdDev=166.027 /-]

#704 mm8_05: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 878-1311] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=196 /-] [Mean=1074.25 /-] [StdDev=137.753 /-]

#705 mm8_06: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 878-1170] [Missing=*]
Statistics [NW/ W]	[Valid=9 /-] [Invalid=203 /-] [Mean=996.889 /-] [StdDev=90.473 /-]

File Women

#706 mm8_07: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 1038-1274] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-] [Mean=1171 /-] [StdDev=120.826 /-]

#707 mm8_08: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 978-1181] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=208 /-] [Mean=1051.75 /-] [StdDev=88.868 /-]

#708 mm8_09: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 964-1249] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-] [Mean=1131.333 /-] [StdDev=148.85 /-]

#709 mm8_10: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 964-1169] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-] [Mean=1083.333 /-] [StdDev=106.566 /-]

#710 mm8_11: cmc date of death of sibling

Information	[Type= continuous] [Format=numeric] [Range= 805-1193] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=210 /-] [Mean=999 /-] [StdDev=274.357 /-]

#711 mm8_12: cmc date of death of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#712 mm8_13: cmc date of death of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#713 mm8_14: cmc date of death of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#714 mm8_15: cmc date of death of sibling

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#715 mm8_16: cmc date of death of sibling

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#716 mm8_17: cmc date of death of sibling

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#717 mm8_18: cmc date of death of sibling

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#718 mm8_19: cmc date of death of sibling

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#719 mm8_20: cmc date of death of sibling

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#720 mm9_01: sibling's death & pregnancy

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	0.0%
1	death not related	5	100.0%
2	died while pregnant	0	0.0%
3	died during delivery	0	0.0%
4	since delivery	0	0.0%
5	6 weeks after deliv.	0	0.0%
6	2 months after deliv.	0	0.0%

File Women

#720 mm9_01: sibling's death & pregnancy

Value	Label	Cases	Percentage
98	don't know	0	0.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#721 mm9_02: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	0.0%
1	death not related	5	100.0%
2	died while pregnant	0	0.0%
3	died during delivery	0	0.0%
4	since delivery	0	0.0%
5	6 weeks after deliv.	0	0.0%
6	2 months after deliv.	0	0.0%
98	don't know	0	0.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#722 mm9_03: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	0.0%
1	death not related	2	66.7%
2	died while pregnant	1	33.3%
3	died during delivery	0	0.0%
4	since delivery	0	0.0%
5	6 weeks after deliv.	0	0.0%
6	2 months after deliv.	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#723 mm9_04: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	0.0%
1	death not related	2	66.7%
2	died while pregnant	1	33.3%
3	died during delivery	0	0.0%
4	since delivery	0	0.0%
5	6 weeks after deliv.	0	0.0%

File Women

#723 mm9_04: sibling's death & pregnancy

Value	Label	Cases	Percentage
6	2 months after deliv.	0	0.0%
98	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#724 mm9_05: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]
Statistics [NW/ W]	[Valid=4 /-] [Invalid=208 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	0.0%
1	death not related	3	75.0%
2	died while pregnant	0	0.0%
3	died during delivery	0	0.0%
4	since delivery	0	0.0%
5	6 weeks after deliv.	0	0.0%
6	2 months after deliv.	0	0.0%
98	don't know	0	0.0%
99		1	25.0%
Sysmiss		208	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#725 mm9_06: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#726 mm9_07: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	

File Women

#726 mm9_07: sibling's death & pregnancy

Value	Label	Cases	Percentage
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#727 mm9_08: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#728 mm9_09: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#729 mm9_10: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	

File Women

#729 mm9_10: sibling's death & pregnancy

Value	Label	Cases	Percentage
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#730 mm9_11: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#731 mm9_12: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#732 mm9_13: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	

File Women

#732 mm9_13: sibling's death & pregnancy

Value	Label	Cases	Percentage
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#733 mm9_14: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#734 mm9_15: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#735 mm9_16: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	

File Women

#735 mm9_16: sibling's death & pregnancy

Value	Label	Cases	Percentage
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#736 mm9_17: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#737 mm9_18: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#738 mm9_19: sibling's death & pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

File Women

#738 mm9_19: sibling's death & pregnancy

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#739 mm9_20: sibling's death & pregnancy



Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	never pregnant	0	
1	death not related	0	
2	died while pregnant	0	
3	died during delivery	0	
4	since delivery	0	
5	6 weeks after deliv.	0	
6	2 months after deliv.	0	
98	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#740 mm14_01: number of sibling's children





Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
0		4	 80.0%
3		1	 20.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#741 mm14_02: number of sibling's children

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
0		2	 40.0%
2		1	 20.0%
3		1	 20.0%
4		1	 20.0%
Sysmiss		207	

File Women

#741 mm14_02: number of sibling's children

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#742 mm14_03: number of sibling's children

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
1		1	33.3%
5		1	33.3%
6		1	33.3%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#743 mm14_04: number of sibling's children

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
0		1	33.3%
1		1	33.3%
4		1	33.3%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#744 mm14_05: number of sibling's children

Information [Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=208 /-] [Mean=24.75 /-] [StdDev=49.5 /-]

#745 mm14_06: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#746 mm14_07: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#747 mm14_08: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#748 mm14_09: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#749 mm14_10: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#750 mm14_11: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#751 mm14_12: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#752 mm14_13: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#753 mm14_14: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#754 mm14_15: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

File Women

#754 mm14_15: number of sibling's children

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#755 mm14_16: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#756 mm14_17: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#757 mm14_18: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#758 mm14_19: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#759 mm14_20: number of sibling's children

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#760 mmc1: number of siblings of resp.

Information [Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	respondent only	6	2.8%
1		9	4.2%
2		16	7.5%
3		32	15.1%
4		38	17.9%

File Women

#760 mmc1: number of siblings of resp.

Value	Label	Cases	Percentage
5		35	16.5%
6		40	18.9%
7		14	6.6%
8		10	4.7%
9		7	3.3%
10		2	0.9%
11		3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#761 mmc2: preceding births before resp.

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=206 /-] [Invalid=6 /-]

Value	Label	Cases	Percentage
0		53	25.7%
1		33	16.0%
2		33	16.0%
3		29	14.1%
4		27	13.1%
5		12	5.8%
6		9	4.4%
7		7	3.4%
8		1	0.5%
9		1	0.5%
11		1	0.5%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#762 mmc5: cut off age

Information	[Type= discrete] [Format=numeric] [Range= 10-15] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	10 years	0	0.0%
12	12 years	212	100.0%
13	13 years	0	0.0%
15	15 years	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#763 sprov: province

Information	[Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	banteay mean chey	16	7.5%
2	battambang	15	7.1%
3	kampong cham	6	2.8%

File Women

#763 **sprov: province**

Value	Label	Cases	Percentage
4	kampong chhnang	16	7.5%
5	kampong speu	10	4.7%
6	kampong thom	5	2.4%
7	kampong	11	5.2%
8	kandal	12	5.7%
9	kaoh kong	3	1.4%
10	kratie	10	4.7%
11	mondol kiri	4	1.9%
12	phnom penh	14	6.6%
13	preah vihear	5	2.4%
14	prey veng	11	5.2%
15	pursat	12	5.7%
16	rattanak kiri	6	2.8%
17	siem reap	11	5.2%
18	preah sihanouk	4	1.9%
19	steung treng	3	1.4%
20	svay rieng	15	7.1%
21	takeo	12	5.7%
22	otdar mean chey	9	4.2%
23	kep	0	0.0%
24	pailin	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#764 **sdist: district**

Information		[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]	
Statistics [NW/ W]		[Valid=212 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
1		25	<div></div> 11.8%
2		32	<div></div> 15.1%
3		26	<div></div> 12.3%
4		25	<div></div> 11.8%
5		25	<div></div> 11.8%
6		20	<div></div> 9.4%
7		10	<div></div> 4.7%
8		20	<div></div> 9.4%
9		5	<div></div> 2.4%
10		15	<div></div> 7.1%
12		2	<div></div> 0.9%
13		4	<div></div> 1.9%
15		2	<div></div> 0.9%
16		1	<div></div> 0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#765 **scom: commune**

Information [Type= discrete] [Format=numeric] [Range= 1-18] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		37	17.5%
2		36	17.0%
3		21	9.9%
4		25	11.8%
5		30	14.2%
6		12	5.7%
7		16	7.5%
8		13	6.1%
9		5	2.4%
10		7	3.3%
11		2	0.9%
12		3	1.4%
13		2	0.9%
14		2	0.9%
18		1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#766 **svill: village**

Information [Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		43	20.3%
2		38	17.9%
3		18	8.5%
4		24	11.3%
5		17	8.0%
6		13	6.1%
7		12	5.7%
8		16	7.5%
9		8	3.8%
10		3	1.4%
11		5	2.4%
12		5	2.4%
13		2	0.9%
14		3	1.4%
15		1	0.5%
17		1	0.5%
18		2	0.9%
22		1	0.5%
26		0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#767 slang: language of questionnaire/interview/native

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	khmer language	211	99.5%
2	other language	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#768 strans: translator

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	211	99.5%
1	yes	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#769 s105: highest educational level

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=187 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
1	primary	90	48.1%
2	lowest secondary	49	26.2%
3	upper secondary	40	21.4%
4	higher	8	4.3%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#770 s106: highest grade/form/year at that level

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=187 /-] [Invalid=25 /-]

Value	Label	Cases	Percentage
0	less than 1 year	4	2.1%
1		8	4.3%
2		15	8.0%
3		20	10.7%
4		22	11.8%
5		17	9.1%
6		15	8.0%
7		17	9.1%
8		17	9.1%
9		14	7.5%
10		9	4.8%
11		10	5.3%
12		19	10.2%
Sysmiss		25	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#771 shh101: frequency of smoking inside house

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never	30	14.2%
1	daily	122	57.5%
2	weekly	20	9.4%
3	monthly	13	6.1%
4	less than monthly	22	10.4%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#772 sv113a: source of drinking water during the dry season - hh data

Information [Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	pipd water	0	0.0%
11	pipd into dwelling	25	11.8%
12	pipd to yard/plot	4	1.9%
13	public tap/standpipe	1	0.5%
20	tube well water	0	0.0%
21	tube well or borehole	61	28.8%
30	dug well (open/protected)	0	0.0%
31	protected well	11	5.2%
32	unprotected well	25	11.8%
40	water from spring	0	0.0%
41	protected spring	0	0.0%
42	unprotected spring	1	0.5%
43	river/dam/lake/ponds/stream/canal/irrigation channel	40	18.9%
51	rainwater	24	11.3%
61	tanker truck	8	3.8%
62	cart with small tank	4	1.9%
71	bottled water	2	0.9%
96	other	1	0.5%
97	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#773 shh103a: location of source for water during dry season

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=159 /-] [Invalid=53 /-]

Value	Label	Cases	Percentage
1	in own dwelling	17	10.7%
2	in own yard/plot	66	41.5%
3	elsewhere	71	44.7%
7	not de jure resident	5	3.1%

File Women

#773 shh103a: location of source for water during dry season

Value	Label	Cases	Percentage
Sysmiss		53	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#774 sv115a: time to get to water source during dry season - hh data

Information	[Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		2	0.9%
3		6	2.8%
5		14	6.6%
9		2	0.9%
10		8	3.8%
15		10	4.7%
17		1	0.5%
20		6	2.8%
30		4	1.9%
40		4	1.9%
60		8	3.8%
75		1	0.5%
90		2	0.9%
996	on premises	136	64.2%
997	not de jure resident	5	2.4%
998	don't know	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#775 sv113b: source of drinking water during wet season - hh data

Information	[Type= discrete] [Format=numeric] [Range= 10-97] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	pipd water	0	0.0%
11	pipd into dwelling	21	9.9%
12	pipd to yard/plot	4	1.9%
13	public tap/standpipe	1	0.5%
20	tube well water	0	0.0%
21	tube well or borehole	50	23.6%
30	dug well (open/protected)	0	0.0%
31	protected well	9	4.2%
32	unprotected well	14	6.6%
40	water from spring	0	0.0%
41	protected spring	0	0.0%
42	unprotected spring	0	0.0%
43	river/dam/lake/ponds/stream/canal/irrigation channel	18	8.5%
51	rainwater	84	39.6%
61	tanker truck	4	1.9%

File Women

#775 sv113b: source of drinking water during wet season - hh data

Value	Label	Cases	Percentage
62	cart with small tank	0	0.0%
71	bottled water	2	0.9%
96	other	0	0.0%
97	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#776 shh104c: location of source for water during wet season

Information	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=109 /-]

Value	Label	Cases	Percentage
1	in own dwelling	12	11.7%
2	in own yard/plot	56	54.4%
3	elsewhere	30	29.1%
7	not dejure resident	5	4.9%
Sysmiss		109	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#777 sv115b: time to get to water source during wet season - hh data

Information	[Type= discrete] [Format=numeric] [Range= 3-998] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
3		4	1.9%
5		10	4.7%
10		3	1.4%
15		5	2.4%
17		1	0.5%
20		3	1.4%
40		2	0.9%
996	on premises	177	83.5%
997	not dejure resident	5	2.4%
998	don't know	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#778 shh105a: anything done to water to make safe to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	41	19.3%
1	yes, always	141	66.5%
2	yes, sometime	25	11.8%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#779 shh106a: water usually treated by: boil

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	56	26.4%
1	yes	151	71.2%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#780 shh106b: water usually treated by: add bleach/chlorine

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	0	0.0%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#781 shh106c: water usually treated by: strain through a cloth

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	205	96.7%
1	yes	2	0.9%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#782 shh106d: water usually treated by: use water filter

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	185	87.3%
1	yes	22	10.4%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#783 shh106e: water usually treated by: solar disinfection

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	0	0.0%

File Women

#783 shh106e: water usually treated by: solar disinfection

Value	Label	Cases	Percentage
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#784 shh106f: water usually treated by: let it stand and settle

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	203	95.8%
1	yes	4	1.9%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#785 shh106x: water usually treated by: other

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	204	96.2%
1	yes	3	1.4%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#786 shh106z: water usually treated by: don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	0	0.0%
7	not dejure resident	5	2.4%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#787 shh109: number of households sharing toilet

Information	[Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=188 /-]

Value	Label	Cases	Percentage
2		14	58.3%
3		4	16.7%
4		1	4.2%
95	10 or more households	0	0.0%
97	not dejure resident	5	20.8%
98	don't know	0	0.0%
Sysmiss		188	

File Women

#787 shh109: number of households sharing toilet

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#788 shh110d: mobile telephone

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	62	29.2%
1	yes	145	68.4%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#789 shh110g: has wardrobe

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	116	54.7%
1	yes	91	42.9%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#790 shh110h: has sewing machine

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	178	84.0%
1	yes	29	13.7%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#791 shh110i: has cd/dvd

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	125	59.0%
1	yes	82	38.7%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#792 shh110j: has generator/battery/solar panel

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	113	53.3%
1	yes	94	44.3%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#793 shh112: food cooked in the house / in separate building / outdoors

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	in the house	77	36.3%
2	in a separate building	70	33.0%
3	outdoors	55	25.9%
6	other	5	2.4%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#794 shh113: household has separate room used as kitchen

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	48	58.5%
1	yes	29	35.4%
7	not dejure resident	5	6.1%
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#795 shh117: rooms used for sleeping

Information [Type= discrete] [Format=numeric] [Range= 1-97] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		134	63.2%
2		44	20.8%
3		10	4.7%
4		11	5.2%
5		2	0.9%
6		1	0.5%
7		1	0.5%
8		1	0.5%
10		3	1.4%
97	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#796 shh118a: has a watch

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	139	65.6%
1	yes	68	32.1%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#797 shh118d: has motorcycle-cart

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	203	95.8%
1	yes	4	1.9%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#798 shh118e: has an animal-drawn cart

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	167	78.8%
1	yes	40	18.9%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#799 shh118g: has a boat with a motor

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	202	95.3%
1	yes	5	2.4%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#800 shh118h: has boat without motor

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	195	92.0%
1	yes	12	5.7%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#801 shh119: own land usable for agriculture

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	70	33.0%
1	yes	137	64.6%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#802 shh120: hectares for agricultural land

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

File Women

#802 shh120: hectares for agricultural land

Statistics [NW/ W] [Valid=142 /-] [Invalid=70 /-]

Value	Label	Cases	Percentage
0	less than 1 hectare	29	20.4%
1		54	38.0%
2		23	16.2%
3		8	5.6%
4		12	8.5%
5		1	0.7%
6		2	1.4%
7		4	2.8%
10		1	0.7%
13		1	0.7%
15		2	1.4%
95	more than 95	0	0.0%
97	not dejure resident	5	3.5%
98	unknown	0	0.0%
Sysmiss		70	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#803 shh121: livestock, herds or farm animals

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	63	29.7%
1	yes	144	67.9%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#804 shh122a: water buffalo

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	183	86.3%
1		3	1.4%
2		9	4.2%
3		2	0.9%
4		3	1.4%
5		4	1.9%
8		3	1.4%
95	95 or more	0	0.0%
97	not dejure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#805 shh122b: cows, bulls own

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	130	61.3%
1		8	3.8%
2		40	18.9%
3		8	3.8%
4		7	3.3%
5		2	0.9%
6		4	1.9%
7		4	1.9%
8		2	0.9%
40		2	0.9%
95	95 or more	0	0.0%
97	not dejure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#806 shh122c: horses, donkeys, mules own

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	205	96.7%
1		2	0.9%
95	95 or more	0	0.0%
97	not dejure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#807 shh122d: goats, sheeps own

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	205	96.7%
14		2	0.9%
95	95 or more	0	0.0%
97	not dejure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#808 shh122e: pigs

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	158	74.5%

File Women

#808 shh122e: pigs

Value	Label	Cases	Percentage
1		25	11.8%
2		8	3.8%
3		7	3.3%
4		1	0.5%
5		4	1.9%
8		2	0.9%
10		1	0.5%
14		1	0.5%
95	95 or more	0	0.0%
97	not de jure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#809 shh122f: chickens, ducks own

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	none	78	36.8%
1		3	1.4%
2		4	1.9%
3		7	3.3%
4		7	3.3%
5		18	8.5%
6		6	2.8%
7		3	1.4%
8		6	2.8%
9		2	0.9%
10		25	11.8%
12		5	2.4%
13		7	3.3%
15		8	3.8%
20		9	4.2%
24		3	1.4%
25		1	0.5%
30		5	2.4%
40		2	0.9%
50		4	1.9%
60		1	0.5%
70		2	0.9%
75		1	0.5%
95	95 or more	0	0.0%
97	not de jure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#810 shh122g: elephant

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	207	97.6%
95	95 or more	0	0.0%
97	not dejure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#811 shh122h: other

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	207	97.6%
95	95 or more	0	0.0%
97	not dejure resident	5	2.4%
98	unknown	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#812 shh123: owns a bank account

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	183	86.3%
1	yes	24	11.3%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#813 shh137: place for hand washing observed

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	observed	166	78.3%
2	not observed, not in dwelling / yard / plot	40	18.9%
3	not observed, no permission to see	0	0.0%
4	not observed, other reason	1	0.5%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#814 shh138: presence of water observed

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=171 /-] [Invalid=41 /-]

Value	Label	Cases	Percentage
0	water is not available	1	0.6%
1	water is available	165	96.5%

File Women

#814 shh138: presence of water observed

Value	Label	Cases	Percentage
7	not dejure resident	5	2.9%
Sysmiss		41	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#815 shh139a: presence of soap, detergent

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=171 /-] [Invalid=41 /-]

Value	Label	Cases	Percentage
0	no	42	24.6%
1	yes	124	72.5%
7	not dejure resident	5	2.9%
Sysmiss		41	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#816 shh139b: presence of ash, mud, sand

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=171 /-] [Invalid=41 /-]

Value	Label	Cases	Percentage
0	no	166	97.1%
1	yes	0	0.0%
7	not dejure resident	5	2.9%
Sysmiss		41	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#817 shh139c: no cleansing agent

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=171 /-] [Invalid=41 /-]

Value	Label	Cases	Percentage
0	no: some cleansing agent	124	72.5%
1	yes: none	42	24.6%
7	not dejure resident	5	2.9%
Sysmiss		41	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#818 sv166: test salt for iodine - hh data

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no iodine	31	14.6%
1	iodine present	174	82.1%
3	no salt in household	2	0.9%
6	salt not tested	0	0.0%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#819 shh141: labeled iodized salt in the package

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not labeled iodized salt	83	39.2%
1	labeled iodized salt	70	33.0%
3	no salt package/can in household	54	25.5%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#820 shh142: household identified as poor or received an equity or priority access card

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	177	83.5%
1	yes, equity/priority access card seen	25	11.8%
2	yes, card not seen	5	2.4%
3	other card (not equity/priority access card)	0	0.0%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#821 shh143: members of this household receive free or subsidized health care

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	179	84.4%
1	yes	28	13.2%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#822 shh144a: free or subsidized health care: health equity funds

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	180	84.9%
1	yes	27	12.7%
7	not de jure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#823 shh144b: free or subsidized health care: community-based health insurance

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	0	0.0%
7	not de jure resident	5	2.4%

File Women

#823 shh144b: free or subsidized health care: community-based health insurance

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#824 shh144c: free or subsidized health care: maternity voucher

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	0	0.0%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#825 shh144d: free or subsidized health care: other

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	207	97.6%
1	yes	0	0.0%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#826 shh144f: free or subsidized health care: got free attention at hospital

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	206	97.2%
1	yes	1	0.5%
7	not dejure resident	5	2.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#827 s205aa: place sons, daughters living away stay: extended family, camp

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	15	46.9%
1	yes	17	53.1%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#828 s205ab: place sons, daughters living away stay: neighbor

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	31	96.9%
1	yes	1	3.1%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#829 s205ac: place sons, daughters living away stay: orphanage

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	32	100.0%
1	yes	0	0.0%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#830 s205ad: place sons, daughters living away stay: temple (wat)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	32	100.0%
1	yes	0	0.0%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#831 s205ae: place sons, daughters living away stay: other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	32	100.0%
1	yes	0	0.0%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#832 s205af: place sons, daughters living away stay: where they're studying

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	28	87.5%
1	yes	4	12.5%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#833 s205ag: place sons, daughters living away stay: working, studying oversea

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	30	93.8%
1	yes	2	6.2%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#834 s205ah: place sons, daughters living away stay: working in other province

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Women

#834 s205ah: place sons, daughters living away stay: working in other province

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	26	81.2%
1	yes	6	18.8%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#835 s205ai: place sons, daughters living away stay: living with relatives

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	26	81.2%
1	yes	6	18.8%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#836 s205ax: place sons, daughters living away stay: don't know

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=32 /-] [Invalid=180 /-]

Value	Label	Cases	Percentage
0	no	32	100.0%
1	yes	0	0.0%
Sysmiss		180	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#837 s233a: pregnancy end in an induced abortion

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=19 /-] [Invalid=193 /-]

Value	Label	Cases	Percentage
0	no	13	68.4%
1	yes	6	31.6%
Sysmiss		193	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#838 s233ba: method used for abortion: vacume aspiration

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	6	100.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#839 s233bb: method used for abortion: curettage

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

File Women

#839 s233bb: method used for abortion: curettage

Value	Label	Cases	Percentage
0	no	5	83.3%
1	yes	1	16.7%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#840 s233bc: method used for abortion: dilatation and evacuation

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#841 s233bd: method used for abortion: oral pill, tablet

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#842 s233be: method used for abortion: vaginal pill, tablet

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#843 s233bf: method used for abortion: injectable

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	5	83.3%
1	yes	1	16.7%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#844 s233bg: method used for abortion: intrauterine

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

File Women

#844 s233bg: method used for abortion: intrauterine

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#845 s233bh: method used for abortion: traditional methods

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#846 s233bx: method used for abortion: other methods

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#847 s233ca: fever in the 7 days after abortion

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
8	dk	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#848 s233cb: excessive bleeding in the 7 days after abortion

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
8	dk	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#849 s233da: helper to initiate the abortion: doctor, medical assistant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
-------------	--

File Women

#849 s233da: helper to initiate the abortion: doctor, medical assistant

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#850 s233db: helper to initiate the abortion: nurse

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#851 s233dc: helper to initiate the abortion: midwife

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	4	66.7%
1	yes	2	33.3%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#852 s233dd: helper to initiate the abortion: other health professional

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#853 s233de: helper to initiate the abortion: traditional birth attendant

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#854 s233df: helper to initiate the abortion: pharmacist

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

File Women

#854 s233df: helper to initiate the abortion: pharmacist

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#855 s233dg: helper to initiate the abortion: kru khmer, magician

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#856 s233dh: helper to initiate the abortion: relative, friend

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	3	50.0%
1	yes	3	50.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#857 s233dx: helper to initiate the abortion: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#858 s233dy: helper to initiate the abortion: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	5	83.3%
1	yes	1	16.7%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#859 s233e: place for the induced abortion

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

File Women

#859 s233e: place for the induced abortion

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	3	50.0%
15	health post	0	0.0%
16	military hospital	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	2	33.3%
26	other private medical	0	0.0%
31	respondent's home	0	0.0%
32	other home	1	16.7%
96	other place	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#860 s233fa: helper at the time of the abortion: doctor, medical assistant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]		
Value	Label	Cases	Percentage
0	no	5	83.3%
1	yes	1	16.7%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#861 s233fb: helper at the time of the abortion: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]		
Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#862 s233fc: helper at the time of the abortion: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]		
Value	Label	Cases	Percentage
0	no	2	33.3%
1	yes	4	66.7%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#863 s233fd: helper at the time of the abortion: other health professional

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
-------------	--	--	--

File Women

#863 s233fd: helper at the time of the abortion: other health professional

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#864 s233fe: helper at the time of the abortion: traditional birth attendant

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#865 s233ff: helper at the time of the abortion: pharmacist

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#866 s233fg: helper at the time of the abortion: kru khmer, magician

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#867 s233fh: helper at the time of the abortion: relative, friend

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	4	66.7%
1	yes	2	33.3%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#868 s233fx: helper at the time of the abortion: other person

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=206 /-]

File Women

#868 s233fx: helper at the time of the abortion: other person

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#869 s233fy: helper at the time of the abortion: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=206 /-]

Value	Label	Cases	Percentage
0	no	6	100.0%
1	yes	0	0.0%
Sysmiss		206	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#870 s235a: number of induced abortion since january 2005

Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	194	91.5%
1		6	2.8%
96	had terminated pregnancy before 2005, but don't know if it was abortion	12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#871 s237a: total number of induced abortions in lifetime (includes induced abortions since

Information	[Type= discrete] [Format=numeric] [Range= 0-96] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	192	90.6%
1		6	2.8%
2		2	0.9%
96	had terminated pregnancy before 2005, but don't know if it was abortion	12	5.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#872 s241: iron tablets taken every week

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	195	92.0%
1	yes	17	8.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#873 s303: currently using any method

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=201 /-] [Invalid=11 /-]

File Women

#873 s303: currently using any method

Value	Label	Cases	Percentage
0	no	135	67.2%
1	yes	66	32.8%
Sysmiss		11	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#874 s313: ever used a contraceptive method

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=129 /-] [Invalid=83 /-]

Value	Label	Cases	Percentage
0	no	114	88.4%
1	yes	15	11.6%
Sysmiss		83	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#875 s558dn: times child drank milk

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
1		2	66.7%
2		1	33.3%
7	7+	0	0.0%
8	don't know	0	0.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#876 s558en: times child drank infant formula

Information	[Type= discrete] [Format=numeric] [Range= 2-8] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=210 /-]

Value	Label	Cases	Percentage
2		1	50.0%
3		1	50.0%
7	7+	0	0.0%
8	don't know	0	0.0%
Sysmiss		210	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#877 s558gn: times child ate yogurt

Information	[Type= discrete] [Format=numeric] [Range= 4-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=211 /-]

Value	Label	Cases	Percentage
4		1	100.0%
7	7+	0	0.0%
8	don't know	0	0.0%
Sysmiss		211	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#878 s558pn: times child ate meat

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=10 /-] [Invalid=202 /-]

Value	Label	Cases	Percentage
1		3	30.0%
2		2	20.0%
3		5	50.0%
7	7+	0	0.0%
8	don't know	0	0.0%
Sysmiss		202	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#879 s623a: times sexual intercourse during last 12 months

Information [Type= discrete] [Format=numeric] [Range= 8-998] [Missing=*]

Statistics [NW/ W] [Valid=120 /-] [Invalid=92 /-]

Frequency table not shown (53 Modalities)

#880 s623b: times sexual intercourse during last 12 months

Information [Type= discrete] [Format=numeric] [Range= 998-998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
998	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#881 s623c: times sexual intercourse during last 12 months

Information [Type= discrete] [Format=numeric] [Range= 998-998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
998	don't know	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#882 s628a: children <10 years present during interview section 6

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	206	97.2%
1	yes	6	2.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#883 s628b: male adults present during interview section 6

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	212	100.0%

File Women

#883 s628b: male adults present during interview section 6

Value	Label	Cases	Percentage
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#884 s628c: female adults present during interview section 6

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	211	99.5%
1	yes	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#885 s714d: through family or friends

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	105	49.5%
1	yes	107	50.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#886 s714e: from community council

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	149	70.3%
1	yes	63	29.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#887 s714f: billboards, posters or leaflets

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	100	47.2%
1	yes	112	52.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#888 s714g: local campaign from fp

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	154	72.6%
1	yes	58	27.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#889 s804: partner's level of education

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
-------------	--

File Women

#889 s804: partner's level of education

Statistics [NW/ W] [Valid=122 /-] [Invalid=90 /-]

Value	Label	Cases	Percentage
1	primary	59	48.4%
2	lower secondary	36	29.5%
3	upper secondary	18	14.8%
4	higher	6	4.9%
8	don't know	3	2.5%
Sysmiss		90	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#890 s805: partner's highest grade

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=119 /-] [Invalid=93 /-]

Value	Label	Cases	Percentage
0	less than 1 year	0	0.0%
1		3	2.5%
2		11	9.2%
3		6	5.0%
4		22	18.5%
5		15	12.6%
6		7	5.9%
7		10	8.4%
8		12	10.1%
9		15	12.6%
10		1	0.8%
11		2	1.7%
12		15	12.6%
98	don't know	0	0.0%
Sysmiss		93	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#891 s823: owns own house alone or jointly

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	does not own	82	38.7%
1	alone only	13	6.1%
2	jointly only	103	48.6%
3	both alone and jointly	14	6.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#892 s824: owns land alone or jointly

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=212 /-] [Invalid=0 /-]

File Women

#892 s824: owns land alone or jointly

Value	Label	Cases	Percentage
0	does not own	100	47.2%
1	alone only	17	8.0%
2	jointly only	87	41.0%
3	both alone and jointly	8	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#893 s826f: justifies domestic violence: wife ask use condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	187	88.2%
1	yes	12	5.7%
8	don't know	13	6.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#894 s827a: parent justified in beating son: disobey

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	85	40.1%
1	yes	125	59.0%
8	don't know	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#895 s827b: parent justified in beating son: impolite

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	78	36.8%
1	yes	133	62.7%
8	don't know	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#896 s827c: parent justified in beating son: embarrassed family

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	74	34.9%
1	yes	136	64.2%
8	don't know	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#897 s828a: parent justified in beating daughter: disobey

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]		

File Women

#897 s828a: parent justified in beating daughter: disobey

Value	Label	Cases	Percentage
0	no	92	43.4%
1	yes	117	55.2%
8	don't know	3	1.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#898 s828b: parent justified in beating daughter: impolite

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	77	36.3%
1	yes	134	63.2%
8	don't know	1	0.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#899 s828c: parent justified in beating daughter: embarrassed family

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=212 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	72	34.0%
1	yes	138	65.1%
8	don't know	2	0.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#900 s919: received counseling after being tested

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=18 /-] [Invalid=194 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	18	100.0%
8	don't know	0	0.0%
Sysmiss		194	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#901 s921: offered aids test during delivery in health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=196 /-]

Value	Label	Cases	Percentage
0	no	15	93.8%
1	yes	1	6.2%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#902 s922: tested for aids virus during delivery in health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=196 /-]

File Women

#902 s922: tested for aids virus during delivery in health center

Value	Label	Cases	Percentage
0	no	16	100.0%
1	yes	0	0.0%
Sysmiss		196	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#903 s923: got results of aids test during delivery in health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 -] [Invalid=212 -]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#904 s1103: original variable for preceding births before respondent

Information	[Type= discrete] [Format=numeric] [Range= 0-11] [Missing=*]
Statistics [NW/ W]	[Valid=206 -] [Invalid=6 -]

Value	Label	Cases	Percentage
0		55	26.7%
1		32	15.5%
2		33	16.0%
3		28	13.6%
4		27	13.1%
5		12	5.8%
6		9	4.4%
7		7	3.4%
8		1	0.5%
9		1	0.5%
11		1	0.5%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#905 idx97_01: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=206 -] [Invalid=6 -]

Value	Label	Cases	Percentage
1		206	100.0%
Sysmiss		6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#906 idx97_02: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 2-2] [Missing=*]
Statistics [NW/ W]	[Valid=197 -] [Invalid=15 -]

File Women

#906 idx97_02: index to maternal mortality

Value	Label	Cases	Percentage
2		197	100.0%
Sysmiss		15	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#907 idx97_03: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 3-3] [Missing=*]
Statistics [NW/ W]	[Valid=181 /-] [Invalid=31 /-]

Value	Label	Cases	Percentage
3		181	100.0%
Sysmiss		31	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#908 idx97_04: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 4-4] [Missing=*]
Statistics [NW/ W]	[Valid=149 /-] [Invalid=63 /-]

Value	Label	Cases	Percentage
4		149	100.0%
Sysmiss		63	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#909 idx97_05: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 5-5] [Missing=*]
Statistics [NW/ W]	[Valid=111 /-] [Invalid=101 /-]

Value	Label	Cases	Percentage
5		111	100.0%
Sysmiss		101	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#910 idx97_06: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 6-6] [Missing=*]
Statistics [NW/ W]	[Valid=76 /-] [Invalid=136 /-]

Value	Label	Cases	Percentage
6		76	100.0%
Sysmiss		136	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#911 idx97_07: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Range= 7-7] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=176 /-]

Value	Label	Cases	Percentage
7		36	100.0%
Sysmiss		176	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#912 idx97_08: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Range= 8-8] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=190 /-]

Value	Label	Cases	Percentage
8		22	100.0%
Sysmiss		190	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#913 idx97_09: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Range= 9-9] [Missing=*]

Statistics [NW/ W] [Valid=12 /-] [Invalid=200 /-]

Value	Label	Cases	Percentage
9		12	100.0%
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#914 idx97_10: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Range= 10-10] [Missing=*]

Statistics [NW/ W] [Valid=5 /-] [Invalid=207 /-]

Value	Label	Cases	Percentage
10		5	100.0%
Sysmiss		207	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#915 idx97_11: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Range= 11-11] [Missing=*]

Statistics [NW/ W] [Valid=3 /-] [Invalid=209 /-]

Value	Label	Cases	Percentage
11		3	100.0%
Sysmiss		209	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#916 idx97_12: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#917 idx97_13: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#918 idx97_14: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#919 idx97_15: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#920 idx97_16: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#921 idx97_17: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#922 idx97_18: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#923 idx97_19: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#924 idx97_20: index to maternal mortality

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
Sysmiss		212	

File Women

#924 idx97_20: index to maternal mortality

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#925 s1112a_01: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#926 s1112a_02: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#927 s1112a_03: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=211 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	0.0%
Sysmiss		211	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#928 s1112a_04: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=211 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	0.0%
Sysmiss		211	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#929 s1112a_05: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Women

#930 s1112a_06: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#931 s1112a_07: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#932 s1112a_08: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#933 s1112a_09: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#934 s1112a_10: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#935 s1112a_11: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Women

#935 s1112a_11: death related to accident such as traffic accident

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#936 s1112a_12: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#937 s1112a_13: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#938 s1112a_14: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#939 s1112a_15: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#940 s1112a_16: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=212 /-]

File Women

#940 s1112a_16: death related to accident such as traffic accident

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#941 s1112a_17: death related to accident such as traffic accident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#942 s1112a_18: death related to accident such as traffic accident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#943 s1112a_19: death related to accident such as traffic accident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#944 s1112a_20: death related to accident such as traffic accident

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=212 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		212	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#1 midx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
-------------	--

File Children

#1 midx: index to birth history

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 v001: cluster number

Information [Type= discrete] [Format=numeric] [Range= 11-568] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-] [Mean=276.381 /-] [StdDev=171.958 /-]

Frequency table not shown (70 Modalities)

#3 v002: household number

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		84	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 v003: respondent's line number

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		6	7.1%
2		54	64.3%
3		11	13.1%
4		8	9.5%
5		1	1.2%
6		4	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 bidx: birth column number

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 bord: birth order number

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		28	33.3%
2		18	21.4%
3		18	21.4%

File Children

#6 bord: birth order number

Value	Label	Cases	Percentage
4		7	8.3%
5		5	6.0%
6		4	4.8%
7		3	3.6%
8		1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 b0: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	single birth	84	100.0%
1	1st of multiple	0	0.0%
2	2nd of multiple	0	0.0%
3	3rd of multiple	0	0.0%
4	4th of multiple	0	0.0%
5	5th of multiple	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 b1: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		8	9.5%
2		9	10.7%
3		1	1.2%
4		10	11.9%
5		11	13.1%
6		5	6.0%
7		6	7.1%
8		7	8.3%
9		12	14.3%
10		4	4.8%
11		5	6.0%
12		6	7.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 b2: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 2005-2010] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
2005		5	6.0%
2006		18	21.4%
2007		14	16.7%

File Children

#9 b2: year of birth

Value	Label	Cases	Percentage
2008		21	25.0%
2009		14	16.7%
2010		12	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 b3: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1269-1330] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-] [Mean=1298.417 /-] [StdDev=17.463 /-]

#11 b4: sex of child

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	42	50.0%
2	female	42	50.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 b5: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	2	2.4%
1	yes	82	97.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 b6: age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=82 /-]

Value	Label	Cases	Percentage
100		1	50.0%
204		1	50.0%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		82	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 b7: age at death (months-imputed)

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=82 /-]

Value	Label	Cases	Percentage
0		1	50.0%
4		1	50.0%
Sysmiss		82	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#15 b8: current age of child

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0		14	17.1%
1		15	18.3%
2		21	25.6%
3		12	14.6%
4		20	24.4%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 b9: child lives with whom

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	respondent	81	98.8%
1	father	0	0.0%
2	other relative	0	0.0%
3	someone else	0	0.0%
4	lives elsewhere	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 b10: completeness of information

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	month and year	84	100.0%
2	month and age - y imp	0	0.0%
3	year and age - m imp	0	0.0%
4	y & age - y ignored	0	0.0%
5	year - a, m imp	0	0.0%
6	age - y, m imp	0	0.0%
7	month - a, y imp	0	0.0%
8	none - all imp	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 b11: preceding birth interval

Information [Type= continuous] [Format=numeric] [Range= 16-139] [Missing=*]

Statistics [NW/ W] [Valid=56 /-] [Invalid=28 /-] [Mean=56.875 /-] [StdDev=31.313 /-]

#19 b12: succeeding birth interval

Information [Type= continuous] [Format=numeric] [Range= 16-56] [Missing=*]

Statistics [NW/ W] [Valid=12 /-] [Invalid=72 /-] [Mean=30.083 /-] [StdDev=11.82 /-]

File Children

#20 b13: flag for age at death

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=82 /-]

Value	Label	Cases	Percentage
0	no flag	2	100.0%
1	> interview	0	0.0%
2	< breastfeeding	0	0.0%
3	< age supplemented	0	0.0%
4	< first breastfed	0	0.0%
5	< last vaccination	0	0.0%
6	outside range	0	0.0%
7	imputed, units given	0	0.0%
8	imputed, no units	0	0.0%
Sysmiss		82	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 b15: live birth between births

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=56 /-] [Invalid=28 /-]

Value	Label	Cases	Percentage
0	no	56	100.0%
1	yes	0	0.0%
Sysmiss		28	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 b16: child's line number in household

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	not listed in household	1	1.2%
3		12	14.6%
4		13	15.9%
5		22	26.8%
6		10	12.2%
7		13	15.9%
8		5	6.1%
9		3	3.7%
11		1	1.2%
12		2	2.4%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 m1: tetanus injections bef. birth

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

File Children

#23 m1: tetanus injections bef. birth

Value	Label	Cases	Percentage
0	received no inject.	14	19.4%
1		22	30.6%
2		25	34.7%
3		8	11.1%
4		2	2.8%
7	7+	0	0.0%
8	don't know	1	1.4%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 m1a: tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=47 /-]

Value	Label	Cases	Percentage
0	received no inject.	8	21.6%
1		7	18.9%
2		3	8.1%
3		7	18.9%
4		6	16.2%
5		5	13.5%
6		1	2.7%
7	7+	0	0.0%
8	don't know	0	0.0%
Sysmiss		47	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 m1b: na - month last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 m1c: na - year last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#27 m1d: years ago received last tetanus injection before pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]

Statistics [NW/ W] [Valid=29 /-] [Invalid=55 /-]

Value	Label	Cases	Percentage
1		3	10.3%
2		3	10.3%
3		6	20.7%
4		5	17.2%
5		2	6.9%
6		3	10.3%
7		1	3.4%
9		1	3.4%
10		2	6.9%
12		1	3.4%
13		1	3.4%
15		1	3.4%
Sysmiss		55	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 m1e: last tetanus injection before pregnancy (cmc)

Information [Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 m2a: prenatal: doctor, medical assistant

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	65	90.3%
1	yes	7	9.7%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 m2b: prenatal: midwife

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	12	16.7%
1	yes	60	83.3%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 m2c: prenatal: nurse

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Children

#31 m2c: prenatal: nurse

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	71	98.6%
1	yes	1	1.4%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 m2d: na - prenatal: cs health profession

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 m2e: na - prenatal: cs health profession

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 m2f: na - prenatal: trained birth att.

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 m2g: prenatal: trad.birth attendant

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 m2h: na - prenatal: relative

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

File Children

#36 m2h: na - prenatal: relative

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 m2i: prenatal: village health volunteer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 m2j: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 m2k: prenatal: other resp (uncoded)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 m2l: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 m2m: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

File Children

#41 m2m: na - prenatal: cs other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 m2n: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no: some care	66	91.7%
1	yes: no care	6	8.3%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 m3a: assistance: doctor, medial assistant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	75	89.3%
1	yes	9	10.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 m3b: assistance: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	27	32.1%
1	yes	57	67.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 m3c: assistance: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	84	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 m3d: na - assistance: cs health profess.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

File Children

#46 m3d: na - assistance: cs health profess.

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 m3e: na - assistance: cs health profess.

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 m3f: na - assistance: trained birth att.

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 m3g: assistance: trad.birth attend.

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	62	73.8%
1	yes	22	26.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 m3h: assistance: relative, friend

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	77	91.7%
1	yes	7	8.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 m3i: na - assistance: cs other person

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 m3j: na - assistance: cs other person

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Children

#52 m3j: na - assistance: cs other person

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 m3k: assistance: other resp (uncod)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	84	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 m3l: na - assistance: cs other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 m3m: na - assistance: cs other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 m3n: assistance: no one

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no: some assistance	84	100.0%
1	yes: no assistance	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 m4: duration of breastfeeding

Information [Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

File Children

#57 m4: duration of breastfeeding

Value	Label	Cases	Percentage
93	not currently breastfeeding	54	64.3%
94	never breastfed	3	3.6%
95	still breastfeeding	27	32.1%
96	breastfed until died	0	0.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 m5: months of breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1	1.2%
2		1	1.2%
3		2	2.4%
4		2	2.4%
5		1	1.2%
6		1	1.2%
7		2	2.4%
8		1	1.2%
9		2	2.4%
10		1	1.2%
12		1	1.2%
14		1	1.2%
15		2	2.4%
16		3	3.6%
17		1	1.2%
18		1	1.2%
25		2	2.4%
32		1	1.2%
34		1	1.2%
93	not currently breastfeeding	54	64.3%
94	never breastfed	3	3.6%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 m6: duration of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		9	10.7%
2		9	10.7%
3		11	13.1%

File Children

#59 m6: duration of amenorrhea

Value	Label	Cases	Percentage
4		4	4.8%
5		7	8.3%
6		9	10.7%
8		3	3.6%
9		4	4.8%
10		1	1.2%
11		1	1.2%
12		9	10.7%
13		1	1.2%
14		2	2.4%
16		2	2.4%
18		2	2.4%
24		1	1.2%
96	period not returned	9	10.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 m7: months of amenorrhea

Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0		1	1.2%
1		9	10.7%
2		10	11.9%
3		13	15.5%
4		5	6.0%
5		8	9.5%
6		9	10.7%
7		1	1.2%
8		4	4.8%
9		4	4.8%
10		1	1.2%
11		1	1.2%
12		9	10.7%
13		1	1.2%
14		2	2.4%
15		1	1.2%
16		2	2.4%
18		2	2.4%
24		1	1.2%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#61 m8: duration of abstinence

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		4	4.8%
2		13	15.5%
3		35	41.7%
4		8	9.5%
5		5	6.0%
6		7	8.3%
7		1	1.2%
96	still abstaining	9	10.7%
97	inconsistent	0	0.0%
98	dk	1	1.2%
99		1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 m9: months of abstinence

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		1	1.2%
1		4	4.8%
2		14	16.7%
3		37	44.0%
4		8	9.5%
5		6	7.1%
6		7	8.3%
7		1	1.2%
10		1	1.2%
15		1	1.2%
17		1	1.2%
43		1	1.2%
97	inconsistent	0	0.0%
98	dk	1	1.2%
99		1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 m10: time wanted pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	then	71	84.5%
2	later	4	4.8%
3	no more	9	10.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#64 m11: time would have waited

Information [Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=80 /-]

Value	Label	Cases	Percentage
101	one month	0	0.0%
201	one year	0	0.0%
203		3	75.0%
205		1	25.0%
998	dk	0	0.0%
Sysmiss		80	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 m13: timing of 1st antenatal check

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
1		12	18.2%
2		10	15.2%
3		15	22.7%
4		11	16.7%
5		7	10.6%
6		5	7.6%
7		4	6.1%
8		2	3.0%
98	dk	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 m14: antenatal visits for pregnancy

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	6	8.3%
1		8	11.1%
2		6	8.3%
3		14	19.4%
4		11	15.3%
5		10	13.9%
6		6	8.3%
7		2	2.8%
8		4	5.6%
9		4	5.6%
10		1	1.4%
98	dk	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#67 m15: place of delivery

Information [Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
10	homes	0	0.0%
11	respondent's home	32	38.1%
12	other home	1	1.2%
20	public sector	0	0.0%
21	national hospital (pp)	3	3.6%
22	provincial hospital (rh)	9	10.7%
23	district hospital (rh)	1	1.2%
24	health center	28	33.3%
25	health post	0	0.0%
26	military hospital	0	0.0%
27	other public	0	0.0%
30	private sector	0	0.0%
31	private hospital	1	1.2%
32	private clinic	7	8.3%
33	other private med sector	1	1.2%
96	other	1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 m17: delivery by caesarean section

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	84	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 m18: size of child at birth

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	very large	3	3.6%
2	larger than average	32	38.1%
3	average	35	41.7%
4	smaller than average	8	9.5%
5	very small	2	2.4%
8	dk	4	4.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 m19: birth weight (kilos - 3 dec.)

Information [Type= discrete] [Format=numeric] [Range= 2000-9998] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

File Children

#70 m19: birth weight (kilos - 3 dec.)

Value	Label	Cases	Percentage
2000		1	1.2%
2200		3	3.6%
2400		1	1.2%
2500		4	4.8%
2600		4	4.8%
2700		3	3.6%
2800		5	6.0%
2900		1	1.2%
3000		13	15.5%
3100		4	4.8%
3200		2	2.4%
3300		6	7.1%
3400		1	1.2%
3500		5	6.0%
3600		3	3.6%
3700		1	1.2%
4000		1	1.2%
4500		1	1.2%
4700		1	1.2%
9996	not weighed at birth	23	27.4%
9997		0	0.0%
9998	dk	1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 m19a: weight at birth recall

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	not weighed	23	<div><div></div></div> 27.4%
1	from card	15	<div><div></div></div> 17.9%
2	from recall	45	<div><div></div></div> 53.6%
8	dk	1	<div><div></div></div> 1.2%
9	special answers	0	<div><div></div></div> 0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 m27: na - flag for breastfeeding

Information		[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=84 /-]	
Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 mnth	0	
3	> age at death	0	
4	during preg in cal.	0	

File Children

#72 m27: na - flag for breastfeeding

Value	Label	Cases	Percentage
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 m28: flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no flag	83	98.8%
1	> interval	0	0.0%
2	> interval by 1 mnth	0	0.0%
3		0	0.0%
4	during preg in cal.	1	1.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 m29: flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no flag	84	100.0%
1	> interval	0	0.0%
2	> interval by 1 mnth	0	0.0%
3		0	0.0%
4	during preg in cal.	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 m34: when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-205] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	immediately	45	64.3%
100	less than 1 hour	4	5.7%
101	hours: 1	9	12.9%
102		2	2.9%
103		2	2.9%
104		1	1.4%
106		1	1.4%
201	days: 1	3	4.3%
202		1	1.4%
203		1	1.4%
205		1	1.4%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 m35: na - times breastfed during night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
-------------	--

File Children

#76 m35: na - times breastfed during night

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 m36: na - times breastfed during day

Information [Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 m38: drank from bottle with nipple

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	68	82.9%
1	yes	14	17.1%
8	dk	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 m39: times ate solid, semi-solid or soft food yesterday

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=56 /-]

Value	Label	Cases	Percentage
0	none	7	25.0%
1		1	3.6%
2		2	7.1%
3		6	21.4%
4		7	25.0%
5		2	7.1%
6		1	3.6%
7	7+	2	7.1%
8	dk	0	0.0%
Sysmiss		56	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 m42a: during pregnancy - weighed


Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	8	12.1%

File Children



#80 m42a: during pregnancy - weighed

Value	Label	Cases	Percentage
1	yes	58	 87.9%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 m42b: during pregnancy - height measured



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	20	 30.3%
1	yes	46	 69.7%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 m42c: during pregnancy - blood pressure taken



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	2	 3.0%
1	yes	64	 97.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 m42d: during pregnancy - urine sample taken



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	50	 75.8%
1	yes	16	 24.2%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 m42e: during pregnancy - blood sample taken

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	35	 53.0%
1	yes	31	 47.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


#85 m43: told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	14	 21.2%

File Children

#85 m43: told about pregnancy complications

Value	Label	Cases	Percentage
1	yes	52	 78.8%
8	don't know	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 m44: na - told where to go for pregnancy complications



Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 m45: during pregnancy, given or bought iron tablets/syrup










Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	8	 11.1%
1	yes	64	 88.9%
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 m46: days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 3-998] [Missing=*]
Statistics [NW/ W]	[Valid=64 /-] [Invalid=20 /-]

Value	Label	Cases	Percentage
3		2	 3.1%
10		2	 3.1%
20		1	 1.6%
30		6	 9.4%
60		10	 15.6%
70		1	 1.6%
90		38	 59.4%
120		2	 3.1%
998	don't know	2	 3.1%
Sysmiss		20	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 m47: during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

File Children

#89 m47: during pregnancy, had difficulty with daylight vision

Value	Label	Cases	Percentage
0	no	58	80.6%
1	yes	14	19.4%
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 m48: during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]		
Value	Label	Cases	Percentage
0	no	70	97.2%
1	yes	2	2.8%
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 m49a: during pregnancy - took fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]		
Value	Label	Cases	Percentage
0	no	71	98.6%
1	yes	1	1.4%
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 m49b: during pregnancy - took chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]		
Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 m49c: na - during pregnancy - took unknown drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#94 m49d: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 m49e: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 m49f: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 m49g: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 m49x: during pregnancy - took other drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%

File Children

#98 m49x: during pregnancy - took other drug for malaria

Value	Label	Cases	Percentage
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 m49z: during pregnancy - don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	1	1.4%
1	yes: don't know which drug taken	71	98.6%
8	don't know	0	0.0%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 m51a: respondent checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=55 /-] [Invalid=29 /-]

Value	Label	Cases	Percentage
100	zero hour	9	16.4%
101	1 hour	24	43.6%
102		7	12.7%
103		1	1.8%
105		2	3.6%
106		1	1.8%
107		1	1.8%
201	1 day	4	7.3%
202		2	3.6%
203		3	5.5%
301	1 week	0	0.0%
302		1	1.8%
998	don't know	0	0.0%
Sysmiss		29	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 m54: received vitamin a dose in first 2 months after delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	38	52.8%
1	yes	34	47.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 m55a: first 3 days, given milk other than breast milk

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
-------------	--

File Children

#102 m55a: first 3 days, given milk other than breast milk

Statistics [NW/ W] [Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	70	100.0%
1	yes	0	0.0%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 m55b: first 3 days, given plain water

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	62	88.6%
1	yes	8	11.4%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 m55c: first 3 days, given sugar/honey water

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	66	94.3%
1	yes	4	5.7%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 m55d: na - first 3 days, given gripe water

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 m55e: first 3 days, given sugar/salt/water solution

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	70	100.0%
1	yes	0	0.0%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 m55f: first 3 days, given coconut, fruit juice

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=14 /-]

File Children

#107 m55f: first 3 days, given coconut, fruit juice

Value	Label	Cases	Percentage
0	no	69	98.6%
1	yes	1	1.4%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 m55g: first 3 days, given infant formula

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	67	95.7%
1	yes	3	4.3%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 m55h: first 3 days, given herbal tea

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	70	100.0%
1	yes	0	0.0%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 m55i: na - first 3 days, given honey

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 m55j: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 m55k: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

File Children

#112 m55k: na - first 3 days, given country specific

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 m55l: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 m55m: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 m55n: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 m55x: first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	70	100.0%
1	yes	0	0.0%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 m55z: first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=14 /-]

File Children

#117 m55z: first 3 days, given nothing

Value	Label	Cases	Percentage
0	no	15	21.4%
1	yes, given nothing	55	78.6%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 m57a: antenatal care: your home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 m57b: antenatal care: other home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 m57c: antenatal care: midwife, tba home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 m57d: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 m57e: antenatal care: national hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

File Children

#122 m57e: antenatal care: national hospital

Value	Label	Cases	Percentage
0	no	60	90.9%
1	yes	6	9.1%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 m57f: antenatal care: health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	15	22.7%
1	yes	51	77.3%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 m57g: antenatal care: health post

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 m57h: antenatal care: outreach

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	63	95.5%
1	yes	3	4.5%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 m57i: antenatal care: provincial hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	64	97.0%
1	yes	2	3.0%
Sysmiss		18	


Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 m57j: antenatal care: district hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

File Children


#127 m57j: antenatal care: district hospital

Value	Label	Cases	Percentage
0	no	64	 97.0%
1	yes	2	 3.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 m57k: antenatal care: military hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 m57l: antenatal care: other public

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 m57m: antenatal care: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 m57n: na - antenatal care: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 m57o: antenatal care: private clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

File Children

#132 m57o: antenatal care: private clinic

Value	Label	Cases	Percentage
0	no	60	 90.9%
1	yes	6	 9.1%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 m57p: na - antenatal care: cs private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 m57q: na - antenatal care: cs private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 m57r: antenatal care: other private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 m57s: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 m57t: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

File Children

#137 m57t: na - antenatal care: cs other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 m57u: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 m57v: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 m57x: antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 m60: drugs for intestinal parasites

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	39	54.2%
1	yes	31	43.1%
8	dk	2	2.8%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 m61: na - time spent at place of delivery

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

File Children

#142 m61: na - time spent at place of delivery

Value	Label	Cases	Percentage
100	zero hours	0	
201	one day	0	
301	one week	0	
998	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 m62: anyone checked respondent health before discharge

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=44 /-] [Invalid=40 /-]

Value	Label	Cases	Percentage
0	no	5	11.4%
1	yes	39	88.6%
8	dk	0	0.0%
Sysmiss		40	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 m63: how long before discharging respondent health check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=45 /-]

Value	Label	Cases	Percentage
100	zero hours	8	20.5%
101		20	51.3%
102		7	17.9%
105		2	5.1%
106		1	2.6%
201	one day	0	0.0%
202		1	2.6%
301	one week	0	0.0%
998	dk	0	0.0%
Sysmiss		45	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 m64: who checked respondent health before discharge

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=39 /-] [Invalid=45 /-]

Value	Label	Cases	Percentage
10	health personnel	0	0.0%
11	doctor, medical assistant	8	20.5%
12	midwife	30	76.9%
13	nurse	1	2.6%
20	other person	0	0.0%
21	traditional birth attendant	0	0.0%
22	community/village health worker	0	0.0%

File Children

#145 m64: who checked respondent health before discharge

Value	Label	Cases	Percentage
96	other	0	0.0%
Sysmiss		45	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 m65a: na - reason didn't deliver at health facility: cost too much

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 m65b: na - reason didn't deliver at health facility: facility not open

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 m65c: na - reason didn't deliver at health facility: too far/no transport

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 m65d: na - reason didn't deliver at health facility: don't trust facility/poor service

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 m65e: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	

File Children

#150 m65e: na - reason didn't deliver at health facility: no female provider

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 m65f: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 m65g: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 m65h: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 m65i: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 m65j: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	

File Children

#155 m65j: na - reason didn't deliver at health facility: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 m65k: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 m65l: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 m65x: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 m66: after discharge/delivery at home anyone checked respondent health

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=33 /-] [Invalid=51 /-]

Value	Label	Cases	Percentage
0	no	17	51.5%
1	yes	16	48.5%
8	dk	0	0.0%
Sysmiss		51	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 m67: how long after discharge/delivery at home respondent health check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=68 /-]

File Children

#160 m67: how long after discharge/delivery at home respondent health check took place

Value	Label	Cases	Percentage
100	zero hours	1	6.2%
101		4	25.0%
103		1	6.2%
107		1	6.2%
201	one day	4	25.0%
202		1	6.2%
203		3	18.8%
301	one week	0	0.0%
302		1	6.2%
998	dk	0	0.0%
Sysmiss		68	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 m68: who checked respondent health after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=68 /-]

Value	Label	Cases	Percentage
10	health personnel	0	0.0%
11	doctor, medical assistant	0	0.0%
12	midwife	9	56.2%
13	nurse	0	0.0%
20	other person	0	0.0%
21	traditional birth attendant	7	43.8%
22	community/village health worker	0	0.0%
96	other	0	0.0%
Sysmiss		68	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 m69: na - where respondent check after discharge/delivery at home took place

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public	0	
30	private medical sector	0	
31	private hospital, clinic	0	
36	other private medical	0	
96	other	0	

File Children

#162 m69: na - where respondent check after discharge/delivery at home took place

Value	Label	Cases	Percentage
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 m70: baby postnatal check within 6 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=67 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	no	30	44.8%
1	yes	36	53.7%
8	dk	0	0.0%
9		1	1.5%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 m71: how long after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
100	zero hours	6	16.7%
101		11	30.6%
102		3	8.3%
105		1	2.8%
106		1	2.8%
112		1	2.8%
201	one day	2	5.6%
202		1	2.8%
203		2	5.6%
301	one week	0	0.0%
302		1	2.8%
304		4	11.1%
306		2	5.6%
307		1	2.8%
998	dk	0	0.0%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 m72: who performed postnatal checkup

Information	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
10	health personnel	0	0.0%
11	doctor, medical assistant	5	13.9%
12	midwife	25	69.4%
13	nurse	1	2.8%

File Children

#165 m72: who performed postnatal pickup

Value	Label	Cases	Percentage
20	other person	0	0.0%
21	traditional birth attendant	4	11.1%
22	community/village health worker	0	0.0%
96	other	0	0.0%
99		1	2.8%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 m73: where was the baby checked for the first time

Information	[Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
10	home	0	0.0%
11	respondent's home	6	16.7%
12	other home	2	5.6%
20	public sector	0	0.0%
21	national hospital (pp)	2	5.6%
22	provincial hospital (rh)	4	11.1%
23	district hospital (rh)	1	2.8%
24	health center	14	38.9%
25	health post	0	0.0%
26	military hospital	0	0.0%
27	other public	0	0.0%
30	private medical sector	0	0.0%
31	private hospital	1	2.8%
32	private clinic	4	11.1%
33	other private medical	1	2.8%
96	other	0	0.0%
99		1	2.8%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 hidx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 h1: has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

File Children

#168 h1: has health card

Value	Label	Cases	Percentage
0	no card	5	6.1%
1	yes, seen	58	70.7%
2	yes, not seen	16	19.5%
3	no longer has card	3	3.7%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 h2: received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	6	7.3%
1	vacc. date on card	57	69.5%
2	reported by mother	19	23.2%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 h2d: bcg day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
1		1	1.8%
2		1	1.8%
3		1	1.8%
4		1	1.8%
5		1	1.8%
6		1	1.8%
8		3	5.3%
9		1	1.8%
10		2	3.5%
11		4	7.0%
12		4	7.0%
13		1	1.8%
14		1	1.8%
15		2	3.5%
16		1	1.8%
17		1	1.8%
19		4	7.0%
20		2	3.5%
21		5	8.8%
22		6	10.5%
23		2	3.5%

File Children

#170 h2d: bcg day

Value	Label	Cases	Percentage
24		1	1.8%
25		2	3.5%
26		1	1.8%
27		4	7.0%
28		2	3.5%
29		2	3.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 h2m: bcg month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
1		6	10.5%
2		9	15.8%
3		2	3.5%
4		3	5.3%
5		6	10.5%
6		2	3.5%
7		5	8.8%
8		3	5.3%
9		6	10.5%
10		5	8.8%
11		7	12.3%
12		3	5.3%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 h2y: bcg year

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
2005		2	3.5%
2006		10	17.5%
2007		8	14.0%
2008		15	26.3%
2009		10	17.5%
2010		12	21.1%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%

File Children

#172 h2y: bcg year

Value	Label	Cases	Percentage
Sysmiss		27	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#173 h3: received tetra/penta 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	10	12.2%
1	vacc. date on card	54	65.9%
2	reported by mother	17	20.7%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#174 h3d: tetra/penta 1 day

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=30 /-]

Value	Label	Cases	Percentage
3		1	1.9%
5		5	9.3%
6		2	3.7%
7		2	3.7%
8		1	1.9%
9		1	1.9%
10		4	7.4%
11		2	3.7%
12		4	7.4%
13		2	3.7%
14		1	1.9%
15		5	9.3%
17		1	1.9%
18		3	5.6%
19		3	5.6%
20		3	5.6%
22		3	5.6%
23		2	3.7%
24		1	1.9%
25		2	3.7%
26		1	1.9%
27		3	5.6%
29		2	3.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%

File Children

#174 h3d: tetra/penta 1 day

Value	Label	Cases	Percentage
Sysmiss		30	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#175 h3m: tetra/penta 1 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=30 /-]

Value	Label	Cases	Percentage
1		2	3.7%
2		5	9.3%
3		7	13.0%
4		7	13.0%
5		1	1.9%
6		6	11.1%
7		3	5.6%
8		3	5.6%
9		5	9.3%
10		4	7.4%
11		8	14.8%
12		2	3.7%
97	inconsistent	1	1.9%
98	dk	0	0.0%
Sysmiss		30	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#176 h3y: tetra/penta 1 year

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=30 /-]

Value	Label	Cases	Percentage
2005		2	3.7%
2006		10	18.5%
2007		6	11.1%
2008		16	29.6%
2009		10	18.5%
2010		10	18.5%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		30	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#177 h4: received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	9	11.0%

File Children

#177 h4: received polio 1

Value	Label	Cases	Percentage
1	vacc. date on card	54	65.9%
2	reported by mother	19	23.2%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 h4d: polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=30 /-]

Value	Label	Cases	Percentage
3		1	1.9%
5		5	9.3%
6		2	3.7%
7		2	3.7%
8		1	1.9%
9		1	1.9%
10		4	7.4%
11		2	3.7%
12		4	7.4%
13		2	3.7%
14		1	1.9%
15		5	9.3%
17		1	1.9%
18		3	5.6%
19		3	5.6%
20		3	5.6%
22		3	5.6%
23		2	3.7%
24		1	1.9%
25		2	3.7%
26		1	1.9%
27		3	5.6%
29		2	3.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		30	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 h4m: polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=30 /-]

Value	Label	Cases	Percentage
1		2	3.7%

File Children

#179 h4m: polio 1 month

Value	Label	Cases	Percentage
2		5	9.3%
3		7	13.0%
4		7	13.0%
5		1	1.9%
6		6	11.1%
7		3	5.6%
8		4	7.4%
9		5	9.3%
10		4	7.4%
11		8	14.8%
12		2	3.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		30	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 h4y: polio 1 year

Information		[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]	
Statistics [NW/ W]		[Valid=54 /-] [Invalid=30 /-]	
Value	Label	Cases	Percentage
2005		2	<div></div> 3.7%
2006		10	<div></div> 18.5%
2007		6	<div></div> 11.1%
2008		16	<div></div> 29.6%
2009		10	<div></div> 18.5%
2010		10	<div></div> 18.5%
9997	inconsistent	0	<div></div> 0.0%
9998	dk	0	<div></div> 0.0%
Sysmiss		30	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 h5: received tetra/penta 2

Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=82 /-] [Invalid=2 /-]	
Value	Label	Cases	Percentage
0	no	15	<div><div></div></div> 18.3%
1	vacc. date on card	50	<div><div></div></div> 61.0%
2	reported by mother	16	<div><div></div></div> 19.5%
3	vacc. marked on card	0	<div><div></div></div> 0.0%
8	dk	1	<div><div></div></div> 1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 h5d: tetra/penta 2 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
-------------	---

File Children

#182 h5d: tetra/penta 2 day

Statistics [NW/ W] [Valid=50 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
1		1	2.0%
4		1	2.0%
5		4	8.0%
7		4	8.0%
8		1	2.0%
10		6	12.0%
12		3	6.0%
13		2	4.0%
14		1	2.0%
15		2	4.0%
16		1	2.0%
17		2	4.0%
18		2	4.0%
19		2	4.0%
20		2	4.0%
21		1	2.0%
22		4	8.0%
23		2	4.0%
24		1	2.0%
25		1	2.0%
26		2	4.0%
28		1	2.0%
29		3	6.0%
30		1	2.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 h5m: tetra/penta 2 month

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=50 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
1		4	8.0%
2		1	2.0%
3		5	10.0%
4		7	14.0%
5		7	14.0%
6		1	2.0%
7		6	12.0%
8		2	4.0%
9		5	10.0%

File Children

#183 h5m: tetra/penta 2 month

Value	Label	Cases	Percentage
10		3	6.0%
11		4	8.0%
12		4	8.0%
97	inconsistent	1	2.0%
98	dk	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#184 h5y: tetra/penta 2 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=50 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
2006		8	16.0%
2007		7	14.0%
2008		15	30.0%
2009		11	22.0%
2010		9	18.0%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 h6: received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	15	18.3%
1	vacc. date on card	50	61.0%
2	reported by mother	17	20.7%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 h6d: polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=50 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
1		1	2.0%
4		1	2.0%
5		4	8.0%
7		4	8.0%
8		1	2.0%
10		6	12.0%

File Children

#186 h6d: polio 2 day

Value	Label	Cases	Percentage
12		3	6.0%
13		2	4.0%
14		1	2.0%
15		2	4.0%
16		1	2.0%
17		2	4.0%
18		2	4.0%
19		2	4.0%
20		2	4.0%
21		1	2.0%
22		4	8.0%
23		2	4.0%
24		1	2.0%
25		1	2.0%
26		2	4.0%
28		1	2.0%
29		3	6.0%
30		1	2.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 h6m: polio 2 month

Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=50 /-] [Invalid=34 /-]	
Value	Label	Cases	Percentage
1		4	8.0%
2		1	2.0%
3		5	10.0%
4		7	14.0%
5		7	14.0%
6		1	2.0%
7		6	12.0%
8		2	4.0%
9		5	10.0%
10		3	6.0%
11		4	8.0%
12		4	8.0%
97	inconsistent	1	2.0%
98	dk	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#188 h6y: polio 2 year

Information [Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]

Statistics [NW/ W] [Valid=50 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
2006		8	16.0%
2007		7	14.0%
2008		15	30.0%
2009		11	22.0%
2010		9	18.0%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 h7: received tetra/penta 3

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	19	23.2%
1	vacc. date on card	48	58.5%
2	reported by mother	14	17.1%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 h7d: tetra/penta 3 day

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=48 /-] [Invalid=36 /-]

Value	Label	Cases	Percentage
1		1	2.1%
2		2	4.2%
4		1	2.1%
5		2	4.2%
6		1	2.1%
7		4	8.3%
10		2	4.2%
11		3	6.2%
12		4	8.3%
14		2	4.2%
15		1	2.1%
16		3	6.2%
17		1	2.1%
18		1	2.1%
19		3	6.2%

File Children

#190 h7d: tetra/penta 3 day

Value	Label	Cases	Percentage
20		2	4.2%
21		2	4.2%
22		1	2.1%
23		1	2.1%
24		3	6.2%
26		2	4.2%
28		1	2.1%
29		3	6.2%
30		1	2.1%
31		1	2.1%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		36	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 h7m: tetra/penta 3 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=36 /-]

Value	Label	Cases	Percentage
1		2	4.2%
2		4	8.3%
3		3	6.2%
4		5	10.4%
5		4	8.3%
6		9	18.8%
7		1	2.1%
8		3	6.2%
9		4	8.3%
10		6	12.5%
11		3	6.2%
12		4	8.3%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		36	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#192 h7y: tetra/penta 3 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=36 /-]

Value	Label	Cases	Percentage
2006		7	14.6%
2007		6	12.5%
2008		13	27.1%
2009		12	25.0%

File Children

#192 h7y: tetra/penta 3 year

Value	Label	Cases	Percentage
2010		10	20.8%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		36	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 h8: received polio 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	18	22.0%
1	vacc. date on card	49	59.8%
2	reported by mother	15	18.3%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 h8d: polio 3 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=35 /-]

Value	Label	Cases	Percentage
1		1	2.0%
2		2	4.1%
4		1	2.0%
5		2	4.1%
6		1	2.0%
7		4	8.2%
10		2	4.1%
11		3	6.1%
12		4	8.2%
14		2	4.1%
15		1	2.0%
16		3	6.1%
17		1	2.0%
18		1	2.0%
19		3	6.1%
20		2	4.1%
21		2	4.1%
22		1	2.0%
23		1	2.0%
24		3	6.1%
26		2	4.1%
27		1	2.0%

File Children

#194 h8d: polio 3 day

Value	Label	Cases	Percentage
28		1	2.0%
29		3	6.1%
30		1	2.0%
31		1	2.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		35	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 h8m: polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=35 /-]

Value	Label	Cases	Percentage
1		2	4.1%
2		5	10.2%
3		3	6.1%
4		5	10.2%
5		4	8.2%
6		9	18.4%
7		1	2.0%
8		3	6.1%
9		4	8.2%
10		6	12.2%
11		3	6.1%
12		4	8.2%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		35	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 h8y: polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=35 /-]

Value	Label	Cases	Percentage
2006		7	14.3%
2007		6	12.2%
2008		13	26.5%
2009		12	24.5%
2010		11	22.4%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		35	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#197 h9: received measles

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	24	29.3%
1	vacc. date on card	40	48.8%
2	reported by mother	17	20.7%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 h9d: measles day

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
1		1	2.5%
2		3	7.5%
3		2	5.0%
6		1	2.5%
7		1	2.5%
10		1	2.5%
11		1	2.5%
12		1	2.5%
13		1	2.5%
14		2	5.0%
16		2	5.0%
18		3	7.5%
19		3	7.5%
20		2	5.0%
21		1	2.5%
22		2	5.0%
23		2	5.0%
24		1	2.5%
25		3	7.5%
27		3	7.5%
28		1	2.5%
29		3	7.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 h9m: measles month

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=44 /-]

File Children

#199 h9m: measles month

Value	Label	Cases	Percentage
1		1	2.5%
2		5	12.5%
3		3	7.5%
4		3	7.5%
5		5	12.5%
6		6	15.0%
7		2	5.0%
8		1	2.5%
9		2	5.0%
10		6	15.0%
11		5	12.5%
12		1	2.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 h9y: measles year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=44 /-]		
Value	Label	Cases	Percentage
2006		5	12.5%
2007		5	12.5%
2008		8	20.0%
2009		15	37.5%
2010		7	17.5%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 h0: na - received p0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	vacc. date on card	0	
2	reported by mother	0	
3	vacc. marked on card	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 h0d: na - p0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]		
--------------------	--	--	--

File Children

#202 h0d: na - p0 day

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 h0m: na - p0 month

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 h0y: na - p0 year

Information [Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 h10: ever had vaccination

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=24 /-] [Invalid=60 /-]

Value	Label	Cases	Percentage
0	no	5	20.8%
1	yes	19	79.2%
8	don't know	0	0.0%
Sysmiss		60	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 h11: had diarrhea recently

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	74	90.2%
1	yes, last 24 hours	0	0.0%
2	yes, last two weeks	7	8.5%
8	don't know	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#207 h11b: blood in the stools

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 h12a: diarrhea: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#209 h12b: diarrhea: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	6	85.7%
1	yes	1	14.3%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#210 h12c: diarrhea: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 h12d: diarrhea: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#212 h12e: na - diarrhea: comm. health worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 h12f: diarrhea: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#214 h12g: diarrhea: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#215 h12h: diarrhea: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 h12i: diarrhea: other public sector

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 h12j: diarrhea: private hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Children

#217 h12j: diarrhea: private hospital

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 h12k: diarrhea: private pharmacy

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 h12l: na - diarrhea: private doctor

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 h12m: na - diarrhea: private mobile cln

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#221 h12n: na - diarrhea: comm.health worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#222 h12o: diarrhea: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

File Children

#222 h12o: diarrhea: private clinic

Value	Label	Cases	Percentage
0	no	5	71.4%
1	yes	2	28.6%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 h12p: diarrhea: home of trained health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	6	85.7%
1	yes	1	14.3%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 h12q: diarrhea: visit of trained health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 h12r: diarrhea: other med.priv sect.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 h12s: diarrhea: shop

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	5	71.4%
1	yes	2	28.6%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 h12t: diarrhea: traditional pract.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

File Children

#227 h12t: diarrhea: traditional pract.

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 h12u: na - diarrhea: cs oth.priv sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 h12v: na - diarrhea: cs oth.priv sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 h12w: na - diarrhea: cs oth.priv sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 h12x: diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#232 h12y: diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

File Children

#232 h12y: diarrhea: no treatment

Value	Label	Cases	Percentage
0	no: received treatm.	6	85.7%
1	yes: no treatment	1	14.3%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 h12z: diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	3	42.9%
1	yes	4	57.1%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#234 h13: given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	5	71.4%
1	yes: ors - spontan.	0	0.0%
2	yes: ors - probed	2	28.6%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 h13b: given a pre-packaged ors liquid (from tablet)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#236 h14: na - given recommend. home solution

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontan.	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#237 h15: given antibiotic pills or syrups

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 h15a: given antimotility

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 h15b: given an antibiotic injection

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 h15c: given an intravenous (iv)

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 h15d: given home remedy, herbal med.

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%

File Children

#241 h15d: given home remedy, herbal med.

Value	Label	Cases	Percentage
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 h15e: given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#243 h15f: given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	4	57.1%
1	yes	3	42.9%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 h15g: given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	4	57.1%
1	yes	3	42.9%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#245 h15h: given non-antibiotic injection

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	6	85.7%
1	yes	1	14.3%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#246 h15i: given unknown injection

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 h15j: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#248 h15k: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#249 h15l: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 h15m: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Children

#250 h15m: na - given cs

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 h20: given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 h21a: given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no: received treatm.	6	85.7%
1	yes: no treatment	1	14.3%
8	dk	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 h21: received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]

Value	Label	Cases	Percentage
0	no	1	14.3%
1	yes	6	85.7%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 h22: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	66	80.5%
1	yes	15	18.3%
8	dk	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 h31: had cough in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Children

#255 h31: had cough in last two weeks

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	68	82.9%
1	yes, last 24 hours	0	0.0%
2	yes, last two weeks	13	15.9%
8	don't know	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 h31b: short, rapid breaths

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=71 /-]

Value	Label	Cases	Percentage
0	no	7	53.8%
1	yes	6	46.2%
8	dk	0	0.0%
Sysmiss		71	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 h31c: problem in the chest or blocked or running nose

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=78 /-]

Value	Label	Cases	Percentage
1	chest only	2	33.3%
2	nose only	1	16.7%
3	both	3	50.0%
6	other	0	0.0%
8	don't know	0	0.0%
Sysmiss		78	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 h31d: had fever/cough in last 2 weeks: amount offered to drink

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	0.0%
2	much less	1	5.0%
3	somewhat less	3	15.0%
4	about the same	10	50.0%
5	more	5	25.0%
8	don't know	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#259 h31e: had fever/cough in last 2 weeks: amount offered to eat

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	stopped food	0	0.0%
1	never gave food	0	0.0%
2	much less	1	5.0%
3	somewhat less	7	35.0%
4	about the same	9	45.0%
5	more	2	10.0%
8	don't know	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 h32a: fever/cough: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 h32b: fever/cough: health center

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	17	85.0%
1	yes	2	10.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#262 h32c: fever/cough: health post

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 h32d: fever/cough: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

File Children

#263 h32d: fever/cough: outreach

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 h32e: na - fever/cough: comm. health wrkr

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 h32f: fever/cough: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	17	85.0%
1	yes	2	10.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 h32g: fever/cough: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#267 h32h: fever/cough: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

File Children

#267 h32h: fever/cough: military hospital

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#268 h32i: fever/cough: other public sector

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#269 h32j: fever/cough: private hospital

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#270 h32k: fever/cough: private pharmacy

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	14	70.0%
1	yes	5	25.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#271 h32l: na - fever/cough: private doctor

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#272 h32m: na - fever/cough: private mobile clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	

File Children

#272 h32m: na - fever/cough: private mobile clinic

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#273 h32n: na - fever/cough: comm. health wrkr

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#274 h32o: fever/cough: private clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	16	80.0%
1	yes	3	15.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#275 h32p: fever/cough: home of trained health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	18	90.0%
1	yes	1	5.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#276 h32q: fever/cough: visit of trained health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	18	90.0%
1	yes	1	5.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#277 h32r: fever/cough: other priv. med. sector

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

File Children

#277 h32r: fever/cough: other priv. med. sector

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#278 h32s: fever/cough: shop

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	18	90.0%
1	yes	1	5.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#279 h32t: fever/cough: traditional pract

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#280 h32u: na - fever/cough: cs oth. priv sect

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#281 h32v: na - fever/cough: cs oth. priv sect

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#282 h32w: na - fever/cough: cs oth. priv sect

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#283 h32x: fever/cough: other

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#284 h32y: fever/cough: no treatment

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no: received treatm.	14	70.0%
1	yes: no treatment	5	25.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#285 h32z: fever/cough: medical treatment

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	6	30.0%
1	yes	13	65.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#286 h33: received vitamin a1 (most recent)

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	26	31.7%
1	vacc. date on card	27	32.9%
2	reported by mother	28	34.1%

File Children

#286 h33: received vitamin a1 (most recent)

Value	Label	Cases	Percentage
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#287 h33d: vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=57 /-]

Value	Label	Cases	Percentage
1		2	7.4%
5		1	3.7%
6		2	7.4%
7		1	3.7%
9		1	3.7%
10		1	3.7%
12		1	3.7%
14		1	3.7%
16		1	3.7%
17		1	3.7%
18		2	7.4%
19		1	3.7%
20		1	3.7%
21		1	3.7%
22		1	3.7%
24		2	7.4%
25		4	14.8%
27		1	3.7%
30		2	7.4%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		57	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#288 h33m: vitamin a1 month

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=57 /-]

Value	Label	Cases	Percentage
3		1	3.7%
4		1	3.7%
5		10	37.0%
6		1	3.7%
10		1	3.7%
11		13	48.1%
97	inconsistent	0	0.0%

File Children

#288 h33m: vitamin a1 month

Value	Label	Cases	Percentage
98	dk	0	0.0%
Sysmiss		57	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#289 h33y: vitamin a1 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=57 /-]

Value	Label	Cases	Percentage
2006		1	3.7%
2007		2	7.4%
2008		2	7.4%
2009		8	29.6%
2010		14	51.9%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		57	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#290 h34: vitamin a in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	32	39.0%
1	yes	49	59.8%
8	don't know	1	1.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#291 h35: na - any vaccinations in last 2 years part of campaign

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#292 h36a: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Children

#292 h36a: na - vaccinated during campaign a

Value	Label	Cases	Percentage
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#293 h36b: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#294 h36c: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#295 h36d: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#296 h36e: na - vaccinated during campaign e

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#297 h36f: na - vaccinated during campaign f

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#298 h37a: fansidar taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#299 h37b: chloroquine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#300 h37c: na - amodiaquine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#301 h37d: quinine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%

File Children

#301 h37d: quinine taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#302 h37e: artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#303 h37f: malarine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#304 h37g: a+m 2, 3, 4 taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#305 h37h: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.




#306 h37i: pills/syrup taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

File Children

#306 h37i: pills/syrup taken for fever/cough

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]




Value	Label	Cases	Percentage
0	no	12	 60.0%
1	yes	7	 35.0%
9		1	 5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#307 h37j: injection taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	18	 90.0%
1	yes	1	 5.0%
9		1	 5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#308 h37k: aspirin taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]




Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	0.0%
9		1	 5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#309 h37l: acetaminophen taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]



Value	Label	Cases	Percentage
0	no	17	 85.0%
1	yes	2	 10.0%
9		1	 5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#310 h37m: ibuprofen taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	0.0%
9		1	 5.0%

File Children

#310 h37m: ibuprofen taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		64	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#311 h37n: drug cocktail taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	12	60.0%
1	yes	7	35.0%
9		1	5.0%
Sysmiss		64	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#312 h37o: multivitamin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#313 h37p: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#314 h37x: other taken for fever/convulsion

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#315 h37y: nothing taken for fever/convulsion

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

File Children

#315 h37y: nothing taken for fever/convulsion

Value	Label	Cases	Percentage
0	no	16	80.0%
1	yes, nothing taken	3	15.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#316 h37z: don't know if or what was taken for fever/convulsion

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]		
Value	Label	Cases	Percentage
0	no	17	85.0%
1	yes, dk	2	10.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#317 h38: had diarrhea in last 2 weeks: amount offered to drink

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	nothing to drink	0	0.0%
2	much less	1	14.3%
3	somewhat less	1	14.3%
4	about the same	2	28.6%
5	more	3	42.9%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#318 h39: had diarrhea in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=77 /-]		
Value	Label	Cases	Percentage
0	stopped food	0	0.0%
1	never gave food	0	0.0%
2	much less	0	0.0%
3	somewhat less	1	14.3%
4	about the same	3	42.9%
5	more	3	42.9%
8	don't know	0	0.0%
Sysmiss		77	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#319 h40: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
--------------------	--	--	--

File Children

#319 h40: na - received vitamin a2 (2nd most recent)

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vacc. date on card	0	
2	reported by mother	0	
3	vacc. marked on card	0	
8	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#320 h40d: na - vitamin a2 day

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#321 h40m: na - vitamin a2 month

Information [Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#322 h40y: na - vitamin a2 year

Information [Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	dk	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#323 h41a: na - received vitamin a after most recent in card

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

File Children

#323 h41a: na - received vitamin a after most recent in card

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#324 h41b: na - ever received vitamin a dose

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#325 h42: given micronutrient powder in last 7 days

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	77	93.9%
1	yes	1	1.2%
8	don't know	4	4.9%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#326 h43: drugs for intestinal parasites in last 6 months

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	43	52.4%
1	yes	37	45.1%
8	don't know	2	2.4%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#327 h44a: place first sought treatment for diarrhea

Information [Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=78 /-]

Value	Label	Cases	Percentage
10	public sector	0	0.0%
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	1	16.7%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	other public	0	0.0%
20	private medical	0	0.0%

File Children

#327 h44a: place first sought treatment for diarrhea

Value	Label	Cases	Percentage
21	private hospital	0	0.0%
22	private clinic	2	33.3%
23	pharmacy	0	0.0%
24	home of trained health worker	1	16.7%
25	visit of trained health worker	0	0.0%
26	other private	0	0.0%
30	other	0	0.0%
31	shop	2	33.3%
32	traditional practitioner	0	0.0%
96	other	0	0.0%
Sysmiss		78	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#328 h44b: na - days after diarrhea sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]		
Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#329 h44c: na - still has diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#330 h45: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]		
Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#331 h46a: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]		
Statistics [NW/ W]	[Valid=14 /-] [Invalid=70 /-]		
Value	Label	Cases	Percentage
10	public sector	0	0.0%

File Children

#331 h46a: place first sought treatment for fever

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	prov. hospital (rh)	2	14.3%
13	dist. hospital (rh)	0	0.0%
14	health center	2	14.3%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	other public	0	0.0%
20	private medical	0	0.0%
21	private hospital	0	0.0%
22	private clinic	3	21.4%
23	pharmacy	5	35.7%
24	home of trained health worker	1	7.1%
25	visit of trained health worker	0	0.0%
26	other private	0	0.0%
30	other	0	0.0%
31	shop	1	7.1%
32	traditional practitioner	0	0.0%
96	other	0	0.0%
Sysmiss		70	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#332 h46b: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=84 /-]		
Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#333 hwidx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=17 /-]		
Value	Label	Cases	Percentage
1		56	83.6%
2		11	16.4%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#334 hw1: age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]		
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-] [Mean=31.277 /-] [StdDev=17.811 /-]		

File Children	
#335 hw2: weight in kilograms (1 dec.)	
Information	[Type= continuous] [Format=numeric] [Range= 30-177] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-] [Mean=105.538 /-] [StdDev=31.571 /-]
#336 hw3: height in centimeters (1 dec.)	
Information	[Type= continuous] [Format=numeric] [Range= 482-1050] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-] [Mean=836.831 /-] [StdDev=128.372 /-]
#337 hw4: ht/a percentile	
Information	[Type= discrete] [Format=numeric] [Range= 2-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (62 Modalities)	
#338 hw5: ht/a standard deviations	
Information	[Type= discrete] [Format=numeric] [Range= -361-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (60 Modalities)	
#339 hw6: ht/a percent of ref. median	
Information	[Type= discrete] [Format=numeric] [Range= 8580-99998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (62 Modalities)	
#340 hw7: wt/a percentile	
Information	[Type= discrete] [Format=numeric] [Range= 0-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (64 Modalities)	
#341 hw8: wt/a standard deviations	
Information	[Type= discrete] [Format=numeric] [Range= -391-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (59 Modalities)	
#342 hw9: wt/a percent of ref. median	
Information	[Type= discrete] [Format=numeric] [Range= 6076-99998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (62 Modalities)	
#343 hw10: wt/ht percentile	
Information	[Type= discrete] [Format=numeric] [Range= 1-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (64 Modalities)	
#344 hw11: wt/ht standard deviations	
Information	[Type= discrete] [Format=numeric] [Range= -363-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]
Frequency table not shown (58 Modalities)	

File Children

#345 hw12: wt/ht percent of ref. median

Information [Type= discrete] [Format=numeric] [Range= 6604-99998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Frequency table not shown (65 Modalities)

#346 hw13: result of measurement

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=67 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	measured	65	97.0%
1	dead	2	3.0%
2	sick	0	0.0%
3	not present	0	0.0%
4	refused	0	0.0%
5	mother refused	0	0.0%
6	other	0	0.0%
7	no measurement found in hh	0	0.0%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#347 hw15: height: lying or standing

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
0	not measured	0	0.0%
1	lying	20	30.8%
2	standing	45	69.2%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#348 hw16: day of birth of child

Information [Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
2		1	1.5%
4		1	1.5%
5		4	6.2%
6		4	6.2%
7		1	1.5%
8		1	1.5%
9		2	3.1%
10		5	7.7%
11		2	3.1%
12		2	3.1%
13		3	4.6%
15		6	9.2%

File Children

#348 hw16: day of birth of child

Value	Label	Cases	Percentage
16		2	3.1%
18		1	1.5%
19		4	6.2%
20		1	1.5%
21		5	7.7%
22		3	4.6%
23		2	3.1%
24		2	3.1%
26		3	4.6%
27		2	3.1%
28		4	6.2%
29		1	1.5%
30		1	1.5%
97	inconsistent	0	0.0%
98	dk	2	3.1%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#349 hw17: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-] [Mean=15.631 /-] [StdDev=9.805 /-]

#350 hw18: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 7-12] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
7		3	4.6%
8		10	15.4%
9		22	33.8%
10		8	12.3%
11		13	20.0%
12		9	13.8%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#351 hw19: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2010-2010] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
2010		65	100.0%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#352 hw51: line no. of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
-------------	--

File Children

#352 hw51: line no. of parent/caretaker

Statistics [NW/ W] [Valid=60 /-] [Invalid=24 /-]

Value	Label	Cases	Percentage
0	not in household	0	0.0%
1		8	13.3%
2		41	68.3%
3		5	8.3%
4		3	5.0%
5		1	1.7%
6		2	3.3%
Sysmiss		24	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#353 hw52: read consent statement

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=60 /-] [Invalid=24 /-]

Value	Label	Cases	Percentage
1	granted	59	98.3%
2	refused	0	0.0%
9		1	1.7%
Sysmiss		24	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#354 hw53: hemoglobin level (g/dl - 1 decimal)

Information [Type= continuous] [Format=numeric] [Range= 67-999] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-] [Mean=189.846 /-] [StdDev=260.267 /-]

#355 hw55: result of measuring (hemoglobin)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=67 /-] [Invalid=17 /-]

Value	Label	Cases	Percentage
0	measured	59	88.1%
1	dead	2	3.0%
3	not present	0	0.0%
4	refused	0	0.0%
6	other	0	0.0%
7	no measurement found in hh	0	0.0%
9		6	9.0%
Sysmiss		17	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#356 hw56: hemoglobin level adjusted by altitude (g/dl - 1 decimal)

Information [Type= continuous] [Format=numeric] [Range= 67-9999] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-] [Mean=1020.615 /-] [StdDev=2885.476 /-]

#357 hw57: anemia level

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

File Children

#357 hw57: anemia level

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Value	Label	Cases	Percentage
1	severe	1	1.5%
2	moderate	11	16.9%
3	mild	21	32.3%
4	not anemic	26	40.0%
9		6	9.2%
Sysmiss		19	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#358 hw58: na - agrees to referral

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#359 hw70: ht/a standard deviations (according to who)

Information [Type= discrete] [Format=numeric] [Range= -413-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Frequency table not shown (63 Modalities)

#360 hw71: wt/a standard deviations (according to who)

Information [Type= discrete] [Format=numeric] [Range= -390-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Frequency table not shown (60 Modalities)

#361 hw72: wt/ht standard deviations (according to who)

Information [Type= discrete] [Format=numeric] [Range= -422-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Frequency table not shown (68 Modalities)

#362 hw73: bmi standard deviations (according to who)

Information [Type= discrete] [Format=numeric] [Range= -424-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=19 /-]

Frequency table not shown (62 Modalities)

#363 idx94: index to birth history

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#364 s413f: antenatal care: nutritional counseling

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=18 /-]

Value	Label	Cases	Percentage
0	no	7	10.6%
1	yes	59	89.4%
Sysmiss		18	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#365 sml1: times took fansidar during pregnancy

Information [Type= discrete] [Format=numeric] [Range= 8-98] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=83 /-]

Value	Label	Cases	Percentage
8		1	100.0%
98	don't know	0	0.0%
Sysmiss		83	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#366 sml2: type of visit at source for antimalarial during pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=83 /-]

Value	Label	Cases	Percentage
1	antenatal visit	1	100.0%
2	another facility visit	0	0.0%
6	other source	0	0.0%
Sysmiss		83	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#367 s435: delivery by caesarean section

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=50 /-] [Invalid=34 /-]

Value	Label	Cases	Percentage
0	no	50	100.0%
1	yes, elective	0	0.0%
2	yes, emergency/medic indicated	0	0.0%
Sysmiss		34	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#368 s446b: received iron table

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	38	52.8%
1	yes	34	47.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#369 s446c: received deworming tablet

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	51	70.8%
1	yes	21	29.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#370 s446d: received advice on contraception

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	50	69.4%
1	yes	22	30.6%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#371 s446e: received counseling for newborn care

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	no	33	45.8%
1	yes	39	54.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#372 idx95: index to birth history

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#373 shb: received hb 0

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	28	34.1%
1	vacc. date on card	40	48.8%
2	reported by mother	12	14.6%
3	vacc. marked on card	0	0.0%
8	dk	2	2.4%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#374 shbd: hb 0 day

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
1		1	2.5%
2		1	2.5%
3		1	2.5%
4		1	2.5%
5		1	2.5%
6		1	2.5%
8		1	2.5%
10		1	2.5%
11		2	5.0%
12		3	7.5%
14		1	2.5%
15		2	5.0%
19		4	10.0%
20		1	2.5%
21		5	12.5%
22		2	5.0%
24		1	2.5%
25		1	2.5%
27		5	12.5%
28		3	7.5%
29		1	2.5%
30		1	2.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#375 shbm: hb 0 month

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
1		5	12.5%
2		7	17.5%
4		4	10.0%
5		5	12.5%
6		2	5.0%
7		3	7.5%
8		2	5.0%
9		6	15.0%
10		2	5.0%
11		2	5.0%

File Children

#375 shbm: hb 0 month

Value	Label	Cases	Percentage
12		2	5.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#376 shby: hb 0 year

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
2005		1	2.5%
2006		3	7.5%
2007		5	12.5%
2008		11	27.5%
2009		11	27.5%
2010		9	22.5%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#377 s526: blood taken from finger or heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=69 /-]

Value	Label	Cases	Percentage
0	no	9	60.0%
1	yes	6	40.0%
8	don't know	0	0.0%
Sysmiss		69	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#378 s538f: mefloquine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#379 s538h: artesunate tablet taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=64 /-]

File Children

#379 s538h: artesunate tablet taken for fever/cough

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#380 s538i: artesunate suppository taken for fever/cough

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=20 /-] [Invalid=64 /-]	
Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#381 s538j: artekin taken for fever/cough

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=20 /-] [Invalid=64 /-]	
Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#382 s538k: cotexin taken for fever/cough

Information		[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]	
Statistics [NW/ W]		[Valid=20 /-] [Invalid=64 /-]	
Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		64	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#383 idx97: index to maternal mortality

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=81 /-] [Invalid=3 /-]	
Value	Label	Cases	Percentage
1		70	86.4%
2		11	13.6%
Sysmiss		3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Children

#384 s1112a: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#1 hvidx: line number

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		176	19.4%
2		175	19.3%
3		169	18.6%
4		144	15.8%
5		104	11.4%
6		59	6.5%
7		40	4.4%
8		22	2.4%
9		10	1.1%
10		5	0.6%
11		3	0.3%
12		2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 hv001: cluster number

Information [Type= discrete] [Format=numeric] [Range= 1-611] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-] [Mean=296.468 /-] [StdDev=181.248 /-]

Literal question cluster number

Frequency table not shown (176 Modalities)

#3 hv002: household number

Information [Type= discrete] [Format=numeric] [Range= 1-198] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-] [Mean=1 /-] [StdDev=0 /-]

Literal question household number

Value	Label	Cases	Percentage
1		909	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 hv101: relationship to head

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

File Persons

#4 hv101: relationship to head

Value	Label	Cases	Percentage
1	head	176	19.4%
2	wife or husband	144	15.8%
3	son/daughter	416	45.8%
4	son/daughter-in-law	29	3.2%
5	grandchild	77	8.5%
6	parent	10	1.1%
7	parent-in-law	5	0.6%
8	brother/sister	3	0.3%
9	co-spouse	0	0.0%
10	other relative	33	3.6%
11	adopted/foster child	9	1.0%
12	not related	7	0.8%
13	niece/nephew by blood	0	0.0%
14	niece/nephew by marriage	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 hv102: usual resident

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]		[Valid=909 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage	
0	no	15	<div></div>	1.7%
1	yes	894	<div></div>	98.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 hv103: slept last night

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=909 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no	63	6.9%
1	yes	846	93.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 hv104: sex of household member

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=909 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	male	438	48.2%
2	female	471	51.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 hv105: age of household members

Information	[Type= continuous] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=909 /-] [Invalid=0 /-]

File Persons

#8 hv105: age of household members

Value	Label	Cases	Percentage
95	95+	1	100.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#9 hv106: highest educational level

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education, preschool	211	23.2%
1	primary	409	45.0%
2	secondary	250	27.5%
3	higher	39	4.3%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#10 hv107: highest year of education

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=709 /-] [Invalid=200 /-]

Value	Label	Cases	Percentage
0		60	8.5%
1		107	15.1%
2		123	17.3%
3		133	18.8%
4		96	13.5%
5		111	15.7%
6		76	10.7%
8		3	0.4%
98	dk	0	0.0%
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 hv108: education in single years

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		236	26.0%
1		52	5.7%
2		73	8.0%
3		75	8.3%
4		67	7.4%
5		77	8.5%
6		55	6.1%
7		49	5.4%
8		48	5.3%

File Persons

#11 hv108: education in single years

Value	Label	Cases	Percentage
9		51	5.6%
10		19	2.1%
11		32	3.5%
12		45	5.0%
13		6	0.7%
14		2	0.2%
15		7	0.8%
16		10	1.1%
17		2	0.2%
20		3	0.3%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 hv109: educational attainment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	211	23.2%
1	incomplete primary	369	40.6%
2	complete primary	40	4.4%
3	incomplete secondary	214	23.5%
4	complete secondary	36	4.0%
5	higher	39	4.3%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 hv110: na - member still in school

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#14 hv111: mother alive

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
0	no	3	0.8%
1	yes	362	98.9%
8	dk	0	0.0%
9		1	0.3%

File Persons

#14 hv111: mother alive

Value	Label	Cases	Percentage
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#15 hv112: mother's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
0	mother not in hh	47	12.8%
1		32	8.7%
2		250	68.3%
3		22	6.0%
4		8	2.2%
5		1	0.3%
6		4	1.1%
7		1	0.3%
9		1	0.3%
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 hv113: father alive

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
0	no	16	4.4%
1	yes	349	95.4%
8	dk	0	0.0%
9		1	0.3%
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 hv114: father's line number

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
0	father not in hh	72	19.7%
1		239	65.3%
2		21	5.7%
3		10	2.7%
4		3	0.8%
5		9	2.5%
6		5	1.4%
7		7	1.9%
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#18 hv115: current marital status

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=610 /-] [Invalid=299 /-]

Value	Label	Cases	Percentage
0	never married/never lived together	197	32.3%
1	married/living together	369	60.5%
3	widowed	34	5.6%
4	divorced/separated	10	1.6%
Sysmiss		299	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 hv116: currently, formerly, never m.

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=610 /-] [Invalid=299 /-]

Value	Label	Cases	Percentage
0	never married	197	32.3%
1	currently married	369	60.5%
2	formerly/ever marr.	44	7.2%
Sysmiss		299	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 hv117: eligibility for female interview

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	692	76.1%
1	eligible	217	23.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 hv118: eligibility for male interview

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	775	85.3%
1	eligible	134	14.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 hv120: children eligibility for height/weight and hemoglobin

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not eligible	831	91.4%
1	eligible	78	8.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 hv121: member attended school during current school year

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

File Persons

#23 hv121: member attended school during current school year

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	662	72.8%
1	currently attending	0	0.0%
2	attended at some time	247	27.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 hv122: educational level during current school year

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education, preschool	672	73.9%
1	primary	139	15.3%
2	secondary	80	8.8%
3	higher	18	2.0%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 hv123: grade of education during current school year

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=247 /-] [Invalid=662 /-]

Value	Label	Cases	Percentage
0		10	4.0%
1		50	20.2%
2		53	21.5%
3		37	15.0%
4		33	13.4%
5		22	8.9%
6		42	17.0%
98	dk	0	0.0%
Sysmiss		662	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 hv124: education in single years - current school year

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		672	73.9%
1		25	2.8%
2		34	3.7%
3		22	2.4%
4		20	2.2%
5		14	1.5%
6		24	2.6%
7		18	2.0%

File Persons

#26 hv124: education in single years - current school year

Value	Label	Cases	Percentage
8		14	1.5%
9		13	1.4%
10		9	1.0%
11		8	0.9%
12		18	2.0%
13		7	0.8%
14		5	0.6%
15		2	0.2%
16		4	0.4%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 hv125: na - member attended school during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 hv126: na - educational level during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]		
Value	Label	Cases	Percentage
0	no education, preschool	0	
1	primary	0	
2	secondary	0	
3	higher	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 hv127: na - grade of education during previous school year

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]		
Value	Label	Cases	Percentage
98	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 hv128: na - education in single years - previous school year

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]		

File Persons

#30 hv128: na - education in single years - previous school year

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 hv129: school attendance status

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	never attended	0	
1	attended at some time	0	
2	advanced	0	
3	repeating	0	
4	dropout	0	
5	left school 1+ year(s) ago	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 hv130: na - member has been very sick for 3+ months last year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 hv131: na - mother has been very sick for 3+ months last year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 hv132: na - father has been very sick for 3+ months last year

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	

File Persons

#34 hv132: na - father has been very sick for 3+ months last year

Value	Label	Cases	Percentage
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 hv133: na - mother/father dead or been very sick for 3+ months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 hv134: both parents alive

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=366 /-] [Invalid=543 /-]

Value	Label	Cases	Percentage
0	no	17	4.6%
1	yes	348	95.1%
9		1	0.3%
Sysmiss		543	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 hv135: na - has brothers/sisters under 18 of the same father and mother

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 hv136: na - brothers/sisters under 18 that don't live in household

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 hv137: na - member has a blanket

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Persons

#39 hv137: na - member has a blanket

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 hv138: na - member has a pair of shoes

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 hv139: na - member has 2+ sets of clothes

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 hv140: member has a birth certificate

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=94 /-] [Invalid=815 /-]

Value	Label	Cases	Percentage
0	neither certificate or registered	33	35.1%
1	has certificate	49	52.1%
2	registered	9	9.6%
8	don't know	2	2.1%
9		1	1.1%
Sysmiss		815	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 idxh4: index to household schedule

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=909 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		176	19.4%

File Persons

#43 idxh4: index to household schedule

Value	Label	Cases	Percentage
2		175	19.3%
3		169	18.6%
4		144	15.8%
5		104	11.4%
6		59	6.5%
7		40	4.4%
8		22	2.4%
9		10	1.1%
10		5	0.6%
11		3	0.3%
12		2	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 sh17a: highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=709 /-] [Invalid=200 /-]		
Value	Label	Cases	Percentage
1	primary	409	57.7%
2	lower secondary	153	21.6%
3	upper secondary	97	13.7%
4	higher	39	5.5%
5	pre-primary	11	1.6%
8	dk	0	0.0%
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 sh17b: highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]		
Statistics [NW/ W]	[Valid=709 /-] [Invalid=200 /-]		
Value	Label	Cases	Percentage
0	< 1 year completed	70	9.9%
1		58	8.2%
2		75	10.6%
3		82	11.6%
4		77	10.9%
5		79	11.1%
6		40	5.6%
7		49	6.9%
8		51	7.2%
9		41	5.8%
10		19	2.7%
11		32	4.5%
12		36	5.1%
98	dk	0	0.0%

File Persons

#45 sh17b: highest year of education

Value	Label	Cases	Percentage
Sysmiss		200	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 sh19a: educational level during current school year

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=247 /-] [Invalid=662 /-]

Value	Label	Cases	Percentage
1	primary	139	56.3%
2	lower secondary	45	18.2%
3	upper secondary	35	14.2%
4	higher	18	7.3%
5	pre-primary	10	4.0%
8	dk	0	0.0%
Sysmiss		662	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 sh19b: grade of education during current school year

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=247 /-] [Invalid=662 /-]

Value	Label	Cases	Percentage
0	pre-primary	10	4.0%
1		32	13.0%
2		39	15.8%
3		24	9.7%
4		24	9.7%
5		14	5.7%
6		24	9.7%
7		18	7.3%
8		14	5.7%
9		13	5.3%
10		9	3.6%
11		8	3.2%
12		18	7.3%
98	dk	0	0.0%
Sysmiss		662	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#48 ha0: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
1		11	6.6%
2		81	48.5%
3		33	19.8%

File Persons

#48 ha0: index to household schedule

Value	Label	Cases	Percentage
4		22	13.2%
5		10	6.0%
6		5	3.0%
7		3	1.8%
8		2	1.2%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 ha1: women's age in years

Information	[Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-] [Mean=28.677 /-] [StdDev=10.523 /-]

#50 ha2: respondent's weight (kilos-1d)

Information	[Type= continuous] [Format=numeric] [Range= 298-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-] [Mean=886.168 /-] [StdDev=1913.348 /-]

#51 ha3: respondent's height (cms-1d)

Information	[Type= continuous] [Format=numeric] [Range= 1348-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-] [Mean=1883.922 /-] [StdDev=1703.363 /-]

#52 ha4: ht/a percentile (resp.)

Information	[Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (113 Modalities)

#53 ha5: ht/a standard deviations (resp)

Information	[Type= discrete] [Format=numeric] [Range= -440-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (107 Modalities)

#54 ha6: ht/a percent ref. median (resp)

Information	[Type= discrete] [Format=numeric] [Range= 8273-99999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (115 Modalities)

#55 ha11: wt/ht std deviations(resp) dhs

Information	[Type= discrete] [Format=numeric] [Range= -363-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (130 Modalities)

#56 ha12: wt/ht percent ref. median (dhs)

Information	[Type= discrete] [Format=numeric] [Range= 5883-99999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (158 Modalities)

#57 ha12a: wt/ht percent ref. median (fog)

Information	[Type= discrete] [Format=numeric] [Range= 6403-99999] [Missing=*]
--------------------	---

File Persons

#57 ha12a: wt/ht percent ref. median (fog)

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (156 Modalities)

#58 ha12b: wt/ht percent ref. median (who)

Information [Type= discrete] [Format=numeric] [Range= 7688-99999] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (158 Modalities)

#59 ha13: result of measurement of resp.

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
0	measured	160	95.8%
3	not present	2	1.2%
4	refused	2	1.2%
6	other	0	0.0%
9		3	1.8%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 ha32: date of birth (cmc)

Information [Type= continuous] [Format=numeric] [Range= 736-1149] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-] [Mean=979.85 /-] [StdDev=125.844 /-]

#61 ha33: completeness of information

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
1	month and year	134	80.2%
2	month and age - y imp	0	0.0%
3	year and age - m imp	26	15.6%
4	y & age - y ignored	0	0.0%
5	year - a, m imp	0	0.0%
6	age - y, m imp	7	4.2%
7	month - a, y imp	0	0.0%
8	none - all imp	0	0.0%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 ha35: smoking

Information [Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
0	doesn't smoke	156	93.4%
2		1	0.6%
4		1	0.6%

File Persons

#62 ha35: smoking

Value	Label	Cases	Percentage
10		1	0.6%
20		1	0.6%
80	80+	0	0.0%
94	smokes pipes, cigars, etc.	0	0.0%
99		7	4.2%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 ha40: body mass index for respondent

Information	[Type= discrete] [Format=numeric] [Range= 1362-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]
Frequency table not shown (145 Modalities)	

#64 ha41: rohrer's index for respondent

Information	[Type= discrete] [Format=numeric] [Range= 921-9999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]
Frequency table not shown (142 Modalities)	

#65 ha50: under age 18

Information		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]	
Statistics [NW/ W]		[Valid=167 /-] [Invalid=742 /-]	
Value	Label	Cases	Percentage
1	under age 18	31	<div><div></div></div> 18.6%
2	age 18 or older	136	<div><div></div></div> 81.4%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 ha51: line no. of parent/caretaker

Information		[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]	
Statistics [NW/ W]		[Valid=30 /-] [Invalid=879 /-]	
Value	Label	Cases	Percentage
0	not in household	1	<div><div></div></div> 3.3%
1		10	<div><div></div></div> 33.3%
2		19	<div><div></div></div> 63.3%
Sysmiss		879	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 ha52: read consent statement

Information		[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]		
Statistics [NW/ W]		[Valid=167 /-] [Invalid=742 /-]		
Value	Label	Cases	Percentage	
1	granted	157	94.0%	
2	parent/other responsible refused	0	0.0%	
3	respondent refused	5	3.0%	
9		5	3.0%	

File Persons

#67 ha52: read consent statement

Value	Label	Cases	Percentage
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 ha53: hemoglobin level (g/dl - 1 decimal)

Information	[Type= continuous] [Format=numeric] [Range= 78-999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-] [Mean=173.808 /-] [StdDev=209.37 /-]

#69 ha54: currently pregnant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
0	no/don't know	159	95.2%
1	yes	8	4.8%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 ha55: result of measuring (hemoglobin)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
0	measured	157	94.0%
3	not present	0	0.0%
4	refused	5	3.0%
5		0	0.0%
6	other	0	0.0%
9		5	3.0%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 ha56: hemoglobin level adjusted by altitude (g/dl - 1 decimal)

Information	[Type= continuous] [Format=numeric] [Range= 78-999] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-] [Mean=173.76 /-] [StdDev=209.384 /-]

#72 ha57: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
1	severe	0	0.0%
2	moderate	14	8.4%
3	mild	50	29.9%
4	not anemic	93	55.7%
9		10	6.0%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#73 ha58: na - agrees to referral

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 ha60: marital status

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=31 /-] [Invalid=878 /-]

Value	Label	Cases	Percentage
1	never in union	30	96.8%
2	other	1	3.2%
Sysmiss		878	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 ha61: na - read consent statement (hiv)

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
4	sample not tested/lost/not enough dbs	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 ha62: na - blood sample id number

Information [Type= discrete] [Format=character] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=0 /-]

#77 ha63: na - result of measuring (hiv)

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
1	blood taken	0	
2	not present	0	
3	refused	0	
4	sample not tested/lost	0	
5	not enough dbs to complete protocol	0	
6	other	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#78 ha64: na - consent for additional tests

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
1	granted	0	
2	parent/other responsible refused	0	
3	respondent refused	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 ha65: result of woman individual interview

Information [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
1	completed	160	95.8%
2	not at home	4	2.4%
3	postponed	0	0.0%
4	refused	2	1.2%
5	partly completed	0	0.0%
6	incapacitated	1	0.6%
7	other	0	0.0%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 ha66: woman's highest educational level

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
0	no education	22	13.2%
1	primary	79	47.3%
2	secondary	65	38.9%
3	higher	1	0.6%
8	don't know	0	0.0%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 ha67: woman's highest year of education

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=145 /-] [Invalid=764 /-]

Value	Label	Cases	Percentage
0		1	0.7%
1		20	13.8%
2		32	22.1%
3		27	18.6%
4		24	16.6%
5		20	13.8%

File Persons

#81 ha67: woman's highest year of education

Value	Label	Cases	Percentage
6		21	14.5%
98	dk	0	0.0%
Sysmiss		764	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 ha68: highest educational level (cs for preliminary & final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
0	no education	22	13.2%
1	primary	79	47.3%
2	secondary +	66	39.5%
8	don't know	0	0.0%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 ha69: na - hiv weight (6 decimals)

Information	[Type= discrete] [Format=numeric] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 hc0: index to household schedule

Information	[Type= discrete] [Format=numeric] [Range= 2-10] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
2		1	1.3%
3		12	15.4%
4		14	17.9%
5		20	25.6%
6		10	12.8%
7		11	14.1%
8		5	6.4%
9		4	5.1%
10		1	1.3%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 hc1: age in months

Information	[Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=31.526 /-] [StdDev=17.22 /-]

#86 hc2: weight in kilograms (1 dec.)

Information	[Type= continuous] [Format=numeric] [Range= 30-9999] [Missing=*]
-------------	--

File Persons

#86 hc2: weight in kilograms (1 dec.)

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=360.5 /-] [StdDev=1573.982 /-]
---------------------------	---

#87 hc3: height in centimeters (1 dec.)

Information	[Type= continuous] [Format=numeric] [Range= 482-9999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=1072.141 /-] [StdDev=1462.917 /-]
---------------------------	--

#88 hc4: ht/a percentile

Information	[Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (72 Modalities)

#89 hc5: ht/a standard deviations

Information	[Type= discrete] [Format=numeric] [Range= -498-9999] [Missing=*]
--------------------	--

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (69 Modalities)

#90 hc6: ht/a percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 8070-99999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (73 Modalities)

#91 hc7: wt/a percentile

Information	[Type= discrete] [Format=numeric] [Range= 0-9999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (74 Modalities)

#92 hc8: wt/a standard deviations

Information	[Type= discrete] [Format=numeric] [Range= -425-9999] [Missing=*]
--------------------	--

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (69 Modalities)

#93 hc9: wt/a percent of ref. median

Information	[Type= discrete] [Format=numeric] [Range= 5683-99999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (73 Modalities)

#94 hc10: wt/ht percentile

Information	[Type= discrete] [Format=numeric] [Range= 1-9999] [Missing=*]
--------------------	---

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (75 Modalities)

#95 hc11: wt/ht standard deviations

Information	[Type= discrete] [Format=numeric] [Range= -363-9999] [Missing=*]
--------------------	--

Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]
---------------------------	--------------------------------

Frequency table not shown (67 Modalities)

File Persons

#96 hc12: wt/ht percent of ref. median

Information [Type= discrete] [Format=numeric] [Range= 6604-99999] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (76 Modalities)

#97 hc13: result of measurement

Information [Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
0	measured	76	97.4%
3	not present	0	0.0%
4	refused	2	2.6%
6	other	0	0.0%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 hc15: height: lying or standing

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
0	not measured	0	0.0%
1	lying	23	29.5%
2	standing	53	67.9%
9		2	2.6%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 hc16: day of birth of child

Information [Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
2		1	1.3%
4		1	1.3%
5		5	6.4%
6		4	5.1%
7		1	1.3%
8		1	1.3%
9		2	2.6%
10		5	6.4%
11		2	2.6%
12		2	2.6%
13		3	3.8%
15		7	9.0%
16		2	2.6%
17		1	1.3%
18		1	1.3%

File Persons

#99 hc16: day of birth of child

Value	Label	Cases	Percentage
19		4	5.1%
20		2	2.6%
21		5	6.4%
22		3	3.8%
23		2	2.6%
24		3	3.8%
26		4	5.1%
27		2	2.6%
28		4	5.1%
29		1	1.3%
30		3	3.8%
97	inconsistent	0	0.0%
98	dk	7	9.0%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 hc17: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=15.397 /-] [StdDev=9.79 /-]

#101 hc18: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 7-12] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
7		6	7.7%
8		14	17.9%
9		23	29.5%
10		10	12.8%
11		15	19.2%
12		10	12.8%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 hc19: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2010-2010] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
2010		78	100.0%
Sysmiss		831	



Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 hc27: sex

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

File Persons













#103 hc27: sex

Value	Label	Cases	Percentage
1	male	39	 50.0%
2	female	39	 50.0%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 hc30: month of birth of child







Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
1		7	 9.0%
2		8	 10.3%
3		2	 2.6%
4		9	 11.5%
5		8	 10.3%
6		5	 6.4%
7		5	 6.4%
8		5	 6.4%
9		12	 15.4%
10		5	 6.4%
11		5	 6.4%
12		7	 9.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 hc31: year of birth of child

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
2005		4	 5.1%
2006		19	 24.4%
2007		12	 15.4%
2008		20	 25.6%
2009		13	 16.7%
2010		10	 12.8%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#106 hc32: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 1269-1330] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=1298.038 /-] [StdDev=17.197 /-]

File Persons

#107 hc33: completeness of information

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
1	month and year	78	100.0%
2	month and age	0	0.0%
3	year and age	0	0.0%
4	year	0	0.0%
5		0	0.0%
6	age	0	0.0%
7	month	0	0.0%
8	none	0	0.0%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 hc51: line no. of parent/caretaker

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=838 /-]

Value	Label	Cases	Percentage
0	not in household	0	0.0%
1		12	16.9%
2		47	66.2%
3		5	7.0%
4		3	4.2%
5		1	1.4%
6		2	2.8%
7		1	1.4%
Sysmiss		838	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 hc52: read consent statement

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=71 /-] [Invalid=838 /-]

Value	Label	Cases	Percentage
1	granted	70	98.6%
2	refused	0	0.0%
9		1	1.4%
Sysmiss		838	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 hc53: hemoglobin level (g/dl - 1 decimal)

Information [Type= continuous] [Format=numeric] [Range= 67-999] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-] [Mean=198.538 /-] [StdDev=272.602 /-]



#111 hc55: result of measuring (hemoglobin)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=831 /-]

File Persons

#111 hc55: result of measuring (hemoglobin)

Value	Label	Cases	Percentage
0	measured	70	 89.7%
3	not present	0	0.0%
4	refused	0	0.0%
5		0	0.0%
6	other	0	0.0%
9		8	 10.3%
Sysmiss		831	






Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 hc56: hemoglobin level adjusted by altitude (g/dl - 1 decimal)

Information	[Type= continuous] [Format=numeric] [Range= 67-999] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=198.538 /-] [StdDev=272.602 /-]

#113 hc57: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
1	severe	1	 1.3%
2	moderate	14	 17.9%
3	mild	26	 33.3%
4	not anemic	29	 37.2%
9		8	 10.3%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 hc58: na - agrees to referral







Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 hc60: mother's line number from woman's questionnaire

Information	[Type= discrete] [Format=numeric] [Range= 1-995] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
1		6	 7.7%
2		42	 53.8%
3		7	 9.0%
4		7	 9.0%
5		1	 1.3%
6		2	 2.6%

File Persons

#115 hc60: mother's line number from woman's questionnaire

Value	Label	Cases	Percentage
993	mother not de facto	2	2.6%
994	incomplete woman's interview	2	2.6%
995	not in household	9	11.5%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 hc61: mother's highest educational level

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
0	no education	11	14.1%
1	primary	42	53.8%
2	secondary	16	20.5%
3	higher	0	0.0%
8	dk	0	0.0%
9		9	11.5%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 hc62: mother's highest year of education

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=58 /-] [Invalid=851 /-]

Value	Label	Cases	Percentage
0		1	1.7%
1		9	15.5%
2		12	20.7%
3		9	15.5%
4		10	17.2%
5		6	10.3%
6		11	19.0%
98	dk	0	0.0%
Sysmiss		851	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 hc63: preceding birth interval

Information	[Type= continuous] [Format=numeric] [Range= 16-999] [Missing=*]
Statistics [NW/ W]	[Valid=56 /-] [Invalid=853 /-] [Mean=270.732 /-] [StdDev=404.685 /-]

#119 hc64: birth order number

Information	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-] [Mean=18.769 /-] [StdDev=36.151 /-]

#120 hc68: highest educational level (cs for preliminary & final report)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

File Persons

#120 hc68: highest educational level (cs for preliminary & final report)

Value	Label	Cases	Percentage
0	no education	11	14.1%
1	primary	42	53.8%
2	secondary +	16	20.5%
8	dk	0	0.0%
9		9	11.5%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 hc70: ht/a standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -561-9999] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (72 Modalities)

#122 hc71: wt/a standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -447-9999] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (69 Modalities)

#123 hc72: wt/ht standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -422-9999] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (76 Modalities)

#124 hc73: bmi standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -424-9999] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (71 Modalities)

#125 shcola: column number

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=893 /-]

Value	Label	Cases	Percentage
1		15	93.8%
2		1	6.2%
Sysmiss		893	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 sh53: type of accident/injury in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=893 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	0	0.0%
2	gun shot/weapon	0	0.0%
3	road accident	13	81.2%
4	fire/burning	0	0.0%

File Persons

#126 sh53: type of accident/injury in last 12 months

Value	Label	Cases	Percentage
5	snake/animal bite	1	6.2%
6	fall from tree/building	0	0.0%
7	drowning	0	0.0%
8	poisoning (chemical)	0	0.0%
9	violence/assault	1	6.2%
10	accident at work	1	6.2%
96	other	0	0.0%
98	dk	0	0.0%
Sysmiss		893	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 sh54: victim still alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=893 /-]		
Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	16	100.0%
Sysmiss		893	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 sh55: extent of injury (last 12 months)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=893 /-]		
Value	Label	Cases	Percentage
1	serious	7	43.8%
2	moderate	6	37.5%
3	slight	2	12.5%
8	dk	1	6.2%
Sysmiss		893	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 sh56: line number from household

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]		
Statistics [NW/ W]	[Valid=16 /-] [Invalid=893 /-]		
Value	Label	Cases	Percentage
1		6	37.5%
2		1	6.2%
3		4	25.0%
4		3	18.8%
6		1	6.2%
8		1	6.2%
Sysmiss		893	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#130 sh57: death due to accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=909 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		909	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 shcolb: column number

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=898 /-]

Value	Label	Cases	Percentage
1		10	90.9%
2		1	9.1%
Sysmiss		898	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 sh61: line number from household

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=898 /-]

Value	Label	Cases	Percentage
1		7	63.6%
2		1	9.1%
4		1	9.1%
5		1	9.1%
8		1	9.1%
Sysmiss		898	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 sh62: source/timing of physical impairment

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=11 /-] [Invalid=898 /-]

Value	Label	Cases	Percentage
1	since birth	1	9.1%
2	from illness	3	27.3%
3	accident	7	63.6%
8	dk	0	0.0%
Sysmiss		898	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 sh63: type of accident

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=902 /-]

Value	Label	Cases	Percentage
1	landmine/unexploded bomb (uxo)	3	42.9%

File Persons

#134 sh63: type of accident

Value	Label	Cases	Percentage
2	gun shot/weapon	2	28.6%
3	road accident	0	0.0%
4	fire/burning	0	0.0%
5	snake/animal bite	0	0.0%
6	fall from tree/building	0	0.0%
7	drowning	0	0.0%
8	poisoning (chemical)	0	0.0%
9	violence/assault	0	0.0%
96	other	2	28.6%
98	dk	0	0.0%
Sysmiss		902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 sh67: line number from household

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=818 /-]

Value	Label	Cases	Percentage
1		22	24.2%
2		30	33.0%
3		13	14.3%
4		8	8.8%
5		8	8.8%
6		3	3.3%
7		5	5.5%
8		2	2.2%
Sysmiss		818	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 sh68: extent of illness/injury (last 30 days)

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=818 /-]

Value	Label	Cases	Percentage
1	serious	12	13.2%
2	moderate	44	48.4%
3	slight	35	38.5%
8	dk	0	0.0%
Sysmiss		818	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 sh69: treatment/advice sought (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=91 /-] [Invalid=818 /-]

Value	Label	Cases	Percentage
0	no	5	5.5%

File Persons

#137 sh69: treatment/advice sought (1)

Value	Label	Cases	Percentage
1	yes	86	94.5%
Sysmiss		818	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 sh70: place of treatment/advice (1)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=823 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	5	5.8%
12	provincial hospital (rh)	6	7.0%
13	district hospital (rh)	7	8.1%
14	health center	13	15.1%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	14	16.3%
23	private pharmacy	12	14.0%
24	home/office of trained health worker/nurse	10	11.6%
25	visit of trained health worker/nurse	12	14.0%
26	other private medical	1	1.2%
31	shop selling drugs/market	5	5.8%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	1	1.2%
41	outside of the country	0	0.0%
96	other	0	0.0%
Sysmiss		823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 sh71u: cost of round-trip transport: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=823 /-]

Value	Label	Cases	Percentage
0	free/no cost	32	37.2%
1	riels	53	61.6%
2	dollars	0	0.0%
9	in kind/dk/missing	1	1.2%
Sysmiss		823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 sh71n: cost of round-trip transport: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=823 /-]

File Persons

#140 sh71n: cost of round-trip transport: amount (1)

Value	Label	Cases	Percentage
0	free/no cost	32	37.2%
1000		3	3.5%
2000		10	11.6%
3000		2	2.3%
4000		9	10.5%
4500		1	1.2%
5000		4	4.7%
8000		5	5.8%
10000		4	4.7%
15000		1	1.2%
20000		2	2.3%
24000		1	1.2%
25000		1	1.2%
30000		1	1.2%
40000		1	1.2%
50000		1	1.2%
60000		2	2.3%
80000		1	1.2%
100000		2	2.3%
300000		1	1.2%
700000		1	1.2%
999996	in kind	0	0.0%
999998	dk	1	1.2%
Sysmiss		823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 sh72u: cost of treatment: currency unit (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=823 /-]

Value	Label	Cases	Percentage
0	free/no cost	8	9.3%
1	riels	74	86.0%
2	dollars	4	4.7%
9	in kind/dk/missing	0	0.0%
Sysmiss		823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 sh72n: cost of treatment: amount (1)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=823 /-]

Frequency table not shown (40 Modalities)

#143 sh73: treatment/advice sought (2)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
-------------	--

File Persons

#143 sh73: treatment/advice sought (2)

Statistics [NW/ W] [Valid=86 /-] [Invalid=823 /-]

Value	Label	Cases	Percentage
0	no	64	74.4%
1	yes	22	25.6%
Sysmiss		823	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 sh74: place of treatment/advice (2)

Information [Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=887 /-]

Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	1	4.5%
13	district hospital (rh)	2	9.1%
14	health center	3	13.6%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	2	9.1%
23	private pharmacy	4	18.2%
24	home/office of trained health worker/nurse	3	13.6%
25	visit of trained health worker/nurse	6	27.3%
26	other private medical	1	4.5%
31	shop selling drugs/market	0	0.0%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 sh75u: cost of round-trip transport: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=887 /-]

Value	Label	Cases	Percentage
0	free/no cost	10	45.5%
1	riels	12	54.5%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#146 sh75n: cost of round-trip transport: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=887 /-]

Value	Label	Cases	Percentage
0	free/no cost	10	45.5%
1000		1	4.5%
2000		2	9.1%
3000		1	4.5%
4000		5	22.7%
5000		1	4.5%
10000		2	9.1%
999996	in kind	0	0.0%
999998	dk	0	0.0%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 sh76u: cost of treatment: currency unit (2)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=887 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	4.5%
1	riels	21	95.5%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 sh76n: cost of treatment: amount (2)

Information [Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=887 /-]

Value	Label	Cases	Percentage
0	free/no cost	1	4.5%
1000		2	9.1%
1500		2	9.1%
3000		1	4.5%
3500		1	4.5%
4000		1	4.5%
20000		1	4.5%
25000		1	4.5%
30000		1	4.5%
40000		1	4.5%
50000		1	4.5%
60000		1	4.5%
80000		2	9.1%
100000		3	13.6%

File Persons

#148 sh76n: cost of treatment: amount (2)

Value	Label	Cases	Percentage
150000		1	4.5%
300000		2	9.1%
999996	in kind	0	0.0%
999998	dk	0	0.0%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 sh77: treatment/advice sought (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=22 /-] [Invalid=887 /-]		
Value	Label	Cases	Percentage
0	no	15	68.2%
1	yes	7	31.8%
Sysmiss		887	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 sh78: place of treatment/advice (3)

Information	[Type= discrete] [Format=numeric] [Range= 11-96] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=902 /-]		
Value	Label	Cases	Percentage
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	0	0.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	other public	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	14.3%
23	private pharmacy	3	42.9%
24	home/office of trained health worker/nurse	1	14.3%
25	visit of trained health worker/nurse	1	14.3%
26	other private medical	0	0.0%
31	shop selling drugs/market	1	14.3%
32	kru khmer/magician	0	0.0%
33	monk/religious leader	0	0.0%
34	traditional birth attendant	0	0.0%
41	outside of the country	0	0.0%
96	other	0	0.0%
Sysmiss		902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 sh79u: cost of round-trip transport: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=902 /-]		

File Persons

#151 sh79u: cost of round-trip transport: currency unit (3)

Value	Label	Cases	Percentage
0	free/no cost	2	28.6%
1	riels	5	71.4%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
Sysmiss		902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 sh79n: cost of round-trip transport: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=902 /-]

Value	Label	Cases	Percentage
0	free/no cost	2	28.6%
2000		2	28.6%
5000		1	14.3%
10000		1	14.3%
20000		1	14.3%
999996	in kind	0	0.0%
999998	dk	0	0.0%
Sysmiss		902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 sh80u: cost of treatment: currency unit (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=902 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
1	riels	7	100.0%
2	dollars	0	0.0%
9	in kind/dk/missing	0	0.0%
Sysmiss		902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 sh80n: cost of treatment: amount (3)

Information	[Type= discrete] [Format=numeric] [Range= 0-999998] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=902 /-]

Value	Label	Cases	Percentage
0	free/no cost	0	0.0%
3000		1	14.3%
4000		1	14.3%
20000		1	14.3%
40000		1	14.3%
50000		1	14.3%
120000		1	14.3%
139000		1	14.3%

File Persons

#154 sh80n: cost of treatment: amount (3)

Value	Label	Cases	Percentage
999996	in kind	0	0.0%
999998	dk	0	0.0%
Sysmiss		902	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 shcolc: column number

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
1		58	74.4%
2		19	24.4%
3		1	1.3%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 sh202: line number

Information	[Type= discrete] [Format=numeric] [Range= 2-10] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Value	Label	Cases	Percentage
2		1	1.3%
3		12	15.4%
4		14	17.9%
5		20	25.6%
6		10	12.8%
7		11	14.1%
8		5	6.4%
9		4	5.1%
10		1	1.3%
Sysmiss		831	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 sh205: weight in kilograms (2 decimals)

Information	[Type= discrete] [Format=numeric] [Range= 300-9996] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (61 Modalities)

#158 sh206: height in centimeters (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 482-9996] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=831 /-]

Frequency table not shown (74 Modalities)

#159 sh212: hemoglobin level (g/dl) (1 decimal)

Information	[Type= discrete] [Format=numeric] [Range= 67-999] [Missing=*]
Statistics [NW/ W]	[Valid=71 /-] [Invalid=838 /-]

Frequency table not shown (40 Modalities)

File Persons

#160 shcold: column number

Information [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
1		114	68.3%
2		40	24.0%
3		10	6.0%
4		2	1.2%
5		1	0.6%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 sh215: line number

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Value	Label	Cases	Percentage
1		11	6.6%
2		81	48.5%
3		33	19.8%
4		22	13.2%
5		10	6.0%
6		5	3.0%
7		3	1.8%
8		2	1.2%
Sysmiss		742	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 sh216: weight in kilograms (2 decimals)

Information [Type= discrete] [Format=numeric] [Range= 2980-99999] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (128 Modalities)

#163 sh217: height in centimeters (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 1348-9999] [Missing=*]

Statistics [NW/ W] [Valid=167 /-] [Invalid=742 /-]

Frequency table not shown (102 Modalities)

#164 sh222: read consent statement to parent/caretaker (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=30 /-] [Invalid=879 /-]

Value	Label	Cases	Percentage
1	granted	29	96.7%
2	parent/other responsible adult refused	0	0.0%
9		1	3.3%
Sysmiss		879	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Persons

#165 sh224: read consent statement to respondent (anemia)

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=166 /-] [Invalid=743 /-]

Value	Label	Cases	Percentage
1	granted	157	94.6%
2	respondent refused	5	3.0%
9		4	2.4%
Sysmiss		743	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 sh240: hemoglobin level (g/dl) (1 decimal)

Information [Type= discrete] [Format=numeric] [Range= 78-996] [Missing=*]

Statistics [NW/ W] [Valid=157 /-] [Invalid=752 /-]

Frequency table not shown (60 Modalities)

File Men

#1 mv001: cluster number

Information [Type= discrete] [Format=numeric] [Range= 11-610] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-] [Mean=292.323 /-] [StdDev=191.068 /-]

Frequency table not shown (97 Modalities)

#2 mv002: household number

Information [Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		130	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#3 mv003: respondent's line number

Information [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		61	46.9%
2		7	5.4%
3		29	22.3%
4		15	11.5%
5		8	6.2%
6		5	3.8%
7		1	0.8%
8		2	1.5%
10		1	0.8%
11		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 mv004: ultimate area unit

Information [Type= continuous] [Format=numeric] [Range= 11-610] [Missing=*]

File Men

#4 mv004: ultimate area unit

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-] [Mean=292.323 /-] [StdDev=191.068 /-]

#5 mv005: sample weight

Information [Type= continuous] [Format=numeric] [Range= 197296-3116559] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-] [Mean=1177273.585 /-] [StdDev=646026.902 /-]

#6 mv008: date of interview (cmc)

Information [Type= continuous] [Format=numeric] [Range= 1327-1333] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

#7 mv009: respondent's month of birth

Information [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		11	8.5%
2		11	8.5%
3		19	14.6%
4		15	11.5%
5		15	11.5%
6		14	10.8%
7		8	6.2%
8		10	7.7%
9		8	6.2%
10		3	2.3%
11		12	9.2%
12		4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 mv010: respondent's year of birth

Information [Type= discrete] [Format=numeric] [Range= 1961-1995] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-] [Mean=1980.646 /-] [StdDev=10.176 /-]

Frequency table not shown (34 Modalities)

#9 mv011: date of birth (cmc)

Information [Type= continuous] [Format=numeric] [Range= 738-1151] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-] [Mean=973.346 /-] [StdDev=121.924 /-]

#10 mv012: current age - respondent

Information [Type= continuous] [Format=numeric] [Range= 15-49] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-] [Mean=29.254 /-] [StdDev=10.163 /-]

#11 mv013: age 5-year groups

Information [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	15-19	29	22.3%
2	20-24	25	19.2%

File Men

#11 mv013: age 5-year groups

Value	Label	Cases	Percentage
3	25-29	15	11.5%
4	30-34	18	13.8%
5	35-39	18	13.8%
6	40-44	11	8.5%
7	45-49	14	10.8%
8	50-54	0	0.0%
9	55-59	0	0.0%
10	60-64	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 mv014: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	month and year	102	78.5%
2	month and age -y imp	0	0.0%
3	year and age - m imp	28	21.5%
4	y & age - y ignored	0	0.0%
5	year - a, m imp	0	0.0%
6	age - y, m imp	0	0.0%
7	month - a, y imp	0	0.0%
8	none - all imp	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 mv021: primary sampling unit

Information	[Type= discrete] [Format=numeric] [Range= 11-610] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-] [Mean=292.323 /-] [StdDev=191.068 /-]

Frequency table not shown (97 Modalities)

#14 mv022: sample stratum number

Information	[Type= discrete] [Format=numeric] [Range= 1-38] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Frequency table not shown (38 Modalities)

#15 mv023: sample domain

Information	[Type= discrete] [Format=numeric] [Range= 0-19] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	national	0	0.0%
1	banteay mean chey	11	8.5%
2	kampong cham	10	7.7%
3	kampong chhnang	9	6.9%
4	kampong speu	10	7.7%
5	kampong thom	3	2.3%

File Men

#15 mv023: sample domain

Value	Label	Cases	Percentage
6	kandal	4	3.1%
7	kratie	5	3.8%
8	phnom penh	1	0.8%
9	prey veng	8	6.2%
10	pursat	7	5.4%
11	siem reap	8	6.2%
12	svay rieng	13	10.0%
13	takeo	9	6.9%
14	otdar mean chey	5	3.8%
15	battambang & pailin	7	5.4%
16	kampot & kep	7	5.4%
17	preah sihanouk & kaoh kong	5	3.8%
18	preah vihear & steung treng	3	2.3%
19	mondol kiri & rattanak kiri	5	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 mv024: region

Information	[Type= discrete] [Format=numeric] [Range= 1-19] [Missing=*]
Statistics [NW/ W]	[Valid=130 -] [Invalid=0 -]

Value	Label	Cases	Percentage
1	banteay mean chey	11	8.5%
2	kampong cham	10	7.7%
3	kampong chhnang	9	6.9%
4	kampong speu	10	7.7%
5	kampong thom	3	2.3%
6	kandal	4	3.1%
7	kratie	5	3.8%
8	phnom penh	1	0.8%
9	prey veng	8	6.2%
10	pursat	7	5.4%
11	siem reap	8	6.2%
12	svay rieng	13	10.0%
13	takeo	9	6.9%
14	otdar mean chey	5	3.8%
15	battambang & pailin	7	5.4%
16	kampot & kep	7	5.4%
17	preah sihanouk & kaoh kong	5	3.8%
18	preah vihear & steung treng	3	2.3%
19	mondol kiri & rattanak kiri	5	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 mv025: type of place of residence

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=130 -] [Invalid=0 -]

File Men

#17 mv025: type of place of residence

Value	Label	Cases	Percentage
1	urban	0	0.0%
2	rural	130	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#18 mv027: number of visits

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		120	92.3%
2		6	4.6%
3		4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#19 mv101: region

Information [Type= discrete] [Format=numeric] [Range= 1-19] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	banteay mean chey	11	8.5%
2	kampong cham	10	7.7%
3	kampong chhnang	9	6.9%
4	kampong speu	10	7.7%
5	kampong thom	3	2.3%
6	kandal	4	3.1%
7	kratie	5	3.8%
8	phnom penh	1	0.8%
9	prey veng	8	6.2%
10	pursat	7	5.4%
11	siem reap	8	6.2%
12	svay rieng	13	10.0%
13	takeo	9	6.9%
14	otdar mean chey	5	3.8%
15	battambang & pailin	7	5.4%
16	kampot & kep	7	5.4%
17	preah sihanouk & kaoh kong	5	3.8%
18	preah vihear & steung treng	3	2.3%
19	mondol kiri & rattanak kiri	5	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 mv102: type of place of residence

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	urban	0	0.0%
2	rural	130	100.0%

File Men

#20 mv102: type of place of residence

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 mv106: highest educational level

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	12	9.2%
1	primary	57	43.8%
2	secondary	56	43.1%
3	higher	5	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 mv107: highest year of education

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=118 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
1		14	11.9%
2		26	22.0%
3		25	21.2%
4		12	10.2%
5		27	22.9%
6		14	11.9%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 mv130: religion

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	buddhist	128	98.5%
2	moslem	0	0.0%
3	christian	0	0.0%
4	other	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 mv133: education in single years

Information [Type= discrete] [Format=numeric] [Range= 0-97] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		12	9.2%
1		2	1.5%
2		10	7.7%
3		9	6.9%
4		9	6.9%
5		19	14.6%
6		8	6.2%

File Men

#24 mv133: education in single years

Value	Label	Cases	Percentage
7		10	7.7%
8		16	12.3%
9		14	10.8%
10		2	1.5%
11		8	6.2%
12		6	4.6%
13		2	1.5%
15		2	1.5%
16		1	0.8%
97	inconsistent	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 mv135: usual resident or visitor

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	usual resident	128	98.5%
2	visitor	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 mv136: number of household members

Information	[Type= discrete] [Format=numeric] [Range= 2-11] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
2		1	0.8%
3		12	9.2%
4		32	24.6%
5		29	22.3%
6		19	14.6%
7		19	14.6%
8		14	10.8%
9		1	0.8%
11		3	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 mv138: number of eligible men in hh

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1		72	55.4%
2		34	26.2%
3		24	18.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#28 mv149: educational attainment

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no education	12	9.2%
1	incomplete primary	49	37.7%
2	complete primary	8	6.2%
3	incomplete secondary	50	38.5%
4	complete secondary	6	4.6%
5	higher	5	3.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 mv150: relationship to household head

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	head	61	46.9%
2	husband	3	2.3%
3	son	50	38.5%
4	son-in-law	6	4.6%
5	grand-son	0	0.0%
6	father	0	0.0%
7	father-in-law	0	0.0%
8	brother	1	0.8%
9		0	0.0%
10	other relative	9	6.9%
11	adopted/foster/step child	0	0.0%
12	not related	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 mv151: sex of household head

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	116	89.2%
2	female	14	10.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 mv152: age of household head

Information [Type= discrete] [Format=numeric] [Range= 24-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Frequency table not shown (38 Modalities)

#32 mv155: literacy

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

File Men

#32 mv155: literacy

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	cannot read at all	21	16.2%
1	able to read only parts of sentence	27	20.8%
2	able to read whole sentence	82	63.1%
3	no card with required language	0	0.0%
4	blind/visually impaired	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 mv157: frequency of reading newspaper or magazine

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	83	63.8%
1	less than once a week	38	29.2%
2	at least once a week	9	6.9%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#34 mv158: frequency of listening to radio

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	29	22.3%
1	less than once a week	39	30.0%
2	at least once a week	62	47.7%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#35 mv159: frequency of watching television

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	19	14.6%
1	less than once a week	31	23.8%
2	at least once a week	80	61.5%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#36 mv167: times away from home in last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	73	56.2%
1		15	11.5%

File Men

#36 mv167: times away from home in last 12 months

Value	Label	Cases	Percentage
2		16	12.3%
3		10	7.7%
4		4	3.1%
5		3	2.3%
6		1	0.8%
10		4	3.1%
15		2	1.5%
17		1	0.8%
40		1	0.8%
97	inconsistent	0	0.0%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#37 mv168: away for more than one month

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=57 /-] [Invalid=73 /-]		
Value	Label	Cases	Percentage
0	no	41	71.9%
1	yes	16	28.1%
Sysmiss		73	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#38 mv190: wealth index

Information	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
1	poorest	23	17.7%
2	poorer	32	24.6%
3	middle	26	20.0%
4	richer	34	26.2%
5	richest	15	11.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 mv191: wealth index factor score (5 decimals)

Information	[Type= continuous] [Format=numeric] [Range= -125479-144580] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-] [Mean=-26767.392 /-] [StdDev=66401.141 /-]		

#40 mv201: total children ever born

Information	[Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0		54	41.5%
1		13	10.0%
2		21	16.2%
3		9	6.9%

File Men

#40 mv201: total children ever born

Value	Label	Cases	Percentage
4		12	9.2%
5		10	7.7%
6		5	3.8%
7		6	4.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 mv202: sons at home

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		73	56.2%
1		29	22.3%
2		21	16.2%
3		6	4.6%
4		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 mv203: daughters at home

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		72	55.4%
1		33	25.4%
2		14	10.8%
3		8	6.2%
4		3	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 mv204: sons elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		119	91.5%
1		10	7.7%
2		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#44 mv205: daughters elsewhere

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		110	84.6%
1		14	10.8%
2		5	3.8%
3		1	0.8%

File Men

#44 mv205: daughters elsewhere

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#45 mv206: sons who have died

Information [Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		122	93.8%
1		6	4.6%
4		1	0.8%
5		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#46 mv207: daughters who have died

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		122	93.8%
1		8	6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#47 mv212: age of respondent at 1st birth

Information [Type= continuous] [Format=numeric] [Range= 16-99] [Missing=*]

Statistics [NW/ W] [Valid=76 /-] [Invalid=54 /-] [Mean=24.895 /-] [StdDev=9.335 /-]

#48 mv213: partner currently pregnant

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
0	no	73	93.6%
1	yes	5	6.4%
8	unsure	0	0.0%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 mv218: number of living children

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		54	41.5%
1		14	10.8%
2		23	17.7%
3		12	9.2%
4		11	8.5%
5		9	6.9%
6		5	3.8%
7		2	1.5%

File Men

#49 mv218: number of living children

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 mv245: women fathered children with

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		54	41.5%
1		73	56.2%
2		2	1.5%
3		1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 mv247: age of youngest child

Information [Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]

Statistics [NW/ W] [Valid=76 /-] [Invalid=54 /-] [Mean=5.737 /-] [StdDev=5.579 /-]

#52 mv248: antenatal check-ups for the mother for youngest child

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=102 /-]

Value	Label	Cases	Percentage
0	no	5	17.9%
1	yes	23	82.1%
8	dk	0	0.0%
Sysmiss		102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 mv249: respondent present during check-ups for youngest child

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	not present	4	17.4%
1	present	19	82.6%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#54 mv250: place of birth of youngest child

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=102 /-]

Value	Label	Cases	Percentage
1	hospital, health facility	20	71.4%
2	other	8	28.6%
Sysmiss		102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#55 mv252: drinking pattern when child has diarrhea

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=102 /-]

File Men

#55 mv252: drinking pattern when child has diarrhea

Value	Label	Cases	Percentage
0	nothing to drink	0	0.0%
2	less than usual/much less	1	3.6%
3	somewhat less	0	0.0%
4	about the same	12	42.9%
5	more	14	50.0%
8	don't know	1	3.6%
Sysmiss		102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#56 mv307_01: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	109	83.8%
1	yes	21	16.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#57 mv307_02: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#58 mv307_03: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	121	93.1%
1	yes	9	6.9%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 mv307_04: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 mv307_05: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=124 /-]

File Men

#60 mv307_05: method currently used

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	6	100.0%
Sysmiss		124	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 mv307_06: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	126	96.9%
1	yes	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 mv307_07: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 mv307_08: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	128	98.5%
1	yes	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#64 mv307_09: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	124	95.4%
1	yes	6	4.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 mv307_10: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#66 mv307_11: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#67 mv307_12: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 mv307_13: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 mv307_14: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#70 mv307_15: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 mv307_16: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	

File Men

#71 mv307_16: method currently used

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 mv307_17: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 mv307_18: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 mv307_19: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 mv307_20: method currently used

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 mv312: current contraceptive method

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not using	83	63.8%
1	pill	21	16.2%

File Men

#76 mv312: current contraceptive method

Value	Label	Cases	Percentage
2	iud	1	0.8%
3	injections	9	6.9%
4	diaphragm	0	0.0%
5	condom	5	3.8%
6	female sterilization	4	3.1%
7	male sterilization	0	0.0%
8	periodic abstinence	2	1.5%
9	withdrawal	4	3.1%
10	other traditional method	0	0.0%
11	norplant	1	0.8%
12	abstinence	0	0.0%
13	lactational amenorrhea	0	0.0%
14	female condom	0	0.0%
15	foam or jelly	0	0.0%
16		0	0.0%
17	specific method 1	0	0.0%
18	other modern method	0	0.0%
19	specific method 3	0	0.0%
20	specific method 4	0	0.0%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 mv313: current use by method type

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]		
Value	Label	Cases	Percentage
0	no method	83	63.8%
1	folkloric method	0	0.0%
2	traditional method	6	4.6%
3	modern method	41	31.5%
8	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 mv323a: brand of condom used

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]		
Statistics [NW/ W]	[Valid=6 /-] [Invalid=124 /-]		
Value	Label	Cases	Percentage
1	ok	5	83.3%
2	number one	1	16.7%
3	okamoto	0	0.0%
96	other	0	0.0%
98	don't know	0	0.0%
Sysmiss		124	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#79 mv3b17: source of condoms

Information [Type= discrete] [Format=numeric] [Range= 10-36] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=124 /-]

Value	Label	Cases	Percentage
10	public sector	0	0.0%
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	0	0.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	other public sector	0	0.0%
20	private medical sector	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	16.7%
23	pharmacy	2	33.3%
24	other private medical sector	0	0.0%
30	other source	0	0.0%
31	shop	1	16.7%
32	community distributor	1	16.7%
33	friend, relative	0	0.0%
36	other	1	16.7%
Sysmiss		124	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#80 mv463a: smokes cigarettes

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	78	60.0%
1	yes	52	40.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#81 mv463b: smokes pipe

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#82 mv463c: chewing tobacco

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

File Men

#82 mv463c: chewing tobacco

Value	Label	Cases	Percentage
0	no	122	 93.8%
1	yes	8	 6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#83 mv463d: uses snuff



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	 100.0%
1	yes	0	 0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#84 mv463x: smokes other


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	 100.0%
1	yes	0	 0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 mv463z: smokes nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	53	 40.8%
1	yes, smokes nothing	77	 59.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 mv464: number of cigarettes in last 24 hours

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=52 /-] [Invalid=78 /-]

Value	Label	Cases	Percentage
1		1	 1.9%
2		3	 5.8%
3		4	 7.7%
4		1	 1.9%
5		3	 5.8%
6		1	 1.9%
8		2	 3.8%
10		8	 15.4%
15		2	 3.8%
20		21	 40.4%
24		3	 5.8%
30		2	 3.8%

File Men

#86 mv464: number of cigarettes in last 24 hours

Value	Label	Cases	Percentage
40		1	1.9%
98	dk	0	0.0%
Sysmiss		78	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 mv477: number of injections in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	84	64.6%
1		11	8.5%
2		8	6.2%
3		7	5.4%
4		3	2.3%
5		6	4.6%
6		4	3.1%
8		1	0.8%
9		2	1.5%
10		1	0.8%
40		1	0.8%
90	90+	2	1.5%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 mv478: injections administered by a health worker

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=46 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	none	0	0.0%
1		11	23.9%
2		8	17.4%
3		8	17.4%
4		3	6.5%
5		6	13.0%
6		4	8.7%
8		1	2.2%
9		1	2.2%
10		1	2.2%
40		1	2.2%
90	90+	2	4.3%
98	don't know	0	0.0%
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#89 mv480: syringe and needle from new, unopened package

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=46 /-] [Invalid=84 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	46	100.0%
8	don't know	0	0.0%
Sysmiss		84	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 mv481: covered by health insurance

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	117	90.0%
1	yes	13	10.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 mv481a: health insurance type: community-based health insurance

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 mv481b: health insurance type: provided by employer

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#93 mv481c: health insurance type: health equity fund

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	118	90.8%
1	yes	12	9.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 mv481d: health insurance type: private/commercial purchased

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

File Men

#94 mv481d: health insurance type: private/commercial purchased

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 mv481x: health insurance type: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 mv501: current marital status

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never married	48	36.9%
1	married	78	60.0%
2	living together	0	0.0%
3	widowed	1	0.8%
4	divorced	2	1.5%
5	not living together	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 mv502: currently/formerly/never marr.

Information	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never married	48	36.9%
1	currently married	78	60.0%
2	formerly married	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 mv503: number of unions

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
1	once	77	93.9%
2	more than once	5	6.1%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 mv504: wife/partner lives with respondent

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=52 /-]

File Men

#99 mv504: wife/partner lives with respondent

Value	Label	Cases	Percentage
1	living with him	77	98.7%
2	staying elsewhere	1	1.3%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 mv507: month of first marriage

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
1		9	11.0%
2		7	8.5%
3		19	23.2%
4		13	15.9%
5		15	18.3%
6		3	3.7%
7		3	3.7%
8		3	3.7%
9		1	1.2%
10		2	2.4%
11		3	3.7%
12		4	4.9%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#101 mv508: year of first marriage

Information	[Type= continuous] [Format=numeric] [Range= 1978-2010] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=48 /-] [Mean=1997.195 /-] [StdDev=7.985 /-]

#102 mv509: date of first marriage (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 948-1328] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=48 /-] [Mean=1170.976 /-] [StdDev=95.561 /-]

#103 mv510: completeness of date inform.

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=48 /-]

Value	Label	Cases	Percentage
1	month and year	64	78.0%
2	month and age -y imp	2	2.4%
3	year and age - m imp out	0	0.0%
5	year - a, m imp	14	17.1%
6	age - y, m imp	1	1.2%
7	month - a, y imp	0	0.0%
8	none - all imp	1	1.2%
Sysmiss		48	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#104 mv511: age at first marriage

Information [Type= continuous] [Format=numeric] [Range= 15-36] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=48 /-] [Mean=22.049 /-] [StdDev=3.868 /-]

#105 mv512: years since first marriage

Information [Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=48 /-] [Mean=12.695 /-] [StdDev=7.931 /-]

#106 mv513: marital duration (grouped)

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never married	48	36.9%
1	0-4	15	11.5%
2	5-9	15	11.5%
3	10-14	18	13.8%
4	15-19	16	12.3%
5	20-24	10	7.7%
6	25-29	7	5.4%
7	30+	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 mv525: age at first intercourse

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not had intercourse	44	33.8%
15		1	0.8%
16		1	0.8%
17		1	0.8%
18		2	1.5%
19		7	5.4%
20		8	6.2%
21		4	3.1%
22		2	1.5%
23		5	3.8%
24		1	0.8%
25		1	0.8%
26		2	1.5%
28		1	0.8%
29		1	0.8%
30		1	0.8%
96	at first union	48	36.9%
97	inconsistent	0	0.0%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#108 mv527: time since last intercourse

Information [Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
100	<1 day ago	2	2.3%
101	days: 1	9	10.5%
102		8	9.3%
103		11	12.8%
104		8	9.3%
105		3	3.5%
106		3	3.5%
107		3	3.5%
108		1	1.2%
109		1	1.2%
110		2	2.3%
115		1	1.2%
125		2	2.3%
201	weeks: 1	12	14.0%
202		4	4.7%
203		1	1.2%
301	months: 1	6	7.0%
304		1	1.2%
305		1	1.2%
310		2	2.3%
401	years: 1	3	3.5%
405		1	1.2%
406		1	1.2%
995	within last 4 weeks	0	0.0%
996	before last birth	0	0.0%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 mv528: time in days since last intercourse(g)

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
0		2	2.3%
1		9	10.5%
2		8	9.3%
3		11	12.8%
4		8	9.3%
5		3	3.5%
6		3	3.5%

File Men

#109 mv528: time in days since last intercourse(g)

Value	Label	Cases	Percentage
7		15	17.4%
8		1	1.2%
9		1	1.2%
10		2	2.3%
14		4	4.7%
15		1	1.2%
21		1	1.2%
25		2	2.3%
31	31+ days	15	17.4%
95	within last 4 weeks	0	0.0%
96	before last birth	0	0.0%
97	inconsistent	0	0.0%
98	don't know	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 mv529: time in months since last intercourse (imputed)

Information	[Type= discrete] [Format=numeric] [Range= 0-998] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
0		71	82.6%
1		6	7.0%
4		1	1.2%
5		1	1.2%
10		2	2.3%
12		3	3.5%
60		1	1.2%
72		1	1.2%
995	within last 4 weeks	0	0.0%
996	before last birth	0	0.0%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 mv531: age at first intercourse (imp)

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not had intercourse	44	33.8%
15		2	1.5%
16		1	0.8%
17		2	1.5%
18		7	5.4%

File Men

#111 mv531: age at first intercourse (imp)

Value	Label	Cases	Percentage
19		9	6.9%
20		18	13.8%
21		12	9.2%
22		10	7.7%
23		9	6.9%
24		2	1.5%
25		2	1.5%
26		3	2.3%
28		2	1.5%
29		2	1.5%
30		2	1.5%
97	inconsistent	3	2.3%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 mv532: flag for mv531

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no flag	120	92.3%
1	after interview	0	0.0%
2	after concep >= 1 yr	0	0.0%
3	after concep < 1 yr	0	0.0%
4	at marr, never marr	0	0.0%
5	at marr, after concep	3	2.3%
6	after marriage	7	5.4%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 mv535: have ever been married

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=52 /-] [Invalid=78 /-]

Value	Label	Cases	Percentage
0	no	48	92.3%
1	formerly married	3	5.8%
2	lived with a woman	1	1.9%
3	both, formerly married and lived with a woman	0	0.0%
Sysmiss		78	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 mv536: recent sexual activity

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	never had intercourse	44	33.8%

File Men

#114 mv536: recent sexual activity

Value	Label	Cases	Percentage
1	active in last 4 weeks	71	54.6%
3	not active in last 4 weeks	15	11.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 mv602: fertility preference

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	have another	28	21.5%
2	undecided	0	0.0%
3	no more	49	37.7%
4	sterilized	1	0.8%
5	couple/wife declared infecund	0	0.0%
6	never had sex	44	33.8%
7	man declared infecund	0	0.0%
8	man has no partner	8	6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 mv603: preferred waiting time

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=102 /-]

Value	Label	Cases	Percentage
100	zero months	0	0.0%
101	months	0	0.0%
110		1	3.6%
200	zero years	0	0.0%
201	years	3	10.7%
202		6	21.4%
203		5	17.9%
204		2	7.1%
205		2	7.1%
206		1	3.6%
207		1	3.6%
210		2	7.1%
993	after marriage	0	0.0%
994	soon, now	5	17.9%
995		0	0.0%
996	other, non-numeric	0	0.0%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 mv604: preferred waiting time (grpd)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Men

#117 mv604: preferred waiting time (grp)

Statistics [NW/ W] [Valid=28 /-] [Invalid=102 /-]

Value	Label	Cases	Percentage
0	<12 months	6	21.4%
1	1 year	3	10.7%
2	2 years	6	21.4%
3	3 years	5	17.9%
4	4 years	2	7.1%
5	5 years	2	7.1%
6	6+ years	4	14.3%
7	non-numeric	0	0.0%
8	don't know	0	0.0%
Sysmiss		102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 mv605: desire for more children

Information [Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	wants within 2 years	9	6.9%
2	wants after 2+ years	19	14.6%
3	wants, unsure timing	0	0.0%
4	undecided	0	0.0%
5	wants no more	49	37.7%
6	sterilized	1	0.8%
7	declared infecund	0	0.0%
8	never had sex	44	33.8%
9		8	6.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 mv613: ideal number of children

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	3	2.3%
1		3	2.3%
2		35	26.9%
3		51	39.2%
4		20	15.4%
5		9	6.9%
6		4	3.1%
7		1	0.8%
8		1	0.8%
24		1	0.8%
96	non-numeric response	2	1.5%
98	dk	0	0.0%

File Men

#119 mv613: ideal number of children

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 mv614: ideal number of children (grp)

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		3	2.3%
1		3	2.3%
2		35	26.9%
3		51	39.2%
4		20	15.4%
5		9	6.9%
6	6+	7	5.4%
7	non-numeric response	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 mv616: time for future birth

Information [Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]

Statistics [NW/ W] [Valid=28 /-] [Invalid=102 /-]

Value	Label	Cases	Percentage
100	zero months	0	0.0%
101	months	0	0.0%
110		1	3.6%
200	zero years	0	0.0%
201	years	3	10.7%
202		6	21.4%
203		5	17.9%
204		2	7.1%
205		2	7.1%
206		1	3.6%
207		1	3.6%
210		2	7.1%
993	after marriage	0	0.0%
994	soon/now	5	17.9%
995	can't get pregnant	0	0.0%
996	other	0	0.0%
998	dk	0	0.0%
Sysmiss		102	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 mv627: ideal number of boys

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	none	12	9.2%

File Men

#122 mv627: ideal number of boys

Value	Label	Cases	Percentage
1		62	47.7%
2		44	33.8%
3		7	5.4%
4		1	0.8%
5		1	0.8%
15		1	0.8%
96	other	2	1.5%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 mv628: ideal number of girls

Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=130 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	none	11	8.5%
1		63	48.5%
2		39	30.0%
3		10	7.7%
4		4	3.1%
9		1	0.8%
96	other	2	1.5%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 mv629: ideal number of either sex

Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
Statistics [NW/ W]		[Valid=130 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	none	121	93.1%
3		5	3.8%
4		2	1.5%
96	other	2	1.5%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 mv633b: reason for not having sex: husband has other women

Information		[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]	
Statistics [NW/ W]		[Valid=130 /-] [Invalid=0 /-]	
Value	Label	Cases	Percentage
0	no	23	17.7%
1	yes	103	79.2%
8	dk	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#126 mv714: respondent currently working

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	20	15.4%
1	yes	110	84.6%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 mv714a: have a job from which respondent was absent

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=22 /-] [Invalid=108 /-]

Value	Label	Cases	Percentage
0	no	20	90.9%
1	yes	2	9.1%
Sysmiss		108	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 mv716: respondent's occupation

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Frequency table not shown (44 Modalities)

#129 mv717: respondent's occupation

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not working	16	12.3%
1	prof., tech., manag.	6	4.6%
2	clerical	0	0.0%
3	sales	8	6.2%
4	agric-self employed	73	56.2%
5	agric-employee	0	0.0%
6	household & domestic	0	0.0%
7	services	6	4.6%
8	skilled manual	19	14.6%
9	unskilled manual	2	1.5%
98	don't know	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 mv731: worked in last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	16	12.3%
1	in the past year	4	3.1%
2	currently working	110	84.6%

File Men

#130 mv731: worked in last 12 months

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 mv732: employment all year/seasonal

Information [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]

Statistics [NW/ W] [Valid=114 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
1	all year	43	37.7%
2	seasonal	68	59.6%
3	occasional	3	2.6%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 mv739: who decides how to spend money

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=57 /-] [Invalid=73 /-]

Value	Label	Cases	Percentage
1	respondent alone	0	0.0%
2	respondent and wife/partner	36	63.2%
3	respondent and other person	0	0.0%
4	wife/partner alone	21	36.8%
5	someone else	0	0.0%
6	other	0	0.0%
Sysmiss		73	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 mv741: type of earnings for work

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=114 /-] [Invalid=16 /-]

Value	Label	Cases	Percentage
0	not paid	7	6.1%
1	cash only	45	39.5%
2	cash and kind	35	30.7%
3	in kind only	27	23.7%
Sysmiss		16	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 mv743a: final say on own health care

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
1	respondent	9	11.5%
2	respondent and wife/partner	52	66.7%
3	respondent and other person	0	0.0%
4	wife/partner	17	21.8%
5	someone else	0	0.0%
6	decision not made/not applicable	0	0.0%

File Men

#134 mv743a: final say on own health care

Value	Label	Cases	Percentage
7	other	0	0.0%
8	dk/depends	0	0.0%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 mv743b: final say on making large household purchases

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=78 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
1	respondent	9	11.5%
2	respondent and wife/partner	52	66.7%
3	respondent and other person	0	0.0%
4	wife/partner	17	21.8%
5	someone else	0	0.0%
6	decision not made/not applicable	0	0.0%
7	other	0	0.0%
8	dk/depends	0	0.0%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 mv744a: wife beating justified if she goes out without telling him

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	112	86.2%
1	yes	14	10.8%
8	don't know	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 mv744b: wife beating justified if she neglects the children

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	105	80.8%
1	yes	21	16.2%
8	don't know	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 mv744c: wife beating justified if she argues with him

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	114	87.7%
1	yes	12	9.2%
8	don't know	4	3.1%

File Men

#138 mv744c: wife beating justified if she argues with him

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 mv744d: wife beating justified if she refuses to have sex with him

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	121	93.1%
1	yes	5	3.8%
8	don't know	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 mv744e: wife beating justified if she burns the food

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	123	94.6%
1	yes	4	3.1%
8	don't know	3	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 mv750: heard sexual transmit. disease

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	130	100.0%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 mv751: ever heard of aids

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	2	1.5%
1	yes	128	98.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 mv754cp: reduce chances of aids by always using condoms during sex

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	11	8.6%
1	reduce chances of aids by always using condoms during sex	113	88.3%
8	don't know	4	3.1%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#144 mv754dp: reduce chance of aids: have 1 sex partner with no oth partner

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	8	6.2%
1	reduce chance of aids: have 1 sex partner with no oth partner	114	89.1%
8	don't know	6	4.7%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 mv754jp: get aids from mosquito bites

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	90	70.3%
1	get aids from mosquito bites	25	19.5%
8	don't know	13	10.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 mv754wp: get aids by sharing food with person who has aids

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	116	90.6%
1	get aids by sharing food with person who has aids	7	5.5%
8	don't know	5	3.9%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 mv756: can a healthy person have aids

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	32	25.0%
1	yes	70	54.7%
8	dk	26	20.3%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 mv761: last intercourse used condom

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=81 /-] [Invalid=49 /-]

Value	Label	Cases	Percentage
0	no	75	92.6%
1	yes	6	7.4%

File Men

#148 mv761: last intercourse used condom

Value	Label	Cases	Percentage
8	dk	0	0.0%
Sysmiss		49	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 mv761b: intercourse with other woman (1) used condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
0	no	1	100.0%
1	yes	0	0.0%
8	dk	0	0.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 mv761c: intercourse with other woman (2) used condom

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 mv763a: had any std in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 mv763b: had genital sore/ulcer in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 mv763c: had genital discharge in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

File Men

#153 mv763c: had genital discharge in last 12 months

Value	Label	Cases	Percentage
0	no	129	99.2%
1	yes	1	0.8%
8	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 mv766a: no. other than wife had sex in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		126	96.9%
1		4	3.1%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 mv766b: no. had sex including wife in last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0		49	37.7%
1		80	61.5%
2		1	0.8%
98	dk	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 mv767a: relationship with last sex partner

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=81 /-] [Invalid=49 /-]

Value	Label	Cases	Percentage
1	wife	78	96.3%
2	girlfriend/fiancee	2	2.5%
3	other friend	0	0.0%
4	casual acquaintance	1	1.2%
5	relative	0	0.0%
6	commercial sex worker	0	0.0%
7	live-in partner	0	0.0%
96	other	0	0.0%
Sysmiss		49	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 mv767b: relationship with other sex partner (1)

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
1	wife	0	0.0%

File Men

#157 mv767b: relationship with other sex partner (1)

Value	Label	Cases	Percentage
2	girlfriend/fiancee	0	0.0%
3	other friend	0	0.0%
4	casual acquaintance	0	0.0%
5	relative	0	0.0%
6	commercial sex worker	0	0.0%
7	live-in partner	0	0.0%
96	other	1	100.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 mv767c: relationship with other sex partner (2)

Information	[Type= discrete] [Format=numeric] [Range= 1-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
1	wife	0	
2	girlfriend/fiancee	0	
3	other friend	0	
4	casual acquaintance	0	
5	relative	0	
6	commercial sex worker	0	
7	live-in partner	0	
96	other	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 mv768a: length of time knows last partner

Information	[Type= discrete] [Format=numeric] [Range= 101-432] [Missing=*]
Statistics [NW/ W]	[Valid=36 /-] [Invalid=94 /-]

Value	Label	Cases	Percentage
101	one day	0	0.0%
201	one week	0	0.0%
301	one month	0	0.0%
305		1	2.8%
308		1	2.8%
310		1	2.8%
401	one year	0	0.0%
402		1	2.8%
403		1	2.8%
404		1	2.8%
405		1	2.8%
407		4	11.1%
408		1	2.8%
410		4	11.1%
412		2	5.6%

File Men

#159 mv768a: length of time knows last partner

Value	Label	Cases	Percentage
413		2	5.6%
414		1	2.8%
415		2	5.6%
416		1	2.8%
417		2	5.6%
418		3	8.3%
419		1	2.8%
420		2	5.6%
423		1	2.8%
426		1	2.8%
427		1	2.8%
432		1	2.8%
Sysmiss		94	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 mv768b: length of time knows other partner (1)

Information	[Type= discrete] [Format=numeric] [Range= 101-401] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
101	one day	0	0.0%
201	one week	0	0.0%
301	one month	1	100.0%
401	one year	0	0.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 mv768c: length of time knows other partner (2)

Information	[Type= discrete] [Format=numeric] [Range= 101-401] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
101	one day	0	
201	one week	0	
301	one month	0	
401	one year	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 mv770: seek advice for last disease

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		128	

File Men

#162 mv770: seek advice for last disease

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 mv770a: seek advice sti: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 mv770b: seek advice sti: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#165 mv770c: seek advice sti: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 mv770d: seek advice sti: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 mv770e: seek advice sti: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#168 mv770g: seek advice sti: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 mv770h: seek advice sti: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 mv770j: seek advice sti: other public

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 mv770k: seek advice sti: private hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 mv770m: seek advice sti: pharmacy

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 mv770p: seek advice sti: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Men

#173 mv770p: seek advice sti: private clinic

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	1	50.0%
1	yes	1	50.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 mv770s: seek advice sti: other private

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 mv770t: seek advice sti: shop

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 mv770u: seek advice sti: friend/relative

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#177 mv770x: seek advice other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#178 mv774a: aids transmit. during pregnancy

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

File Men

#178 mv774a: aids transmit. during pregnancy

Value	Label	Cases	Percentage
0	no	21	16.4%
1	yes	93	72.7%
8	dk	14	10.9%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#179 mv774b: aids transmit. during delivery

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
0	no	31	24.2%
1	yes	80	62.5%
8	dk	17	13.3%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#180 mv774c: aids transmit. by breastfeeding

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
0	no	14	10.9%
1	yes	103	80.5%
8	dk	11	8.6%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#181 mv777: allowed to keep aids infection secret

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
0	no	63	49.2%
1	yes	60	46.9%
8	don't know/not sure/depends	5	3.9%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 mv778: willing to care for relative with aids

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=128 /-] [Invalid=2 /-]		
Value	Label	Cases	Percentage
0	no	13	10.2%
1	yes	115	89.8%
8	don't know/not sure/depends	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#183 mv779: female with aids allowed to continue teaching

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	10	7.8%
1	yes	116	90.6%
8	don't know/not sure/depends	2	1.6%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#184 mv781: ever been tested for aids

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	105	80.8%
1	yes	25	19.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 mv783: know a place to get aids test

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	41	32.0%
1	yes	87	68.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 mv784a: place for aids test: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	101	98.1%
1	yes	2	1.9%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 mv784b: place for aids test: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	61	59.2%
1	yes	42	40.8%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


#188 mv784c: place for aids test: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Men

#188 mv784c: place for aids test: health post

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]


Value	Label	Cases	Percentage
0	no	103	 100.0%
1	yes	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 mv784d: place for aids test: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]


Value	Label	Cases	Percentage
0	no	103	 100.0%
1	yes	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 mv784e: place for aids test: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]



Value	Label	Cases	Percentage
0	no	103	 100.0%
1	yes	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 mv784g: place for aids test: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]



Value	Label	Cases	Percentage
0	no	94	 91.3%
1	yes	9	 8.7%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#192 mv784h: place for aids test: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	92	 89.3%
1	yes	11	 10.7%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 mv784j: place for aids test: other public

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=103 /-] [Invalid=27 /-]

File Men

#193 mv784j: place for aids test: other public

Value	Label	Cases	Percentage
0	no	102	99.0%
1	yes	1	1.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 mv784k: place for aids test: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	102	99.0%
1	yes	1	1.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 mv784p: place for aids test: private clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	100	97.1%
1	yes	3	2.9%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 mv784q: place for aids test: private laboratory

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	103	100.0%
1	yes	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#197 mv784s: place for aids test: other private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	103	100.0%
1	yes	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 mv784u: place for aids test: vct center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

File Men

#198 mv784u: place for aids test: vct center

Value	Label	Cases	Percentage
0	no	101	98.1%
1	yes	2	1.9%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 mv784v: place for aids test: pmtct site

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	102	99.0%
1	yes	1	1.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 mv784x: place for aids test: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=103 /-] [Invalid=27 /-]

Value	Label	Cases	Percentage
0	no	103	100.0%
1	yes	0	0.0%
Sysmiss		27	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 mv785: heard about other stds

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	27	20.8%
1	yes	103	79.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 mv793: paid for sex last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
0	no	84	97.7%
1	yes	2	2.3%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 mv793a: condom used when paid for sex last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%

File Men

#203 mv793a: condom used when paid for sex last 12 months

Value	Label	Cases	Percentage
1	yes	2	100.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 mv793b: condom used every time paid for sex last 12 months

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=2 /-] [Invalid=128 /-]

Value	Label	Cases	Percentage
0	no	0	0.0%
1	yes	2	100.0%
Sysmiss		128	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 mv822: wife justified to ask husband to use condom if he has std

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	2	1.5%
1	yes	125	96.2%
8	don't know	3	2.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#206 mv823: can get aids by witchcraft or supernatural means

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	117	91.4%
1	yes	3	2.3%
8	don't know	8	6.2%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 mv824: drugs to avoid aids transmission to baby during pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=116 /-] [Invalid=14 /-]

Value	Label	Cases	Percentage
0	no	25	21.6%
1	yes	39	33.6%
8	don't know	52	44.8%
Sysmiss		14	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 mv825: would buy vegetables from vendor with aids

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=128 /-] [Invalid=2 /-]

File Men

#208 mv825: would buy vegetables from vendor with aids

Value	Label	Cases	Percentage
0	no	26	20.3%
1	yes	102	79.7%
8	don't know	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#209 mv826: when was last time you were tested

Information	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]	[Valid=25 /-] [Invalid=105 /-]		
Value	Label	Cases	Percentage
1	less than 12 months	5	20.0%
2	12-23 months	3	12.0%
3	2 years or more	17	68.0%
Sysmiss		105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#210 mv828: did get results for last test

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=25 /-] [Invalid=105 /-]		
Value	Label	Cases	Percentage
0	no	1	4.0%
1	yes	24	96.0%
Sysmiss		105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 mv829: place were last aids test was taken

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]		
Statistics [NW/ W]	[Valid=25 /-] [Invalid=105 /-]		
Value	Label	Cases	Percentage
10	other public sector	0	0.0%
11	national hospital (pp)	4	16.0%
12	provincial hospital (rh)	6	24.0%
13	district hospital (rh)	5	20.0%
14	health center	4	16.0%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	vct center	0	0.0%
19	pmtct site	0	0.0%
21	private hospital	0	0.0%
22	private clinic	1	4.0%
23	private laboratory	1	4.0%
24	other private medical sector	2	8.0%
96	other	2	8.0%

File Men

#211 mv829: place were last aids test was taken

Value	Label	Cases	Percentage
Sysmiss		105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#212 mv832b: time since last intercourse with next to last sexual partner

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
100	<1 day ago	0	0.0%
101	days: 1	0	0.0%
201	weeks: 1	0	0.0%
301	months: 1	1	100.0%
401	years: 1	0	0.0%
995	within last 4 weeks	0	0.0%
996	before last birth	0	0.0%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 mv832c: time since last intercourse with second to last sexual partner

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
100	<1 day ago	0	
101	days: 1	0	
201	weeks: 1	0	
301	months: 1	0	
401	years: 1	0	
995	within last 4 weeks	0	
996	before last birth	0	
997	inconsistent	0	
998	don't know	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#214 mv833a: used condom every time had sex with last sex partner (last 12 months)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=6 /-] [Invalid=124 /-]

Value	Label	Cases	Percentage
0	no	2	33.3%
1	yes	4	66.7%
Sysmiss		124	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#215 mv833b: used condom every time had sex with next to last sex partner (last 12 months)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#216 mv833c: used condom every time had sex with second to last sex partner (last 12 months)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 mv836: total lifetime number of sexual partners

Information [Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
1		60	69.8%
2		4	4.7%
3		12	14.0%
4		2	2.3%
5		2	2.3%
8		1	1.2%
10		1	1.2%
12		1	1.2%
15		1	1.2%
25		1	1.2%
95	95+	0	0.0%
98	don't know	0	0.0%
99		1	1.2%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 mv844: knows someone denied health services because of aids last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	no	68	53.1%
1	yes	1	0.8%
2	don't know anyone with aids	59	46.1%
Sysmiss		2	

File Men

#218 mv844: knows someone denied health services because of aids last 12 months

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 mv847: people with aids should be ashamed of themselves

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	disagree	38	29.7%
1	agree	87	68.0%
8	don't know / no opinion	3	2.3%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 mv848: people with aids should be blamed for bringing disease to community

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=128 /-] [Invalid=2 /-]

Value	Label	Cases	Percentage
0	disagree	69	53.9%
1	agree	59	46.1%
8	don't know / no opinion	0	0.0%
Sysmiss		2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#221 smprov: province

Information [Type= discrete] [Format=numeric] [Range= 1-24] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	banteay mean chey	11	8.5%
2	battambang	6	4.6%
3	kampong cham	10	7.7%
4	kampong chhnang	9	6.9%
5	kampong speu	10	7.7%
6	kampong thom	3	2.3%
7	kampot	7	5.4%
8	kandal	4	3.1%
9	kaoh kong	3	2.3%
10	kratie	5	3.8%
11	mondol kiri	4	3.1%
12	phnom penh	1	0.8%
13	preah vihear	2	1.5%
14	prey veng	8	6.2%
15	pursat	7	5.4%
16	rattanak kiri	1	0.8%
17	siem reap	8	6.2%
18	preah sihanouk	2	1.5%
19	steung treng	1	0.8%

File Men

#221 smprov: province

Value	Label	Cases	Percentage
20	svay rieng	13	10.0%
21	takeo	9	6.9%
22	otdar mean chey	5	3.8%
23	kep	0	0.0%
24	pailin	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#222 smdist: district

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		16	12.3%
2		10	7.7%
3		17	13.1%
4		14	10.8%
5		16	12.3%
6		15	11.5%
7		11	8.5%
8		13	10.0%
9		6	4.6%
10		7	5.4%
12		1	0.8%
13		1	0.8%
14		1	0.8%
15		2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 smcom: commune

Information	[Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		17	13.1%
2		19	14.6%
3		12	9.2%
4		18	13.8%
5		16	12.3%
6		8	6.2%
7		11	8.5%
8		8	6.2%
9		6	4.6%
10		5	3.8%
12		3	2.3%
13		4	3.1%
14		3	2.3%

File Men

#223 smcom: commune

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 smvill: village

Information [Type= discrete] [Format=numeric] [Range= 1-26] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		22	16.9%
2		17	13.1%
3		16	12.3%
4		19	14.6%
5		10	7.7%
6		7	5.4%
7		8	6.2%
8		8	6.2%
9		7	5.4%
10		1	0.8%
11		6	4.6%
13		1	0.8%
14		2	1.5%
15		1	0.8%
17		1	0.8%
18		2	1.5%
22		2	1.5%
26		0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 smlang: language of questionnaire/interview/native

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	khmer language	130	100.0%
2	other language	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 smtrans: translator

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	130	100.0%
1	yes	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 sm105: highest educational level

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]

Statistics [NW/ W] [Valid=118 /-] [Invalid=12 /-]

File Men

#227 sm105: highest educational level

Value	Label	Cases	Percentage
1	primary	57	48.3%
2	lower secondary	40	33.9%
3	upper secondary	16	13.6%
4	higher	5	4.2%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 sm106: highest grade/form/year at that level

Information	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
Statistics [NW/ W]	[Valid=118 /-] [Invalid=12 /-]

Value	Label	Cases	Percentage
0	less than 1 year	0	0.0%
1		4	3.4%
2		10	8.5%
3		11	9.3%
4		10	8.5%
5		19	16.1%
6		8	6.8%
7		10	8.5%
8		16	13.6%
9		14	11.9%
10		2	1.7%
11		8	6.8%
12		6	5.1%
Sysmiss		12	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 sm112a: frequency of accessing internet

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	not at all	125	96.2%
1	less than once a week	3	2.3%
2	at least once a week	2	1.5%
3	almost every day	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 sm205aa: place sons, daughters living away stay: extended family, camp

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	14	60.9%
1	yes	9	39.1%
Sysmiss		107	

File Men

#230 sm205aa: place sons, daughters living away stay: extended family, camp

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 sm205ab: place sons, daughters living away stay: neighbor

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	22	95.7%
1	yes	1	4.3%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#232 sm205ac: place sons, daughters living away stay: orphanage

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	23	100.0%
1	yes	0	0.0%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 sm205ad: place sons, daughters living away stay: temple (wat)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	23	100.0%
1	yes	0	0.0%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#234 sm205ae: place sons, daughters living away stay: other

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	23	100.0%
1	yes	0	0.0%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 sm205af: place sons, daughters living away stay: where they're studying

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	21	91.3%
1	yes	2	8.7%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#236 sm205ag: place sons, daughters living away stay: working, studying oversea

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	22	95.7%
1	yes	1	4.3%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#237 sm205ah: place sons, daughters living away stay: working in other province

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	16	69.6%
1	yes	7	30.4%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 sm205ai: place sons, daughters living away stay: living with relatives

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	19	82.6%
1	yes	4	17.4%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 sm205ax: place sons, daughters living away stay: don't know

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=23 /-] [Invalid=107 /-]

Value	Label	Cases	Percentage
0	no	23	100.0%
1	yes	0	0.0%
Sysmiss		107	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 sm405: other partners

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=78 /-] [Invalid=52 /-]

Value	Label	Cases	Percentage
0	no, only one	74	94.9%
1	yes, more than one	4	5.1%
Sysmiss		52	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 sm422aa: person had intercourse in last 12 months

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

File Men

#241 sm422aa: person had intercourse in last 12 months

Statistics [NW/ W] [Valid=3 /-] [Invalid=127 /-]

Value	Label	Cases	Percentage
1	brothel-based sex worker	0	0.0%
2	karaoke worker	1	33.3%
3	beer promoter	0	0.0%
4	bar/night club worker	0	0.0%
5	masseuse	0	0.0%
6	restaurant worker	1	33.3%
7	street-based sex worker	0	0.0%
8	other	1	33.3%
Sysmiss		127	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 sm422ab: person had intercourse in last 12 months (2nd-to-last)

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
1	brothel-based sex worker	0	0.0%
2	karaoke worker	0	0.0%
3	beer promoter	0	0.0%
4	bar/night club worker	0	0.0%
5	masseuse	0	0.0%
6	restaurant worker	0	0.0%
7	street-based sex worker	0	0.0%
8	other	1	100.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#243 sm422ac: person had intercourse in last 12 months (3rd-to-last)

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
1	brothel-based sex worker	0	
2	karaoke worker	0	
3	beer promoter	0	
4	bar/night club worker	0	
5	masseuse	0	
6	restaurant worker	0	
7	street-based sex worker	0	
8	other	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 sm424a: times sexual intercourse during last 12 months

Information [Type= discrete] [Format=numeric] [Range= 1-998] [Missing=*]

File Men

#244 sm424a: times sexual intercourse during last 12 months

Statistics [NW/ W] [Valid=81 /-] [Invalid=49 /-]

Frequency table not shown (44 Modalities)

#245 sm424b: times sexual intercourse during last 12 months (2nd-to-last)

Information [Type= discrete] [Format=numeric] [Range= 6-998] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
6		1	100.0%
998	don't know	0	0.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 sm424c: times sexual intercourse during last 12 months (3rd-to-last)

Information [Type= discrete] [Format=numeric] [Range= 998-998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
998	don't know	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 sm425a: age of partner

Information [Type= discrete] [Format=numeric] [Range= 17-98] [Missing=*]

Statistics [NW/ W] [Valid=81 /-] [Invalid=49 /-]

Frequency table not shown (31 Modalities)

#248 sm425b: age of partner (2nd-to-last)

Information [Type= discrete] [Format=numeric] [Range= 19-98] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=129 /-]

Value	Label	Cases	Percentage
19		1	100.0%
95	95+	0	0.0%
98	don't know	0	0.0%
Sysmiss		129	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#249 sm425c: age of partner (3rd-to-last)

Information [Type= discrete] [Format=numeric] [Range= 95-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=130 /-]

Value	Label	Cases	Percentage
95	95+	0	
98	don't know	0	
Sysmiss		130	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 sm427a: heard of men having sex with men

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Men

#250 sm427a: heard of men having sex with men

Statistics [NW/ W] [Valid=81 /-] [Invalid=49 /-]

Value	Label	Cases	Percentage
0	no	38	46.9%
1	yes	43	53.1%
Sysmiss		49	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 sm427b: ever had sex with a man

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=43 /-] [Invalid=87 /-]

Value	Label	Cases	Percentage
0	no	43	100.0%
1	yes	0	0.0%
Sysmiss		87	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 sm431: ever paid for sexual intercourse (includes prostitutes from the partner section)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
0	no	76	88.4%
1	yes	10	11.6%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 sm434: gave money/gifts/favors in exchange for intercourse last 12 months

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
0	no	86	100.0%
1	yes	0	0.0%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 sm438: used fp during last intercourse

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=86 /-] [Invalid=44 /-]

Value	Label	Cases	Percentage
0	no	40	46.5%
1	yes	42	48.8%
8	dk	4	4.7%
Sysmiss		44	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 sm612: owns own house alone or jointly

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

File Men

#255 sm612: owns own house alone or jointly

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	does not own	43	33.1%
1	alone only	3	2.3%
2	jointly only	70	53.8%
3	both alone and jointly	14	10.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 sm613: owns land alone or jointly

Information [Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	does not own	49	37.7%
1	alone only	3	2.3%
2	jointly only	61	46.9%
3	both alone and jointly	17	13.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 sm614f: beating justification: ask to use condom

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	123	94.6%
1	yes	3	2.3%
8	dk	4	3.1%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 sm615a: parent justified in beating son: disobey

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	71	54.6%
1	yes	58	44.6%
8	don't know	1	0.8%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#259 sm615b: parent justified in beating son: impolite

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	67	51.5%
1	yes	61	46.9%
8	don't know	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Men

#260 sm615c: parent justified in beating son: embarrassed family

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	67	51.5%
1	yes	61	46.9%
8	don't know	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 sm616a: parent justified in beating daughter: disobey

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	85	65.4%
1	yes	43	33.1%
8	don't know	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#262 sm616b: parent justified in beating daughter: impolite

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	74	56.9%
1	yes	54	41.5%
8	don't know	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 sm616c: parent justified in beating daughter: embarrassed family

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=130 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	77	59.2%
1	yes	51	39.2%
8	don't know	2	1.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 sm714a: frequency have had hiv test

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=25 /-] [Invalid=105 /-]

Value	Label	Cases	Percentage
0	took the test every 2 or 3 years	0	0.0%
1	only once	22	88.0%
2	every year	0	0.0%
3	every 6 months	0	0.0%
4	every 3 months	1	4.0%
5	took the test more than 3 times	1	4.0%

File Men

#264 sm714a: frequency have had hiv test

Value	Label	Cases	Percentage
6	other	0	0.0%
7	took the test 2 times	0	0.0%
8	took the test 3 times	1	4.0%
Sysmiss		105	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#1 bidx: birth column number

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		127	31.4%
2		102	25.2%
3		69	17.1%
4		47	11.6%
5		32	7.9%
6		15	3.7%
7		8	2.0%
8		2	0.5%
9		1	0.2%
10		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#2 v001: cluster number

Information	[Type= discrete] [Format=numeric] [Range= 1-589] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-] [Mean=284.649 /-] [StdDev=183.957 /-]
Frequency table not shown (117 Modalities)	

#3 v002: household number

Information	[Type= discrete] [Format=numeric] [Range= 1-1] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		404	100.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#4 v003: respondent's line number

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		50	12.4%
2		314	77.7%
3		25	6.2%
4		8	2.0%
5		1	0.2%

File Births

#4 v003: respondent's line number

Value	Label	Cases	Percentage
6		5	1.2%
10		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#5 bord: birth order number

Information	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		127	31.4%
2		102	25.2%
3		69	17.1%
4		47	11.6%
5		32	7.9%
6		15	3.7%
7		8	2.0%
8		2	0.5%
9		1	0.2%
10		1	0.2%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#6 b0: child is twin

Information	[Type= discrete] [Format=numeric] [Range= 0-5] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	single birth	400	99.0%
1	1st of multiple	2	0.5%
2	2nd of multiple	2	0.5%
3	3rd of multiple	0	0.0%
4	4th of multiple	0	0.0%
5	5th of multiple	0	0.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#7 b1: month of birth

Information	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1		37	9.2%
2		42	10.4%
3		35	8.7%
4		47	11.6%
5		34	8.4%
6		27	6.7%
7		36	8.9%
8		26	6.4%

File Births

#7 b1: month of birth

Value	Label	Cases	Percentage
9		43	 10.6%
10		22	 5.4%
11		24	 5.9%
12		31	 7.7%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#8 b2: year of birth

Information	[Type= discrete] [Format=numeric] [Range= 1979-2010] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-] [Mean=1998.168 /-] [StdDev=7.323 /-]
Frequency table not shown (31 Modalities)	

#9 b3: date of birth (cmc)

Information	[Type= continuous] [Format=numeric] [Range= 949-1330] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-] [Mean=1184.082 /-] [StdDev=88.034 /-]

#10 b4: sex of child


Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	male	194	 48.0%
2	female	210	 52.0%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#11 b5: child is alive

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
0	no	31	 7.7%
1	yes	373	 92.3%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#12 b6: age at death

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=373 /-]

Value	Label	Cases	Percentage
100		1	 3.2%
101		2	 6.5%
102		2	 6.5%
103		1	 3.2%
107		1	 3.2%
120		1	 3.2%
201		6	 19.4%
202		1	 3.2%
203		6	 19.4%
204		1	 3.2%

File Births

#12 b6: age at death

Value	Label	Cases	Percentage
209		1	3.2%
210		1	3.2%
218		2	6.5%
220		1	3.2%
303		1	3.2%
304		1	3.2%
312		1	3.2%
319		1	3.2%
997	inconsistent	0	0.0%
998	don't know	0	0.0%
Sysmiss		373	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#13 b7: age at death (months-imputed)

Information	[Type= continuous] [Format=numeric] [Range= 0-228] [Missing=*]
Statistics [NW/ W]	[Valid=31 /-] [Invalid=373 /-] [Mean=18.097 /-] [StdDev=47.426 /-]

#14 b8: current age of child

Information	[Type= continuous] [Format=numeric] [Range= 0-31] [Missing=*]
Statistics [NW/ W]	[Valid=373 /-] [Invalid=31 /-] [Mean=11.416 /-] [StdDev=7.334 /-]

#15 b9: child lives with whom

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=373 /-] [Invalid=31 /-]

Value	Label	Cases	Percentage
0	respondent	323	86.6%
1	father	0	0.0%
2	other relative	0	0.0%
3	someone else	0	0.0%
4	lives elsewhere	50	13.4%
Sysmiss		31	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#16 b10: completeness of information

Information	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
Statistics [NW/ W]	[Valid=404 /-] [Invalid=0 /-]

Value	Label	Cases	Percentage
1	month and year	403	99.8%
2	month and age -y imp	0	0.0%
3	year and age - m imp	1	0.2%
4	y & age - y ignored	0	0.0%
5	year - a, m imp	0	0.0%
6	age - y, m imp	0	0.0%
7	month - a, y imp	0	0.0%
8	none - all imp	0	0.0%

File Births

#16 b10: completeness of information

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#17 b11: preceding birth interval

Information [Type= continuous] [Format=numeric] [Range= 11-139] [Missing=*]

Statistics [NW/ W] [Valid=276 /-] [Invalid=128 /-] [Mean=41.558 /-] [StdDev=25.129 /-]

#18 b12: succeeding birth interval

Information [Type= continuous] [Format=numeric] [Range= 11-139] [Missing=*]

Statistics [NW/ W] [Valid=276 /-] [Invalid=128 /-] [Mean=41.587 /-] [StdDev=25.116 /-]

#19 b13: flag for age at death

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=31 /-] [Invalid=373 /-]

Value	Label	Cases	Percentage
0	no flag	31	100.0%
1	> interview	0	0.0%
2	< breastfeeding	0	0.0%
3	< age supplemented	0	0.0%
4	< first breastfed	0	0.0%
5	< last vaccination	0	0.0%
6	outside range	0	0.0%
7	imputed, units given	0	0.0%
8	imputed, no units	0	0.0%
Sysmiss		373	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#20 b15: live birth between births

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=277 /-] [Invalid=127 /-]

Value	Label	Cases	Percentage
0	no	276	99.6%
1	yes	1	0.4%
Sysmiss		127	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#21 b16: child's line number in household

Information [Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]

Statistics [NW/ W] [Valid=373 /-] [Invalid=31 /-]

Value	Label	Cases	Percentage
0	not listed in household	51	13.7%
2		6	1.6%
3		96	25.7%
4		84	22.5%
5		63	16.9%
6		35	9.4%
7		19	5.1%

File Births

#21 b16: child's line number in household

Value	Label	Cases	Percentage
8		8	2.1%
9		5	1.3%
10		2	0.5%
11		2	0.5%
12		2	0.5%
Sysmiss		31	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#22 midx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#23 m1: tetanus injections bef. birth

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	received no inject.	14	19.4%
1		22	30.6%
2		25	34.7%
3		8	11.1%
4		2	2.8%
7	7+	0	0.0%
8	don't know	1	1.4%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#24 m1a: tetanus injections before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=37 /-] [Invalid=367 /-]

Value	Label	Cases	Percentage
0	received no inject.	8	21.6%
1		7	18.9%
2		3	8.1%
3		7	18.9%
4		6	16.2%
5		5	13.5%
6		1	2.7%
7	7+	0	0.0%
8	don't know	0	0.0%

File Births

#24 m1a: tetanus injections before pregnancy

Value	Label	Cases	Percentage
Sysmiss		367	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#25 m1b: na - month last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	don't know month	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#26 m1c: na - year last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	don't know year	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#27 m1d: years ago received last tetanus injection before pregnancy

Information	[Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*]
Statistics [NW/ W]	[Valid=29 /-] [Invalid=375 /-]

Value	Label	Cases	Percentage
1		3	10.3%
2		3	10.3%
3		6	20.7%
4		5	17.2%
5		2	6.9%
6		3	10.3%
7		1	3.4%
9		1	3.4%
10		2	6.9%
12		1	3.4%
13		1	3.4%
15		1	3.4%
Sysmiss		375	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#28 m1e: last tetanus injection before pregnancy (cmc)

Information	[Type= discrete] [Format=numeric] [Range= 9996-9996] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
9996	can't be determined	0	

File Births

#28 m1e: last tetanus injection before pregnancy (cmc)

Value	Label	Cases	Percentage
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#29 m2a: prenatal: doctor, medical assistant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	65	90.3%
1	yes	7	9.7%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#30 m2b: prenatal: midwife

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	12	16.7%
1	yes	60	83.3%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#31 m2c: prenatal: nurse

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	71	98.6%
1	yes	1	1.4%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#32 m2d: na - prenatal: cs health profession

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#33 m2e: na - prenatal: cs health profession

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#33 m2e: na - prenatal: cs health profession

Value	Label	Cases	Percentage
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#34 m2f: na - prenatal: trained birth att.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#35 m2g: prenatal: trad.birth attendant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
Sysmiss		332	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#36 m2h: na - prenatal: relative

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#37 m2i: prenatal: village health volunteer

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
Sysmiss		332	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#38 m2j: na - prenatal: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#38 m2j: na - prenatal: cs other person

Value	Label	Cases	Percentage
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#39 m2k: prenatal: other resp (uncoded)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#40 m2l: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#41 m2m: na - prenatal: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#42 m2n: prenatal: no one

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no: some care	66	91.7%
1	yes: no care	6	8.3%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#43 m3a: assistance: doctor, medial assistant

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no	75	89.3%
1	yes	9	10.7%

File Births

#43 m3a: assistance: doctor, medial assistant

Value	Label	Cases	Percentage
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#44 m3b: assistance: midwife

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=320 /-]	
Value	Label	Cases	Percentage
0	no	27	32.1%
1	yes	57	67.9%
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#45 m3c: assistance: nurse

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=320 /-]	
Value	Label	Cases	Percentage
0	no	84	100.0%
1	yes	0	0.0%
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#46 m3d: na - assistance: cs health profess.

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=404 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#47 m3e: na - assistance: cs health profess.

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=404 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#48 m3f: na - assistance: trained birth att.

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=404 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#48 m3f: na - assistance: trained birth att.

Value	Label	Cases	Percentage
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#49 m3g: assistance: trad.birth attend.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no	62	73.8%
1	yes	22	26.2%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#50 m3h: assistance: relative, friend

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no	77	91.7%
1	yes	7	8.3%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#51 m3i: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#52 m3j: na - assistance: cs other person

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#53 m3k: assistance: other resp (uncod)

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no	84	100.0%
1	yes	0	0.0%

File Births

#53 m3k: assistance: other resp (uncod)

Value	Label	Cases	Percentage
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#54 m3l: na - assistance: cs other

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=404 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#55 m3m: na - assistance: cs other

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=0 /-] [Invalid=404 /-]	
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#56 m3n: assistance: no one

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=320 /-]	
Value	Label	Cases	Percentage
0	no: some assistance	84	100.0%
1	yes: no assistance	0	0.0%
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#57 m4: duration of breastfeeding

Information		[Type= discrete] [Format=numeric] [Range= 93-98] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=320 /-]	
Value	Label	Cases	Percentage
93	not currently breastfeeding	54	64.3%
94	never breastfed	3	3.6%
95	still breastfeeding	27	32.1%
96	breastfed until died	0	0.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		320	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#58 m5: months of breastfeeding

Information		[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]	
--------------------	--	---	--

File Births

#58 m5: months of breastfeeding

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0		1	1.2%
2		1	1.2%
3		2	2.4%
4		2	2.4%
5		1	1.2%
6		1	1.2%
7		2	2.4%
8		1	1.2%
9		2	2.4%
10		1	1.2%
12		1	1.2%
14		1	1.2%
15		2	2.4%
16		3	3.6%
17		1	1.2%
18		1	1.2%
25		2	2.4%
32		1	1.2%
34		1	1.2%
93	not currently breastfeeding	54	64.3%
94	never breastfed	3	3.6%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#59 m6: duration of amenorrhea

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1		9	10.7%
2		9	10.7%
3		11	13.1%
4		4	4.8%
5		7	8.3%
6		9	10.7%
8		3	3.6%
9		4	4.8%
10		1	1.2%
11		1	1.2%
12		9	10.7%
13		1	1.2%

File Births

#59 m6: duration of amenorrhea

Value	Label	Cases	Percentage
14		2	2.4%
16		2	2.4%
18		2	2.4%
24		1	1.2%
96	period not returned	9	10.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#60 m7: months of amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0		1	1.2%
1		9	10.7%
2		10	11.9%
3		13	15.5%
4		5	6.0%
5		8	9.5%
6		9	10.7%
7		1	1.2%
8		4	4.8%
9		4	4.8%
10		1	1.2%
11		1	1.2%
12		9	10.7%
13		1	1.2%
14		2	2.4%
15		1	1.2%
16		2	2.4%
18		2	2.4%
24		1	1.2%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#61 m8: duration of abstinence

Information	[Type= discrete] [Format=numeric] [Range= 1-99] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1		4	4.8%
2		13	15.5%

File Births

#61 m8: duration of abstinence

Value	Label	Cases	Percentage
3		35	41.7%
4		8	9.5%
5		5	6.0%
6		7	8.3%
7		1	1.2%
96	still abstaining	9	10.7%
97	inconsistent	0	0.0%
98	dk	1	1.2%
99		1	1.2%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#62 m9: months of abstinence

Information		[Type= discrete] [Format=numeric] [Range= 0-99] [Missing=*]	
Statistics [NW/ W]		[Valid=84 /-] [Invalid=320 /-]	
Value	Label	Cases	Percentage
0		1	<div><div></div></div> 1.2%
1		4	<div><div></div></div> 4.8%
2		14	<div><div></div></div> 16.7%
3		37	<div><div></div></div> 44.0%
4		8	<div><div></div></div> 9.5%
5		6	<div><div></div></div> 7.1%
6		7	<div><div></div></div> 8.3%
7		1	<div><div></div></div> 1.2%
10		1	<div><div></div></div> 1.2%
15		1	<div><div></div></div> 1.2%
17		1	<div><div></div></div> 1.2%
43		1	<div><div></div></div> 1.2%
97	inconsistent	0	<div><div></div></div> 0.0%
98	dk	1	<div><div></div></div> 1.2%
99		1	<div><div></div></div> 1.2%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#63 m10: time wanted pregnancy

Information		[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]		
Statistics [NW/ W]		[Valid=84 /-] [Invalid=320 /-]		
Value	Label	Cases	Percentage	
1	then	71	<div></div> 84.5%	
2	later	4	<div></div>	4.8%
3	no more	9	<div></div>	10.7%
Sysmiss		320		

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#64 m11: time would have waited

Information [Type= discrete] [Format=numeric] [Range= 101-998] [Missing=*]

Statistics [NW/ W] [Valid=4 /-] [Invalid=400 /-]

Value	Label	Cases	Percentage
101	one month	0	0.0%
201	one year	0	0.0%
203		3	75.0%
205		1	25.0%
998	dk	0	0.0%
Sysmiss		400	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#65 m13: timing of 1st antenatal check

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
1		12	18.2%
2		10	15.2%
3		15	22.7%
4		11	16.7%
5		7	10.6%
6		5	7.6%
7		4	6.1%
8		2	3.0%
98	dk	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#66 m14: antenatal visits for pregnancy

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no antenatal visits	6	8.3%
1		8	11.1%
2		6	8.3%
3		14	19.4%
4		11	15.3%
5		10	13.9%
6		6	8.3%
7		2	2.8%
8		4	5.6%
9		4	5.6%
10		1	1.4%
98	dk	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#67 m15: place of delivery

Information [Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
10	homes	0	0.0%
11	respondent's home	32	38.1%
12	other home	1	1.2%
20	public sector	0	0.0%
21	national hospital (pp)	3	3.6%
22	provincial hospital (rh)	9	10.7%
23	district hospital (rh)	1	1.2%
24	health center	28	33.3%
25	health post	0	0.0%
26	military hospital	0	0.0%
27	other public	0	0.0%
30	private sector	0	0.0%
31	private hospital	1	1.2%
32	private clinic	7	8.3%
33	other private med sector	1	1.2%
96	other	1	1.2%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#68 m17: delivery by caesarean section

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no	84	100.0%
1	yes	0	0.0%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#69 m18: size of child at birth

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1	very large	3	3.6%
2	larger than average	32	38.1%
3	average	35	41.7%
4	smaller than average	8	9.5%
5	very small	2	2.4%
8	dk	4	4.8%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#70 m19: birth weight (kilos - 3 dec.)

Information [Type= discrete] [Format=numeric] [Range= 2000-9998] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
2000		1	1.2%
2200		3	3.6%
2400		1	1.2%
2500		4	4.8%
2600		4	4.8%
2700		3	3.6%
2800		5	6.0%
2900		1	1.2%
3000		13	15.5%
3100		4	4.8%
3200		2	2.4%
3300		6	7.1%
3400		1	1.2%
3500		5	6.0%
3600		3	3.6%
3700		1	1.2%
4000		1	1.2%
4500		1	1.2%
4700		1	1.2%
9996	not weighed at birth	23	27.4%
9997		0	0.0%
9998	dk	1	1.2%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#71 m19a: weight at birth recall

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	not weighed	23	27.4%
1	from card	15	17.9%
2	from recall	45	53.6%
8	dk	1	1.2%
9	special answers	0	0.0%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#72 m27: na - flag for breastfeeding

Information [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

File Births

#72 m27: na - flag for breastfeeding

Value	Label	Cases	Percentage
0	no flag	0	
1	> interval	0	
2	> interval by 1 mnth	0	
3	> age at death	0	
4	during preg in cal.	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#73 m28: flag for amenorrhea

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no flag	83	98.8%
1	> interval	0	0.0%
2	> interval by 1 mnth	0	0.0%
3		0	0.0%
4	during preg in cal.	1	1.2%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#74 m29: flag for abstinence

Information	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
Statistics [NW/ W]	[Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
0	no flag	84	100.0%
1	> interval	0	0.0%
2	> interval by 1 mnth	0	0.0%
3		0	0.0%
4	during preg in cal.	0	0.0%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#75 m34: when child put to breast

Information	[Type= discrete] [Format=numeric] [Range= 0-205] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=334 /-]

Value	Label	Cases	Percentage
0	immediately	45	64.3%
100	less than 1 hour	4	5.7%
101	hours: 1	9	12.9%
102		2	2.9%
103		2	2.9%
104		1	1.4%
106		1	1.4%
201	days: 1	3	4.3%

File Births

#75 m34: when child put to breast

Value	Label	Cases	Percentage
202		1	1.4%
203		1	1.4%
205		1	1.4%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#76 m35: na - times breastfed during night

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#77 m36: na - times breastfed during day

Information	[Type= discrete] [Format=numeric] [Range= 96-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
96	on demand	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#78 m38: drank from bottle with nipple

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	68	82.9%
1	yes	14	17.1%
8	dk	0	0.0%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#79 m39: times ate solid, semi-solid or soft food yesterday

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=28 /-] [Invalid=376 /-]



Value	Label	Cases	Percentage
0	none	7	25.0%
1		1	3.6%
2		2	7.1%
3		6	21.4%
4		7	25.0%
5		2	7.1%
6		1	3.6%
7	7+	2	7.1%
8	dk	0	0.0%

File Births



#79 m39: times ate solid, semi-solid or soft food yesterday

Value	Label	Cases	Percentage
Sysmiss		376	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			



#80 m42a: during pregnancy - weighed

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=338 /-]	
Value	Label	Cases	Percentage
0	no	8	 12.1%
1	yes	58	 87.9%
Sysmiss		338	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			



#81 m42b: during pregnancy - height measured

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=338 /-]	
Value	Label	Cases	Percentage
0	no	20	 30.3%
1	yes	46	 69.7%
Sysmiss		338	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			



#82 m42c: during pregnancy - blood pressure taken

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=338 /-]	
Value	Label	Cases	Percentage
0	no	2	 3.0%
1	yes	64	 97.0%
Sysmiss		338	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#83 m42d: during pregnancy - urine sample taken

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=338 /-]	
Value	Label	Cases	Percentage
0	no	50	 75.8%
1	yes	16	 24.2%
Sysmiss		338	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#84 m42e: during pregnancy - blood sample taken

Information		[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]	
Statistics [NW/ W]		[Valid=66 /-] [Invalid=338 /-]	
Value	Label	Cases	Percentage
0	no	35	 53.0%
1	yes	31	 47.0%

File Births

#84 m42e: during pregnancy - blood sample taken

Value	Label	Cases	Percentage
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#85 m43: told about pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	14	21.2%
1	yes	52	78.8%
8	don't know	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#86 m44: na - told where to go for pregnancy complications

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#87 m45: during pregnancy, given or bought iron tablets/syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	8	11.1%
1	yes	64	88.9%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#88 m46: days tablets or syrup taken

Information	[Type= discrete] [Format=numeric] [Range= 3-998] [Missing=*]
Statistics [NW/ W]	[Valid=64 /-] [Invalid=340 /-]

Value	Label	Cases	Percentage
3		2	3.1%
10		2	3.1%
20		1	1.6%
30		6	9.4%
60		10	15.6%
70		1	1.6%
90		38	59.4%
120		2	3.1%

File Births

#88 m46: days tablets or syrup taken

Value	Label	Cases	Percentage
998	don't know	2	3.1%
Sysmiss		340	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#89 m47: during pregnancy, had difficulty with daylight vision

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	58	80.6%
1	yes	14	19.4%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#90 m48: during pregnancy, had difficulty with night blindness

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	70	97.2%
1	yes	2	2.8%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#91 m49a: during pregnancy - took fansidar for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	71	98.6%
1	yes	1	1.4%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#92 m49b: during pregnancy - took chloroquine for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#93 m49c: na - during pregnancy - took unknown drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#94 m49d: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#95 m49e: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#96 m49f: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#97 m49g: na - during pregnancy - took country specific drug for malaria

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#97 m49g: na - during pregnancy - took country specific drug for malaria

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#98 m49x: during pregnancy - took other drug for malaria

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	72	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#99 m49z: during pregnancy - don't know

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	1	1.4%
1	yes: don't know which drug taken	71	98.6%
8	don't know	0	0.0%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#100 m51a: respondent checkup after deliver timing

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=55 /-] [Invalid=349 /-]

Value	Label	Cases	Percentage
100	zero hour	9	16.4%
101	1 hour	24	43.6%
102		7	12.7%
103		1	1.8%
105		2	3.6%
106		1	1.8%
107		1	1.8%
201	1 day	4	7.3%
202		2	3.6%
203		3	5.5%
301	1 week	0	0.0%
302		1	1.8%
998	don't know	0	0.0%
Sysmiss		349	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#101 m54: received vitamin a dose in first 2 months after delivery

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	38	52.8%
1	yes	34	47.2%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#102 m55a: first 3 days, given milk other than breast milk

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]

Value	Label	Cases	Percentage
0	no	70	100.0%
1	yes	0	0.0%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#103 m55b: first 3 days, given plain water

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]

Value	Label	Cases	Percentage
0	no	62	88.6%
1	yes	8	11.4%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#104 m55c: first 3 days, given sugar/honey water

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]

Value	Label	Cases	Percentage
0	no	66	94.3%
1	yes	4	5.7%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#105 m55d: na - first 3 days, given gripe water

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.


#106 m55e: first 3 days, given sugar/salt/water solution

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Births

#106 m55e: first 3 days, given sugar/salt/water solution

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]


Value	Label	Cases	Percentage
0	no	70	 100.0%
1	yes	0	0.0%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#107 m55f: first 3 days, given coconut, fruit juice

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]


Value	Label	Cases	Percentage
0	no	69	 98.6%
1	yes	1	1.4%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#108 m55g: first 3 days, given infant formula

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]


Value	Label	Cases	Percentage
0	no	67	 95.7%
1	yes	3	4.3%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#109 m55h: first 3 days, given herbal tea

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=70 /-] [Invalid=334 /-]

Value	Label	Cases	Percentage
0	no	70	 100.0%
1	yes	0	0.0%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#110 m55i: na - first 3 days, given honey

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#111 m55j: na - first 3 days, given country specific

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

File Births

#111 m55j: na - first 3 days, given country specific

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#112 m55k: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#113 m55l: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#114 m55m: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#115 m55n: na - first 3 days, given country specific

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	


Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#116 m55x: first 3 days, given other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=334 /-]

File Births



#116 m55x: first 3 days, given other

Value	Label	Cases	Percentage
0	no	70	 100.0%
1	yes	0	0.0%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#117 m55z: first 3 days, given nothing

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=70 /-] [Invalid=334 /-]

Value	Label	Cases	Percentage
0	no	15	 21.4%
1	yes, given nothing	55	 78.6%
Sysmiss		334	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#118 m57a: antenatal care: your home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#119 m57b: antenatal care: other home


Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#120 m57c: antenatal care: midwife, tba home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#121 m57d: na - antenatal care: cs home

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

File Births



#121 m57d: na - antenatal care: cs home

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#122 m57e: antenatal care: national hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	60	 90.9%
1	yes	6	 9.1%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#123 m57f: antenatal care: health center

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	15	 22.7%
1	yes	51	 77.3%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#124 m57g: antenatal care: health post



Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	 100.0%
1	yes	0	 0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#125 m57h: antenatal care: outreach

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	63	 95.5%
1	yes	3	 4.5%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#126 m57i: antenatal care: provincial hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

File Births

#126 m57i: antenatal care: provincial hospital

Value	Label	Cases	Percentage
0	no	64	97.0%
1	yes	2	3.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#127 m57j: antenatal care: district hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	64	97.0%
1	yes	2	3.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#128 m57k: antenatal care: military hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#129 m57l: antenatal care: other public

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#130 m57m: antenatal care: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#131 m57n: na - antenatal care: private mobile clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

File Births

#131 m57n: na - antenatal care: private mobile clinic

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#132 m57o: antenatal care: private clinic

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	60	90.9%
1	yes	6	9.1%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#133 m57p: na - antenatal care: cs private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#134 m57q: na - antenatal care: cs private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#135 m57r: antenatal care: other private

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#136 m57s: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

File Births

#136 m57s: na - antenatal care: cs other

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#137 m57t: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#138 m57u: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#139 m57v: na - antenatal care: cs other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#140 m57x: antenatal care: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	66	100.0%
1	yes	0	0.0%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#141 m60: drugs for intestinal parasites

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=72 /-] [Invalid=332 /-]

File Births

#141 m60: drugs for intestinal parasites

Value	Label	Cases	Percentage
0	no	39	54.2%
1	yes	31	43.1%
8	dk	2	2.8%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#142 m61: na - time spent at place of delivery

Information [Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
100	zero hours	0	
201	one day	0	
301	one week	0	
998	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#143 m62: anyone checked respondent health before discharge

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=44 /-] [Invalid=360 /-]

Value	Label	Cases	Percentage
0	no	5	11.4%
1	yes	39	88.6%
8	dk	0	0.0%
Sysmiss		360	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#144 m63: how long before discharging respondent health check took place

Information [Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]

Statistics [NW/ W] [Valid=39 /-] [Invalid=365 /-]

Value	Label	Cases	Percentage
100	zero hours	8	20.5%
101		20	51.3%
102		7	17.9%
105		2	5.1%
106		1	2.6%
201	one day	0	0.0%
202		1	2.6%
301	one week	0	0.0%
998	dk	0	0.0%
Sysmiss		365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#145 m64: who checked respondent health before discharge

Information [Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]

File Births

#145 m64: who checked respondent health before discharge

Statistics [NW/ W] [Valid=39 /-] [Invalid=365 /-]

Value	Label	Cases	Percentage
10	health personnel	0	0.0%
11	doctor, medical assistant	8	20.5%
12	midwife	30	76.9%
13	nurse	1	2.6%
20	other person	0	0.0%
21	traditional birth attendant	0	0.0%
22	community/village health worker	0	0.0%
96	other	0	0.0%
Sysmiss		365	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#146 m65a: na - reason didn't deliver at health facility: cost too much

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#147 m65b: na - reason didn't deliver at health facility: facility not open

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#148 m65c: na - reason didn't deliver at health facility: too far/no transport

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#149 m65d: na - reason didn't deliver at health facility: don't trust facility/poor service

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	

File Births

#149 m65d: na - reason didn't deliver at health facility: don't trust facility/poor service

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#150 m65e: na - reason didn't deliver at health facility: no female provider

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#151 m65f: na - reason didn't deliver at health facility: husband/family didn't allow

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#152 m65g: na - reason didn't deliver at health facility: not necessary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#153 m65h: na - reason didn't deliver at health facility: not customary

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#154 m65i: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	

File Births

#154 m65i: na - reason didn't deliver at health facility: cs

Value	Label	Cases	Percentage
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#155 m65j: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#156 m65k: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#157 m65l: na - reason didn't deliver at health facility: cs

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#158 m65x: na - reason didn't deliver at health facility: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#159 m66: after discharge/delivery at home anyone checked respondent health

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=33 /-] [Invalid=371 /-]

Value	Label	Cases	Percentage
0	no	17	51.5%

File Births

#159 m66: after discharge/delivery at home anyone checked respondent health

Value	Label	Cases	Percentage
1	yes	16	48.5%
8	dk	0	0.0%
Sysmiss		371	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#160 m67: how long after discharge/delivery at home respondent health check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=388 /-]

Value	Label	Cases	Percentage
100	zero hours	1	6.2%
101		4	25.0%
103		1	6.2%
107		1	6.2%
201	one day	4	25.0%
202		1	6.2%
203		3	18.8%
301	one week	0	0.0%
302		1	6.2%
998	dk	0	0.0%
Sysmiss		388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#161 m68: who checked respondent health after discharge/delivery at home

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=16 /-] [Invalid=388 /-]

Value	Label	Cases	Percentage
10	health personnel	0	0.0%
11	doctor, medical assistant	0	0.0%
12	midwife	9	56.2%
13	nurse	0	0.0%
20	other person	0	0.0%
21	traditional birth attendant	7	43.8%
22	community/village health worker	0	0.0%
96	other	0	0.0%
Sysmiss		388	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#162 m69: na - where respondent check after discharge/delivery at home took place

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
10	home	0	
11	respondent's home	0	
12	other home	0	

File Births

#162 m69: na - where respondent check after discharge/delivery at home took place

Value	Label	Cases	Percentage
20	public sector	0	
21	government hospital	0	
22	government health center	0	
23	government health post	0	
26	other public	0	
30	private medical sector	0	
31	private hospital, clinic	0	
36	other private medical	0	
96	other	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#163 m70: baby postnatal check within 6 weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]		
Statistics [NW/ W]	[Valid=67 /-] [Invalid=337 /-]		
Value	Label	Cases	Percentage
0	no	30	44.8%
1	yes	36	53.7%
8	dk	0	0.0%
9		1	1.5%
Sysmiss		337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#164 m71: how long after delivery postnatal check took place

Information	[Type= discrete] [Format=numeric] [Range= 100-998] [Missing=*]		
Statistics [NW/ W]	[Valid=36 /-] [Invalid=368 /-]		
Value	Label	Cases	Percentage
100	zero hours	6	16.7%
101		11	30.6%
102		3	8.3%
105		1	2.8%
106		1	2.8%
112		1	2.8%
201	one day	2	5.6%
202		1	2.8%
203		2	5.6%
301	one week	0	0.0%
302		1	2.8%
304		4	11.1%
306		2	5.6%
307		1	2.8%
998	dk	0	0.0%
Sysmiss		368	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#165 m72: who performed postnatal checkup

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=36 /-] [Invalid=368 /-]

Value	Label	Cases	Percentage
10	health personnel	0	0.0%
11	doctor, medical assistant	5	13.9%
12	midwife	25	69.4%
13	nurse	1	2.8%
20	other person	0	0.0%
21	traditional birth attendant	4	11.1%
22	community/village health worker	0	0.0%
96	other	0	0.0%
99		1	2.8%
Sysmiss		368	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#166 m73: where was the baby checked for the first time

Information [Type= discrete] [Format=numeric] [Range= 10-99] [Missing=*]

Statistics [NW/ W] [Valid=36 /-] [Invalid=368 /-]

Value	Label	Cases	Percentage
10	home	0	0.0%
11	respondent's home	6	16.7%
12	other home	2	5.6%
20	public sector	0	0.0%
21	national hospital (pp)	2	5.6%
22	provincial hospital (rh)	4	11.1%
23	district hospital (rh)	1	2.8%
24	health center	14	38.9%
25	health post	0	0.0%
26	military hospital	0	0.0%
27	other public	0	0.0%
30	private medical sector	0	0.0%
31	private hospital	1	2.8%
32	private clinic	4	11.1%
33	other private medical	1	2.8%
96	other	0	0.0%
99		1	2.8%
Sysmiss		368	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#167 hidx: index to birth history

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1		72	85.7%

File Births

#167 hidx: index to birth history

Value	Label	Cases	Percentage
2		12	14.3%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#168 h1: has health card

Information	[Type= discrete] [Format=numeric] [Range= 0-3] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no card	5	6.1%
1	yes, seen	58	70.7%
2	yes, not seen	16	19.5%
3	no longer has card	3	3.7%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#169 h2: received bcg

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	6	7.3%
1	vacc. date on card	57	69.5%
2	reported by mother	19	23.2%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#170 h2d: bcg day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=57 /-] [Invalid=347 /-]

Value	Label	Cases	Percentage
1		1	1.8%
2		1	1.8%
3		1	1.8%
4		1	1.8%
5		1	1.8%
6		1	1.8%
8		3	5.3%
9		1	1.8%
10		2	3.5%
11		4	7.0%
12		4	7.0%
13		1	1.8%
14		1	1.8%

File Births

#170 h2d: bcg day

Value	Label	Cases	Percentage
15		2	3.5%
16		1	1.8%
17		1	1.8%
19		4	7.0%
20		2	3.5%
21		5	8.8%
22		6	10.5%
23		2	3.5%
24		1	1.8%
25		2	3.5%
26		1	1.8%
27		4	7.0%
28		2	3.5%
29		2	3.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#171 h2m: bcg month

Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=57 /-] [Invalid=347 /-]	
Value	Label	Cases	Percentage
1		6	10.5%
2		9	15.8%
3		2	3.5%
4		3	5.3%
5		6	10.5%
6		2	3.5%
7		5	8.8%
8		3	5.3%
9		6	10.5%
10		5	8.8%
11		7	12.3%
12		3	5.3%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#172 h2y: bcg year

Information		[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]	
Statistics [NW/ W]		[Valid=57 /-] [Invalid=347 /-]	

File Births

#172 h2y: bcg year

Value	Label	Cases	Percentage
2005		2	3.5%
2006		10	17.5%
2007		8	14.0%
2008		15	26.3%
2009		10	17.5%
2010		12	21.1%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		347	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#173 h3: received tetra/penta 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	10	12.2%
1	vacc. date on card	54	65.9%
2	reported by mother	17	20.7%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#174 h3d: tetra/penta 1 day

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=350 /-]

Value	Label	Cases	Percentage
3		1	1.9%
5		5	9.3%
6		2	3.7%
7		2	3.7%
8		1	1.9%
9		1	1.9%
10		4	7.4%
11		2	3.7%
12		4	7.4%
13		2	3.7%
14		1	1.9%
15		5	9.3%
17		1	1.9%
18		3	5.6%
19		3	5.6%
20		3	5.6%
22		3	5.6%

File Births

#174 h3d: tetra/penta 1 day

Value	Label	Cases	Percentage
23		2	3.7%
24		1	1.9%
25		2	3.7%
26		1	1.9%
27		3	5.6%
29		2	3.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		350	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#175 h3m: tetra/penta 1 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=350 /-]

Value	Label	Cases	Percentage
1		2	3.7%
2		5	9.3%
3		7	13.0%
4		7	13.0%
5		1	1.9%
6		6	11.1%
7		3	5.6%
8		3	5.6%
9		5	9.3%
10		4	7.4%
11		8	14.8%
12		2	3.7%
97	inconsistent	1	1.9%
98	dk	0	0.0%
Sysmiss		350	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#176 h3y: tetra/penta 1 year

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=350 /-]

Value	Label	Cases	Percentage
2005		2	3.7%
2006		10	18.5%
2007		6	11.1%
2008		16	29.6%
2009		10	18.5%
2010		10	18.5%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%

File Births

#176 h3y: tetra/penta 1 year

Value	Label	Cases	Percentage
Sysmiss		350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#177 h4: received polio 1

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	9	11.0%
1	vacc. date on card	54	65.9%
2	reported by mother	19	23.2%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		322	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#178 h4d: polio 1 day

Information	[Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=350 /-]

Value	Label	Cases	Percentage
3		1	1.9%
5		5	9.3%
6		2	3.7%
7		2	3.7%
8		1	1.9%
9		1	1.9%
10		4	7.4%
11		2	3.7%
12		4	7.4%
13		2	3.7%
14		1	1.9%
15		5	9.3%
17		1	1.9%
18		3	5.6%
19		3	5.6%
20		3	5.6%
22		3	5.6%
23		2	3.7%
24		1	1.9%
25		2	3.7%
26		1	1.9%
27		3	5.6%
29		2	3.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%

File Births

#178 h4d: polio 1 day

Value	Label	Cases	Percentage
Sysmiss		350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#179 h4m: polio 1 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=350 /-]

Value	Label	Cases	Percentage
1		2	3.7%
2		5	9.3%
3		7	13.0%
4		7	13.0%
5		1	1.9%
6		6	11.1%
7		3	5.6%
8		4	7.4%
9		5	9.3%
10		4	7.4%
11		8	14.8%
12		2	3.7%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#180 h4y: polio 1 year

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]
Statistics [NW/ W]	[Valid=54 /-] [Invalid=350 /-]

Value	Label	Cases	Percentage
2005		2	3.7%
2006		10	18.5%
2007		6	11.1%
2008		16	29.6%
2009		10	18.5%
2010		10	18.5%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		350	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>			

#181 h5: received tetra/penta 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	15	18.3%

File Births

#181 h5: received tetra/penta 2

Value	Label	Cases	Percentage
1	vacc. date on card	50	61.0%
2	reported by mother	16	19.5%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#182 h5d: tetra/penta 2 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=50 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1		1	2.0%
4		1	2.0%
5		4	8.0%
7		4	8.0%
8		1	2.0%
10		6	12.0%
12		3	6.0%
13		2	4.0%
14		1	2.0%
15		2	4.0%
16		1	2.0%
17		2	4.0%
18		2	4.0%
19		2	4.0%
20		2	4.0%
21		1	2.0%
22		4	8.0%
23		2	4.0%
24		1	2.0%
25		1	2.0%
26		2	4.0%
28		1	2.0%
29		3	6.0%
30		1	2.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#183 h5m: tetra/penta 2 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=50 /-] [Invalid=354 /-]

File Births

#183 h5m: tetra/penta 2 month

Value	Label	Cases	Percentage
1		4	8.0%
2		1	2.0%
3		5	10.0%
4		7	14.0%
5		7	14.0%
6		1	2.0%
7		6	12.0%
8		2	4.0%
9		5	10.0%
10		3	6.0%
11		4	8.0%
12		4	8.0%
97	inconsistent	1	2.0%
98	dk	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#184 h5y: tetra/penta 2 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]		
Statistics [NW/ W]	[Valid=50 /-] [Invalid=354 /-]		
Value	Label	Cases	Percentage
2006		8	16.0%
2007		7	14.0%
2008		15	30.0%
2009		11	22.0%
2010		9	18.0%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#185 h6: received polio 2

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]		
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]		
Value	Label	Cases	Percentage
0	no	15	18.3%
1	vacc. date on card	50	61.0%
2	reported by mother	17	20.7%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#186 h6d: polio 2 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
--------------------	---

File Births

#186 h6d: polio 2 day

Statistics [NW/ W] [Valid=50 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1		1	2.0%
4		1	2.0%
5		4	8.0%
7		4	8.0%
8		1	2.0%
10		6	12.0%
12		3	6.0%
13		2	4.0%
14		1	2.0%
15		2	4.0%
16		1	2.0%
17		2	4.0%
18		2	4.0%
19		2	4.0%
20		2	4.0%
21		1	2.0%
22		4	8.0%
23		2	4.0%
24		1	2.0%
25		1	2.0%
26		2	4.0%
28		1	2.0%
29		3	6.0%
30		1	2.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#187 h6m: polio 2 month

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=50 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
1		4	8.0%
2		1	2.0%
3		5	10.0%
4		7	14.0%
5		7	14.0%
6		1	2.0%
7		6	12.0%
8		2	4.0%
9		5	10.0%

File Births

#187 h6m: polio 2 month

Value	Label	Cases	Percentage
10		3	6.0%
11		4	8.0%
12		4	8.0%
97	inconsistent	1	2.0%
98	dk	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#188 h6y: polio 2 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=50 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
2006		8	16.0%
2007		7	14.0%
2008		15	30.0%
2009		11	22.0%
2010		9	18.0%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#189 h7: received tetra/penta 3

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	19	23.2%
1	vacc. date on card	48	58.5%
2	reported by mother	14	17.1%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#190 h7d: tetra/penta 3 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=48 /-] [Invalid=356 /-]

Value	Label	Cases	Percentage
1		1	2.1%
2		2	4.2%
4		1	2.1%
5		2	4.2%
6		1	2.1%
7		4	8.3%

File Births

#190 h7d: tetra/penta 3 day

Value	Label	Cases	Percentage
10		2	4.2%
11		3	6.2%
12		4	8.3%
14		2	4.2%
15		1	2.1%
16		3	6.2%
17		1	2.1%
18		1	2.1%
19		3	6.2%
20		2	4.2%
21		2	4.2%
22		1	2.1%
23		1	2.1%
24		3	6.2%
26		2	4.2%
28		1	2.1%
29		3	6.2%
30		1	2.1%
31		1	2.1%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		356	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#191 h7m: tetra/penta 3 month

Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=48 /-] [Invalid=356 /-]	
Value	Label	Cases	Percentage
1		2	4.2%
2		4	8.3%
3		3	6.2%
4		5	10.4%
5		4	8.3%
6		9	18.8%
7		1	2.1%
8		3	6.2%
9		4	8.3%
10		6	12.5%
11		3	6.2%
12		4	8.3%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		356	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#192 h7y: tetra/penta 3 year

Information [Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]

Statistics [NW/ W] [Valid=48 /-] [Invalid=356 /-]

Value	Label	Cases	Percentage
2006		7	14.6%
2007		6	12.5%
2008		13	27.1%
2009		12	25.0%
2010		10	20.8%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		356	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#193 h8: received polio 3

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	18	22.0%
1	vacc. date on card	49	59.8%
2	reported by mother	15	18.3%
3	vacc. marked on card	0	0.0%
8	dk	0	0.0%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#194 h8d: polio 3 day

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=49 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
1		1	2.0%
2		2	4.1%
4		1	2.0%
5		2	4.1%
6		1	2.0%
7		4	8.2%
10		2	4.1%
11		3	6.1%
12		4	8.2%
14		2	4.1%
15		1	2.0%
16		3	6.1%
17		1	2.0%
18		1	2.0%
19		3	6.1%

File Births

#194 h8d: polio 3 day

Value	Label	Cases	Percentage
20		2	4.1%
21		2	4.1%
22		1	2.0%
23		1	2.0%
24		3	6.1%
26		2	4.1%
27		1	2.0%
28		1	2.0%
29		3	6.1%
30		1	2.0%
31		1	2.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#195 h8m: polio 3 month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
1		2	4.1%
2		5	10.2%
3		3	6.1%
4		5	10.2%
5		4	8.2%
6		9	18.4%
7		1	2.0%
8		3	6.1%
9		4	8.2%
10		6	12.2%
11		3	6.1%
12		4	8.2%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#196 h8y: polio 3 year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=49 /-] [Invalid=355 /-]

Value	Label	Cases	Percentage
2006		7	14.3%
2007		6	12.2%
2008		13	26.5%

File Births

#196 h8y: polio 3 year

Value	Label	Cases	Percentage
2009		12	24.5%
2010		11	22.4%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		355	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#197 h9: received measles

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	24	29.3%
1	vacc. date on card	40	48.8%
2	reported by mother	17	20.7%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#198 h9d: measles day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=364 /-]

Value	Label	Cases	Percentage
1		1	2.5%
2		3	7.5%
3		2	5.0%
6		1	2.5%
7		1	2.5%
10		1	2.5%
11		1	2.5%
12		1	2.5%
13		1	2.5%
14		2	5.0%
16		2	5.0%
18		3	7.5%
19		3	7.5%
20		2	5.0%
21		1	2.5%
22		2	5.0%
23		2	5.0%
24		1	2.5%
25		3	7.5%
27		3	7.5%
28		1	2.5%

File Births

#198 h9d: measles day

Value	Label	Cases	Percentage
29		3	7.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#199 h9m: measles month

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=364 /-]

Value	Label	Cases	Percentage
1		1	2.5%
2		5	12.5%
3		3	7.5%
4		3	7.5%
5		5	12.5%
6		6	15.0%
7		2	5.0%
8		1	2.5%
9		2	5.0%
10		6	15.0%
11		5	12.5%
12		1	2.5%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#200 h9y: measles year

Information	[Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]
Statistics [NW/ W]	[Valid=40 /-] [Invalid=364 /-]

Value	Label	Cases	Percentage
2006		5	12.5%
2007		5	12.5%
2008		8	20.0%
2009		15	37.5%
2010		7	17.5%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#201 h0: na - received p0

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

File Births

#201 h0: na - received p0

Value	Label	Cases	Percentage
0	no	0	
1	vacc. date on card	0	
2	reported by mother	0	
3	vacc. marked on card	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#202 h0d: na - p0 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#203 h0m: na - p0 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#204 h0y: na - p0 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#205 h10: ever had vaccination

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=24 /-] [Invalid=380 /-]

Value	Label	Cases	Percentage
0	no	5	20.8%
1	yes	19	79.2%
8	don't know	0	0.0%
Sysmiss		380	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#206 h11: had diarrhea recently

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	74	90.2%
1	yes, last 24 hours	0	0.0%
2	yes, last two weeks	7	8.5%
8	don't know	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#207 h11b: blood in the stools

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#208 h12a: diarrhea: national hospital (pp)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#209 h12b: diarrhea: health center

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	6	85.7%
1	yes	1	14.3%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#210 h12c: diarrhea: health post

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

File Births

#210 h12c: diarrhea: health post

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#211 h12d: diarrhea: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#212 h12e: na - diarrhea: comm. health worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#213 h12f: diarrhea: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#214 h12g: diarrhea: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#215 h12h: diarrhea: military hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#216 h12i: diarrhea: other public sector

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#217 h12j: diarrhea: private hospital

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#218 h12k: diarrhea: private pharmacy

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#219 h12l: na - diarrhea: private doctor

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#220 h12m: na - diarrhea: private mobile cln

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#221 h12n: na - diarrhea: comm.health worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

File Births

#221 h12n: na - diarrhea: comm.health worker

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#222 h12o: diarrhea: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	5	71.4%
1	yes	2	28.6%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#223 h12p: diarrhea: home of trained health worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	6	85.7%
1	yes	1	14.3%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#224 h12q: diarrhea: visit of trained health worker

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#225 h12r: diarrhea: other med.priv sect.

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#226 h12s: diarrhea: shop

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

File Births

#226 h12s: diarrhea: shop

Value	Label	Cases	Percentage
0	no	5	71.4%
1	yes	2	28.6%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#227 h12t: diarrhea: traditional pract.

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]		
Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#228 h12u: na - diarrhea: cs oth.priv sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#229 h12v: na - diarrhea: cs oth.priv sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#230 h12w: na - diarrhea: cs oth.priv sector

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]		
Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#231 h12x: diarrhea: other

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]		
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]		

File Births

#231 h12x: diarrhea: other

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#232 h12y: diarrhea: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no: received treatm.	6	85.7%
1	yes: no treatment	1	14.3%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#233 h12z: diarrhea: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	3	42.9%
1	yes	4	57.1%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#234 h13: given oral rehydration

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	5	71.4%
1	yes: ors - spontan.	0	0.0%
2	yes: ors - probed	2	28.6%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#235 h13b: given a pre-packaged ors liquid (from tablet)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#236 h14: na - given recommend. home solution

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes: rhs - spontan.	0	
2	yes: rhs - probed	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#237 h15: given antibiotic pills or syrups

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#238 h15a: given antimotility

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#239 h15b: given an antibiotic injection

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#240 h15c: given an intravenous (iv)

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%

File Births

#240 h15c: given an intravenous (iv)

Value	Label	Cases	Percentage
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#241 h15d: given home remedy, herbal med.

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#242 h15e: given zinc

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#243 h15f: given other (not antibiotic, antimotility, zinc)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	4	57.1%
1	yes	3	42.9%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#244 h15g: given unknown pill or syrup

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	4	57.1%
1	yes	3	42.9%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#245 h15h: given non-antibiotic injection

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	6	85.7%
1	yes	1	14.3%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#246 h15i: given unknown injection

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#247 h15j: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#248 h15k: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#249 h15l: na - given cs

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#249 h15l: na - given cs

Value	Label	Cases	Percentage
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#250 h15m: na - given cs

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#251 h20: given other treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	7	100.0%
1	yes	0	0.0%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#252 h21a: given no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no: received treatm.	6	85.7%
1	yes: no treatment	1	14.3%
8	dk	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#253 h21: received any treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	no	1	14.3%
1	yes	6	85.7%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#254 h22: had fever in last two weeks

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
-------------	--

File Births

#254 h22: had fever in last two weeks

Statistics [NW/ W] [Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	66	80.5%
1	yes	15	18.3%
8	dk	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#255 h31: had cough in last two weeks

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	68	82.9%
1	yes, last 24 hours	0	0.0%
2	yes, last two weeks	13	15.9%
8	don't know	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#256 h31b: short, rapid breaths

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=13 /-] [Invalid=391 /-]

Value	Label	Cases	Percentage
0	no	7	53.8%
1	yes	6	46.2%
8	dk	0	0.0%
Sysmiss		391	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#257 h31c: problem in the chest or blocked or running nose

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=6 /-] [Invalid=398 /-]

Value	Label	Cases	Percentage
1	chest only	2	33.3%
2	nose only	1	16.7%
3	both	3	50.0%
6	other	0	0.0%
8	don't know	0	0.0%
Sysmiss		398	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#258 h31d: had fever/cough in last 2 weeks: amount offered to drink

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

File Births

#258 h31d: had fever/cough in last 2 weeks: amount offered to drink

Value	Label	Cases	Percentage
0	nothing to drink	0	0.0%
2	much less	1	5.0%
3	somewhat less	3	15.0%
4	about the same	10	50.0%
5	more	5	25.0%
8	don't know	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#259 h31e: had fever/cough in last 2 weeks: amount offered to eat

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	stopped food	0	0.0%
1	never gave food	0	0.0%
2	much less	1	5.0%
3	somewhat less	7	35.0%
4	about the same	9	45.0%
5	more	2	10.0%
8	don't know	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#260 h32a: fever/cough: national hospital (pp)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#261 h32b: fever/cough: health center

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	17	85.0%
1	yes	2	10.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#262 h32c: fever/cough: health post

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#263 h32d: fever/cough: outreach

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#264 h32e: na - fever/cough: comm. health wrkr

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#265 h32f: fever/cough: provincial hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	17	85.0%
1	yes	2	10.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#266 h32g: fever/cough: district hospital (rh)

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%

File Births

#266 h32g: fever/cough: district hospital (rh)

Value	Label	Cases	Percentage
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#267 h32h: fever/cough: military hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#268 h32i: fever/cough: other public sector

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#269 h32j: fever/cough: private hospital

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#270 h32k: fever/cough: private pharmacy

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	14	70.0%
1	yes	5	25.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#271 h32l: na - fever/cough: private doctor

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
-------------	--

File Births

#271 h32l: na - fever/cough: private doctor

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#272 h32m: na - fever/cough: private mobile clinic

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#273 h32n: na - fever/cough: comm. health wrkr

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#274 h32o: fever/cough: private clinic

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	16	80.0%
1	yes	3	15.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#275 h32p: fever/cough: home of trained health worker

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	18	90.0%
1	yes	1	5.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#276 h32q: fever/cough: visit of trained health worker

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	18	90.0%
1	yes	1	5.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#277 h32r: fever/cough: other priv. med. sector

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#278 h32s: fever/cough: shop

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	18	90.0%
1	yes	1	5.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#279 h32t: fever/cough: traditional pract

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#280 h32u: na - fever/cough: cs oth. priv sect

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#280 h32u: na - fever/cough: cs oth. priv sect

Value	Label	Cases	Percentage
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#281 h32v: na - fever/cough: cs oth. priv sect

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#282 h32w: na - fever/cough: cs oth. priv sect

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#283 h32x: fever/cough: other

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#284 h32y: fever/cough: no treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no: received treatm.	14	70.0%
1	yes: no treatment	5	25.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#285 h32z: fever/cough: medical treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

File Births

#285 h32z: fever/cough: medical treatment

Value	Label	Cases	Percentage
0	no	6	30.0%
1	yes	13	65.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#286 h33: received vitamin a1 (most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	26	31.7%
1	vacc. date on card	27	32.9%
2	reported by mother	28	34.1%
3	vacc. marked on card	0	0.0%
8	dk	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#287 h33d: vitamin a1 day

Information	[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]
Statistics [NW/ W]	[Valid=27 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
1		2	7.4%
5		1	3.7%
6		2	7.4%
7		1	3.7%
9		1	3.7%
10		1	3.7%
12		1	3.7%
14		1	3.7%
16		1	3.7%
17		1	3.7%
18		2	7.4%
19		1	3.7%
20		1	3.7%
21		1	3.7%
22		1	3.7%
24		2	7.4%
25		4	14.8%
27		1	3.7%
30		2	7.4%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		377	

File Births

#287 h33d: vitamin a1 day

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#288 h33m: vitamin a1 month

Information [Type= discrete] [Format=numeric] [Range= 3-98] [Missing=*]

Statistics [NW/ W] [Valid=27 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
3		1	3.7%
4		1	3.7%
5		10	37.0%
6		1	3.7%
10		1	3.7%
11		13	48.1%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#289 h33y: vitamin a1 year

Information [Type= discrete] [Format=numeric] [Range= 2006-9998] [Missing=*]

Statistics [NW/ W] [Valid=27 /-] [Invalid=377 /-]

Value	Label	Cases	Percentage
2006		1	3.7%
2007		2	7.4%
2008		2	7.4%
2009		8	29.6%
2010		14	51.9%
9997	inconsistent	0	0.0%
9998	dk	0	0.0%
Sysmiss		377	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#290 h34: vitamin a in last 6 months

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	32	39.0%
1	yes	49	59.8%
8	don't know	1	1.2%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#291 h35: na - any vaccinations in last 2 years part of campaign

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	

File Births

#291 h35: na - any vaccinations in last 2 years part of campaign

Value	Label	Cases	Percentage
1	yes	0	
2	no vaccination in last 2 years	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#292 h36a: na - vaccinated during campaign a

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#293 h36b: na - vaccinated during campaign b

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#294 h36c: na - vaccinated during campaign c

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#295 h36d: na - vaccinated during campaign d

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#296 h36e: na - vaccinated during campaign e

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#297 h36f: na - vaccinated during campaign f

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#298 h37a: fansidar taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#299 h37b: chloroquine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#300 h37c: na - amodiaquine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	

File Births

#300 h37c: na - amodiaquine taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#301 h37d: quinine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#302 h37e: artemisinin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#303 h37f: malarine taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#304 h37g: a+m 2, 3, 4 taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.




#305 h37h: other antimalarial taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
-------------	--

File Births

#305 h37h: other antimalarial taken for fever/cough

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]




Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	 0.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#306 h37i: pills/syrup taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]




Value	Label	Cases	Percentage
0	no	12	 60.0%
1	yes	7	 35.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#307 h37j: injection taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]




Value	Label	Cases	Percentage
0	no	18	 90.0%
1	yes	1	 5.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#308 h37k: aspirin taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]




Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	 0.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#309 h37l: acetaminophen taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	17	 85.0%
1	yes	2	 10.0%
9		1	 5.0%

File Births

#309 h37l: acetaminophen taken for fever/cough

Value	Label	Cases	Percentage
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#310 h37m: ibuprofen taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#311 h37n: drug cocktail taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	12	60.0%
1	yes	7	35.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#312 h37o: multivitamin taken for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#313 h37p: na - cs other for fever/cough

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#314 h37x: other taken for fever/convulsion

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=20 /-] [Invalid=384 /-]

File Births

#314 h37x: other taken for fever/convulsion

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#315 h37y: nothing taken for fever/convulsion

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	16	80.0%
1	yes, nothing taken	3	15.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#316 h37z: don't know if or what was taken for fever/convulsion

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	17	85.0%
1	yes, dk	2	10.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#317 h38: had diarrhea in last 2 weeks: amount offered to drink

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	nothing to drink	0	0.0%
2	much less	1	14.3%
3	somewhat less	1	14.3%
4	about the same	2	28.6%
5	more	3	42.9%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#318 h39: had diarrhea in last 2 weeks: amount offered to eat

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=7 /-] [Invalid=397 /-]

Value	Label	Cases	Percentage
0	stopped food	0	0.0%

File Births

#318 h39: had diarrhea in last 2 weeks: amount offered to eat

Value	Label	Cases	Percentage
1	never gave food	0	0.0%
2	much less	0	0.0%
3	somewhat less	1	14.3%
4	about the same	3	42.9%
5	more	3	42.9%
8	don't know	0	0.0%
Sysmiss		397	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#319 h40: na - received vitamin a2 (2nd most recent)

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	vacc. date on card	0	
2	reported by mother	0	
3	vacc. marked on card	0	
8	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#320 h40d: na - vitamin a2 day

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#321 h40m: na - vitamin a2 month

Information	[Type= discrete] [Format=numeric] [Range= 97-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
97	inconsistent	0	
98	dk	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#322 h40y: na - vitamin a2 year

Information	[Type= discrete] [Format=numeric] [Range= 9997-9998] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
9997	inconsistent	0	
9998	dk	0	

File Births

#322 h40y: na - vitamin a2 year

Value	Label	Cases	Percentage
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#323 h41a: na - received vitamin a after most recent in card

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#324 h41b: na - ever received vitamin a dose

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#325 h42: given micronutrient powder in last 7 days

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	77	93.9%
1	yes	1	1.2%
8	don't know	4	4.9%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#326 h43: drugs for intestinal parasites in last 6 months

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	43	52.4%
1	yes	37	45.1%
8	don't know	2	2.4%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#327 h44a: place first sought treatment for diarrhea

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
-------------	--

File Births

#327 h44a: place first sought treatment for diarrhea

Statistics [NW/ W] [Valid=6 /-] [Invalid=398 /-]

Value	Label	Cases	Percentage
10	public sector	0	0.0%
11	national hospital (pp)	0	0.0%
12	provincial hospital (rh)	0	0.0%
13	district hospital (rh)	0	0.0%
14	health center	1	16.7%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	other public	0	0.0%
20	private medical	0	0.0%
21	private hospital	0	0.0%
22	private clinic	2	33.3%
23	pharmacy	0	0.0%
24	home of trained health worker	1	16.7%
25	visit of trained health worker	0	0.0%
26	other private	0	0.0%
30	other	0	0.0%
31	shop	2	33.3%
32	traditional practitioner	0	0.0%
96	other	0	0.0%
Sysmiss		398	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#328 h44b: na - days after diarrhea sought advice or treatment

Information [Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#329 h44c: na - still has diarrhea

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
8	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#330 h45: na - times zinc was given

Information	[Type= discrete] [Format=numeric] [Range= 98-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
98	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#331 h46a: place first sought treatment for fever

Information	[Type= discrete] [Format=numeric] [Range= 10-96] [Missing=*]
Statistics [NW/ W]	[Valid=14 /-] [Invalid=390 /-]

Value	Label	Cases	Percentage
10	public sector	0	0.0%
11	national hospital (pp)	0	0.0%
12	prov. hospital (rh)	2	14.3%
13	dist. hospital (rh)	0	0.0%
14	health center	2	14.3%
15	health post	0	0.0%
16	outreach	0	0.0%
17	military hospital	0	0.0%
18	other public	0	0.0%
20	private medical	0	0.0%
21	private hospital	0	0.0%
22	private clinic	3	21.4%
23	pharmacy	5	35.7%
24	home of trained health worker	1	7.1%
25	visit of trained health worker	0	0.0%
26	other private	0	0.0%
30	other	0	0.0%
31	shop	1	7.1%
32	traditional practitioner	0	0.0%
96	other	0	0.0%
Sysmiss		390	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#332 h46b: na - days after fever sought advice or treatment

Information	[Type= discrete] [Format=numeric] [Range= 0-98] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	same day	0	
98	don't know	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#333 hwidx: index to birth history

Information	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--------------------	--

File Births

#333 hwidx: index to birth history

Statistics [NW/ W] [Valid=67 /-] [Invalid=337 /-]

Value	Label	Cases	Percentage
1		56	83.6%
2		11	16.4%
Sysmiss		337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#334 hw1: age in months

Information [Type= continuous] [Format=numeric] [Range= 0-59] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-] [Mean=31.277 /-] [StdDev=17.811 /-]

#335 hw2: weight in kilograms (1 dec.)

Information [Type= continuous] [Format=numeric] [Range= 30-177] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-] [Mean=105.538 /-] [StdDev=31.571 /-]

#336 hw3: height in centimeters (1 dec.)

Information [Type= continuous] [Format=numeric] [Range= 482-1050] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-] [Mean=836.831 /-] [StdDev=128.372 /-]

#337 hw4: ht/a percentile

Information [Type= discrete] [Format=numeric] [Range= 2-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (62 Modalities)

#338 hw5: ht/a standard deviations

Information [Type= discrete] [Format=numeric] [Range= -361-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (60 Modalities)

#339 hw6: ht/a percent of ref. median

Information [Type= discrete] [Format=numeric] [Range= 8580-99998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (62 Modalities)

#340 hw7: wt/a percentile

Information [Type= discrete] [Format=numeric] [Range= 0-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (64 Modalities)

#341 hw8: wt/a standard deviations

Information [Type= discrete] [Format=numeric] [Range= -391-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (59 Modalities)

#342 hw9: wt/a percent of ref. median

Information [Type= discrete] [Format=numeric] [Range= 6076-99998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

File Births

#342 hw9: wt/a percent of ref. median

Frequency table not shown (62 Modalities)

#343 hw10: wt/ht percentile

Information [Type= discrete] [Format=numeric] [Range= 1-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (64 Modalities)

#344 hw11: wt/ht standard deviations

Information [Type= discrete] [Format=numeric] [Range= -363-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (58 Modalities)

#345 hw12: wt/ht percent of ref. median

Information [Type= discrete] [Format=numeric] [Range= 6604-99998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (65 Modalities)

#346 hw13: result of measurement

Information [Type= discrete] [Format=numeric] [Range= 0-7] [Missing=*]

Statistics [NW/ W] [Valid=67 /-] [Invalid=337 /-]

Value	Label	Cases	Percentage
0	measured	65	97.0%
1	dead	2	3.0%
2	sick	0	0.0%
3	not present	0	0.0%
4	refused	0	0.0%
5	mother refused	0	0.0%
6	other	0	0.0%
7	no measurement found in hh	0	0.0%
Sysmiss		337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#347 hw15: height: lying or standing

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Value	Label	Cases	Percentage
0	not measured	0	0.0%
1	lying	20	30.8%
2	standing	45	69.2%
Sysmiss		339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#348 hw16: day of birth of child

Information [Type= discrete] [Format=numeric] [Range= 2-98] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

File Births

#348 hw16: day of birth of child

Value	Label	Cases	Percentage
2		1	1.5%
4		1	1.5%
5		4	6.2%
6		4	6.2%
7		1	1.5%
8		1	1.5%
9		2	3.1%
10		5	7.7%
11		2	3.1%
12		2	3.1%
13		3	4.6%
15		6	9.2%
16		2	3.1%
18		1	1.5%
19		4	6.2%
20		1	1.5%
21		5	7.7%
22		3	4.6%
23		2	3.1%
24		2	3.1%
26		3	4.6%
27		2	3.1%
28		4	6.2%
29		1	1.5%
30		1	1.5%
97	inconsistent	0	0.0%
98	dk	2	3.1%
Sysmiss		339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#349 hw17: date measured (day)

Information	[Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-] [Mean=15.631 /-] [StdDev=9.805 /-]

#350 hw18: date measured (month)

Information	[Type= discrete] [Format=numeric] [Range= 7-12] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-]

Value	Label	Cases	Percentage
7		3	4.6%
8		10	15.4%
9		22	33.8%
10		8	12.3%
11		13	20.0%
12		9	13.8%

File Births

#350 hw18: date measured (month)

Value	Label	Cases	Percentage
Sysmiss		339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#351 hw19: date measured (year)

Information	[Type= discrete] [Format=numeric] [Range= 2010-2010] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-]

Value	Label	Cases	Percentage
2010		65	100.0%
Sysmiss		339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#352 hw51: line no. of parent/caretaker

Information	[Type= discrete] [Format=numeric] [Range= 0-6] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=344 /-]

Value	Label	Cases	Percentage
0	not in household	0	0.0%
1		8	13.3%
2		41	68.3%
3		5	8.3%
4		3	5.0%
5		1	1.7%
6		2	3.3%
Sysmiss		344	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#353 hw52: read consent statement

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=60 /-] [Invalid=344 /-]

Value	Label	Cases	Percentage
1	granted	59	98.3%
2	refused	0	0.0%
9		1	1.7%
Sysmiss		344	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#354 hw53: hemoglobin level (g/dl - 1 decimal)

Information	[Type= continuous] [Format=numeric] [Range= 67-999] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-] [Mean=189.846 /-] [StdDev=260.267 /-]

#355 hw55: result of measuring (hemoglobin)

Information	[Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]
Statistics [NW/ W]	[Valid=67 /-] [Invalid=337 /-]

Value	Label	Cases	Percentage
0	measured	59	88.1%
1	dead	2	3.0%

File Births

#355 hw55: result of measuring (hemoglobin)

Value	Label	Cases	Percentage
3	not present	0	0.0%
4	refused	0	0.0%
6	other	0	0.0%
7	no measurement found in hh	0	0.0%
9		6	9.0%
Sysmiss		337	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#356 hw56: hemoglobin level adjusted by altitude (g/dl - 1 decimal)

Information	[Type= continuous] [Format=numeric] [Range= 67-9999] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-] [Mean=1020.615 /-] [StdDev=2885.476 /-]

#357 hw57: anemia level

Information	[Type= discrete] [Format=numeric] [Range= 1-9] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-]

Value	Label	Cases	Percentage
1	severe	1	1.5%
2	moderate	11	16.9%
3	mild	21	32.3%
4	not anemic	26	40.0%
9		6	9.2%
Sysmiss		339	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#358 hw58: na - agrees to referral

Information	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
Statistics [NW/ W]	[Valid=0 /-] [Invalid=404 /-]

Value	Label	Cases	Percentage
0	no	0	
1	yes	0	
Sysmiss		404	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#359 hw70: ht/a standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -413-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (63 Modalities)

#360 hw71: wt/a standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -390-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (60 Modalities)

#361 hw72: wt/ht standard deviations (according to who)

Information	[Type= discrete] [Format=numeric] [Range= -422-9998] [Missing=*]
Statistics [NW/ W]	[Valid=65 /-] [Invalid=339 /-]

File Births

#361 hw72: wt/ht standard deviations (according to who)

Frequency table not shown (68 Modalities)

#362 hw73: bmi standard deviations (according to who)

Information [Type= discrete] [Format=numeric] [Range= -424-9998] [Missing=*]

Statistics [NW/ W] [Valid=65 /-] [Invalid=339 /-]

Frequency table not shown (62 Modalities)

#363 idx94: index to birth history

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#364 s413f: antenatal care: nutritional counseling

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=66 /-] [Invalid=338 /-]

Value	Label	Cases	Percentage
0	no	7	10.6%
1	yes	59	89.4%
Sysmiss		338	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#365 sml1: times took fansidar during pregnancy

Information [Type= discrete] [Format=numeric] [Range= 8-98] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
8		1	100.0%
98	don't know	0	0.0%
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#366 sml2: type of visit at source for antimalarial during pregnancy

Information [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]

Statistics [NW/ W] [Valid=1 /-] [Invalid=403 /-]

Value	Label	Cases	Percentage
1	antenatal visit	1	100.0%
2	another facility visit	0	0.0%
6	other source	0	0.0%
Sysmiss		403	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#367 s435: delivery by caesarean section

Information [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]

File Births

#367 s435: delivery by caesarean section

Statistics [NW/ W] [Valid=50 /-] [Invalid=354 /-]

Value	Label	Cases	Percentage
0	no	50	100.0%
1	yes, elective	0	0.0%
2	yes, emergency/medic indicated	0	0.0%
Sysmiss		354	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#368 s446b: received iron table

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	38	52.8%
1	yes	34	47.2%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#369 s446c: received deworming tablet

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	51	70.8%
1	yes	21	29.2%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#370 s446d: received advice on contraception

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	50	69.4%
1	yes	22	30.6%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#371 s446e: received counseling for newborn care

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=72 /-] [Invalid=332 /-]

Value	Label	Cases	Percentage
0	no	33	45.8%
1	yes	39	54.2%
Sysmiss		332	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#372 idx95: index to birth history

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]

File Births

#372 idx95: index to birth history

Statistics [NW/ W] [Valid=84 /-] [Invalid=320 /-]

Value	Label	Cases	Percentage
1		72	85.7%
2		12	14.3%
Sysmiss		320	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#373 shb: received hb 0

Information [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]

Statistics [NW/ W] [Valid=82 /-] [Invalid=322 /-]

Value	Label	Cases	Percentage
0	no	28	34.1%
1	vacc. date on card	40	48.8%
2	reported by mother	12	14.6%
3	vacc. marked on card	0	0.0%
8	dk	2	2.4%
Sysmiss		322	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#374 shbd: hb 0 day

Information [Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]

Statistics [NW/ W] [Valid=40 /-] [Invalid=364 /-]

Value	Label	Cases	Percentage
1		1	2.5%
2		1	2.5%
3		1	2.5%
4		1	2.5%
5		1	2.5%
6		1	2.5%
8		1	2.5%
10		1	2.5%
11		2	5.0%
12		3	7.5%
14		1	2.5%
15		2	5.0%
19		4	10.0%
20		1	2.5%
21		5	12.5%
22		2	5.0%
24		1	2.5%
25		1	2.5%
27		5	12.5%
28		3	7.5%
29		1	2.5%
30		1	2.5%

File Births

#374 shbd: hb 0 day

Value	Label	Cases	Percentage
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		364	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#375 shbm: hb 0 month

Information		[Type= discrete] [Format=numeric] [Range= 1-98] [Missing=*]	
Statistics [NW/ W]		[Valid=40 /-] [Invalid=364 /-]	
Value	Label	Cases	Percentage
1		5	<div></div> 12.5%
2		7	<div></div> 17.5%
4		4	<div></div> 10.0%
5		5	<div></div> 12.5%
6		2	<div></div> 5.0%
7		3	<div></div> 7.5%
8		2	<div></div> 5.0%
9		6	<div></div> 15.0%
10		2	<div></div> 5.0%
11		2	<div></div> 5.0%
12		2	<div></div> 5.0%
97	inconsistent	0	0.0%
98	dk	0	0.0%
Sysmiss		364	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#376 shby: hb 0 year

Information	[Type= discrete] [Format=numeric] [Range= 2005-9998] [Missing=*]		
Statistics [NW/ W]	[Valid=40 /-] [Invalid=364 /-]		
Value	Label	Cases	Percentage
2005		1	<div><div></div></div> 2.5%
2006		3	<div><div></div></div> 7.5%
2007		5	<div><div></div></div> 12.5%
2008		11	<div><div></div></div> 27.5%
2009		11	<div><div></div></div> 27.5%
2010		9	<div><div></div></div> 22.5%
9997	inconsistent	0	<div><div></div></div> 0.0%
9998	dk	0	<div><div></div></div> 0.0%
Sysmiss		364	
Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.			

#377 s526: blood taken from finger or heel for testing

Information	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
Statistics [NW/ W]	[Valid=15 /-] [Invalid=389 /-]

File Births

#377 s526: blood taken from finger or heel for testing


Value	Label	Cases	Percentage
0	no	9	 60.0%
1	yes	6	 40.0%
8	don't know	0	0.0%
Sysmiss		389	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#378 s538f: mefloquine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]


Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	0.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#379 s538h: artesunate tablet taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	0.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#380 s538i: artesunate suppository taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	0.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#381 s538j: artekinine taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	 95.0%
1	yes	0	0.0%
9		1	 5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

File Births

#382 s538k: cotexin taken for fever/cough

Information [Type= discrete] [Format=numeric] [Range= 0-9] [Missing=*]

Statistics [NW/ W] [Valid=20 /-] [Invalid=384 /-]

Value	Label	Cases	Percentage
0	no	19	95.0%
1	yes	0	0.0%
9		1	5.0%
Sysmiss		384	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#383 idx97: index to maternal mortality

Information [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]

Statistics [NW/ W] [Valid=329 /-] [Invalid=75 /-]

Value	Label	Cases	Percentage
1		122	37.1%
2		92	28.0%
3		59	17.9%
4		33	10.0%
5		18	5.5%
6		2	0.6%
7		2	0.6%
8		1	0.3%
Sysmiss		75	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

#384 s1112a: death related to accident such as traffic accident

Information [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]

Statistics [NW/ W] [Valid=2 /-] [Invalid=402 /-]

Value	Label	Cases	Percentage
0	no	2	100.0%
1	yes	0	0.0%
Sysmiss		402	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

Documentation

Reports and analytical documents.....	724
CDHS 2010 Preliminary Report.....	724
Questionnaires.....	724
CDHS 2010 Household Questionnaire.....	724
CDHS 2010 Men's Questionnaire.....	724
CDHS 2010 Women's Questionnaire.....	724
Technical documents.....	724
CDHS 2010 Interviewer's Manual.....	724
CDHS 2010 Data Entry Manual.....	725
CDHS 2010 Data Editing Manuals.....	725
CDHS 2010 Supervisor's and Editor's Manual.....	726
Cambodia Demographic and Health Survey in 2010.....	726

Reports and analytical documents

CDHS 2010 Preliminary Report, National Institute of Statistics Directorate General for Health ICF Macro, March 2011, Cambodia [khm], English [eng], "Docs\Pre_ReportENG.pdf"

Questionnaires

CDHS 2010 Household Questionnaire, National Institute of Statistics Directorate General for Health ICF Macro, May 2010, Cambodia [khm], Khmer [khm], "Docs\CDHS 2010 HH_Q.rar"

Description

Household Questionnaire for CDHS 2010

CDHS 2010 Men's Questionnaire, National Institute of Statistics Directorate General for Health ICF Macro, May 2010, Cambodia [khm], Khmer [khm], "Docs\CDHS 2010 Men_Q.rar"

Description

Men's Questionnaire for CDHS 2010

CDHS 2010 Women's Questionnaire, National Institute of Statistics Directorate General for Health ICF Macro, May 2010, Cambodia [khm], Khmer [khm], "Docs\CDHS 2010 Women_Q.rar"

Description

Women's Questionnaire for CDHS 2010

Technical documents

CDHS 2010 Interviewer's Manual, National Institute of Statistics Directorate General for Health ICF Macro, November 2009, Cambodia [khm], English [eng], "Docs\CDHS 2010 Interview's manual\Interviewer's Manual 2010.pdf"

Table of Contents

I. INTRODUCTION
 A. Survey Objectives
 B. DHS Sample
 C. Survey Organization
 D. Survey Questionnaires
 E. Interviewer's Role
 F. Training of Interviewers
 G. Supervision of Interviewers

H. DHS Regulations
I. Sexual Harassment
II. CONDUCTING AN INTERVIEW
A. Building Rapport with the Respondent
B. Tips for Conducting the Interview
C. Language of the Interview
III. FIELDWORK PROCEDURES
A. Preparatory Activities and Assignment Sheets
B. Contacting Households and Eligible Respondents
C. Checking Completed Questionnaires
D. Returning Work Assignments
E. Data Quality
IV. GENERAL PROCEDURES FOR COMPLETING THE QUESTIONNAIRE
A. Asking Questions
B. Recording Responses
C. Correcting Mistakes
D. Following Instructions
V. HOUSEHOLD QUESTIONNAIRE
A. Identification of Household on the Cover Page
B. Completing the Household Questionnaire
C. Return to Cover Page
VI. WOMAN'S QUESTIONNAIRE
A. Cover Page
B. Section 1: Respondent's Background
C. Section 2: Reproduction
D. Section 3: Contraception
E. Section 4: Pregnancy and Postnatal Care
F. Section 5: Child Immunization, Health and Nutrition
G. Section 6: Marriage and Sexual Activity
H. Section 7: Fertility Preferences
I. Section 8: Husband's Background and Woman's Work
J. Section 9: HIV/AIDS
K. Section 10: Other Health Issues
L. Interviewer's Observations
M. Calendar
VII. MAN'S QUESTIONNAIRE
A. Section 1: Respondent's Background
B. Section 2: Reproduction
C. Section 3: Contraception
D. Section 4: Marriage and Sexual Activity
E. Section 5: Fertility Preferences
F. Section 6: Employment and Gender Roles
G. Section 7: HIV/AIDS
H. Section 8: Other Health Issues

CDHS 2010 Data Entry Manual, National Institute of Statistics Directorate General for Health ICF Macro, November 2009, Cambodia [khm], English [eng], "Docs\CDHS 2010 Data Entry Manuals.rar"

Table of Contents

Data entry guidelines
Data entry supervision

CDHS 2010 Data Editing Manuals, National Institute of Statistics Directorate General for Health ICF Macro, November 2009, Cambodia [khm], English [eng], "Docs\CDHS 2010 Editing Manuals.rar"

Table of Contents

General guidelines for data editing
Questionnaire reception and office coding/editing
Supervisor's editing manual (in Khmer)

CDHS 2010 Supervisor's and Editor's Manual, National Institute of Statistics Directorate General for Health ICF Macro, November 2009, Cambodia [khm], English [eng], "Docs\CDHS 2010 Supervisor Editor Manual\CDHS 2010 Supervisor-Editor Manual.pdf"

Description

This manual is designed to explain to field supervisors and field editors how to do their jobs. The instructions for both positions have been combined into one manual because supervisors and field editors are expected to share many activities (e.g., editing questionnaires and tracking interviewers' performance).

Table of Contents

I. INTRODUCTION TO THE DHS SURVEY

- A. Survey Objectives
- B. Survey Organization
- C. Training
- D. Responsibilities of the Field Supervisor
- E. Responsibilities of the Field Editor

II. PREPARING FOR FIELDWORK

- A. Collecting Materials for Fieldwork
- B. Arranging Transportation and Accommodations
- C. Contacting Local Authorities
- D. Contacting the Central Office
- E. Using Maps to Locate Clusters and Selected Households
- Figure 1: Example of a General Cluster Map
- Figure 2: Example of a Sketch Map
- Figure 3: Importance of Identifying All Cluster Boundaries

III. ORGANIZING AND SUPERVISING FIELDWORK

- A. Assigning Work to Interviewers
- B. Reducing Nonresponse
- C. Handling Pending Interviews
- D. Maintaining Motivation and Morale

IV. MAINTAINING FIELDWORK CONTROL SHEETS

- A. Supervisor's/Editor's Assignment Sheet
- B. Interviewer's Assignment Sheet
- C. Blood Sample Transmittal Sheet
- D. Interviewer Progress Sheet

V. MONITORING INTERVIEWER PERFORMANCE

- A. Observing Interviews
- B. Evaluating Interviewer Performance
- C. Reinterviews

VI. EDITING QUESTIONNAIRES

- A. General Instructions
- B. Editing the Household Questionnaire
- C. Editing the Woman's Questionnaire
- D. Editing the Man's Questionnaire
- E. Organizing Questionnaires for Return to the Office
- F. Forwarding Questionnaires to the Head Office

Annex 1: DHS Supervisor's/Editor's Assignment Sheet

Annex 2: DHS Interviewer Progress Sheet

Annex 3: Height and Weight Charts

Annex 4: List of Key Editing Checks for Individual Questionnaires

Cambodia Demographic and Health Survey in 2010, Study Documentation, National Institute of Statistics, September 2011, Cambodia [khm], English [eng], "Docs\CDHS2010_StudyDoc.pdf"

Description

The report documents the metadata for the survey based on available information, and following the Data Documentation Initiative (DDI) version 2.0 and Dublin Core Metadata Initiative as documentation standards. It was generated using the IHSN Microdata Management Toolkit.

Table of Contents

Overview

Scope & Coverage
Producers & Sponsors
Sampling
Data Collection
Data Processing & Appraisal
Accessibility
Rights & Disclaimer
Files Description